

Redevelopment Authority of the City of Milwaukee
BID DESK, Second Floor
809 N. Broadway, Milwaukee, Wisconsin 53202

INVITATION TO BID

Executive Director
Redevelopment Authority of the City of Milwaukee
Phone: 414-286-5730

OFFICIAL NOTICE NO. 57385

Sealed bids for the work, material, labor, and services hereinafter described will be received at the Department of City Development BID DESK, located on the second floor at 809 N. Broadway, Milwaukee, Wisconsin 53202, no later than September 26, 2012 at 11:00 A.M.

One MANDATORY pre-bid walkthrough will be held at the Mason Street vehicle entrance at the Cathedral Parking Structure on Wednesday, September 19, 2012, and begin PROMPTLY at 10:00 a.m.

IMPORTANT

This bid is your offer to perform or supply the subject matter under "DESCRIPTION" below according to the terms and conditions set forth in this Invitation to Bid, Specific Official Notice No.57385, General Specifications, Detailed Specifications, Special Provisions, Plans of this particular project, the proposed contract and Special Conditions when applicable.

Your bid must meet the Detailed Specifications and the Plans for this particular project.

You must agree to comply with all applicable requirements of the Americans with Disabilities Act of 1990, 42 U.S.C. Section 12101, et seq.

The bid must be signed as set forth in the General Specifications and must comply with all the requirements therein set forth, or it will not be considered. If submitted by a corporation, the bid proposal must bear the corporate seal.

Bid security hereinafter specified must be submitted with your bid. If a bid bond is used, it must be sealed by the bonding company and be accompanied by an affidavit of no interest and a copy of a power of attorney. Bonding agents must be licensed to do business in the State of Wisconsin.

Bids received after the date and the time above specified will not be opened and read and will be deemed rejected.

NOTE: Also read the General Official Notice to Contractors; General, Detailed and Technical Specifications, Special Provisions; Special Conditions; Addend, if any; and Plans when applicable pertaining to this bid.

DESCRIPTION The project for the Repair and Replacement of the Membrane and Repainting of Pavement Markings at the Cathedral Square Parking Garage located at 765 North Jackson Street, shall include all labor, materials, and equipment for repair and/or recoating of existing traffic coatings where indicated on the documents and the repainting of pavement markings where indicated on the documents. This project **DOES NOT INCLUDE** painting of walls, ceilings, doors, and frames; door replacement; sealer application to masonry/concrete walls; drywall work; or replacing elevator cab flooring.

DETAILS OF SPECIFICATIONS: dated September 11, 2012

CITY OF MILWAUKEE
SPECIFIC OFFICIAL NOTICE NO. 57385

FOR: **Membrane Repair and Replacement
Cathedral Square Parking Garage
765 North Jackson Street
Milwaukee, WI**

The RPP goal for this project is 40%.
The SBE goal for this project is 25%.

Liquidated damages per diem: \$75.00

Time for Completion: All work to be completed by October 29, 2012

BID SECURITY REQUIRED: BOND, CERTIFIED CHECK, CASHIER'S CHECK, OR CASH TO ACCOMPANY BID: 10% OF CONTRACTOR'S BASE BID.

DETAILED SPECIFICATIONS: September 11, 2012

THE SUCCESSFUL CONTRACTOR SHALL FURNISH A PERFORMANCE BOND AND A PAYMENT BOND IN THE AMOUNT OF 100% OF THE BID WITH EACH EXECUTED CONTRACT.

NOTE: BIDS WILL BE OPENED AND PUBLICLY READ AT THE **OFFICES OF THE REDEVELOPMENT AUTHORITY OF THE CITY OF MILWAUKEE ON Wednesday, September 26, 2012 at 11:00 A.M.**

Copies of the Bid Package may be obtained at the Department Of City Development BID DESK, **Second Floor, 809 N. Broadway**, Milwaukee, Wisconsin 53202 or free of charge or via the Internet at:

<http://city.milwaukee.gov/Projects/RequestsforProposals.htm>

Contractor must comply with all provisions of the REDEVELOPMENT AUTHORITY OF THE CITY OF MILWAUKEE OFFICIAL NOTICE TO CONTRACTORS, published above.

Please e-mail Scott Stange with any questions regarding this bid: sstang@milwaukee.gov. The deadline for questions will be **Thursday September 20, 2012**. Any additional information and/or clarification(s) regarding this bid will be issued in the form of an addendum to this Bid by Friday, September 21, 2012, and will be posted at the website above.

Bidders will be responsible for keeping abreast of the addenda as they are posted. All such addenda shall become a part of the Invitation for Bid and all Bidders shall be bound by such.

All Bidders shall acknowledge receipt and acceptance of all addendums for this Invitation for Bid by indicating such on the Acknowledgements Page, signing the addendum and submitting the signed addendum with your bid. **BIDS SUBMITTED WITHOUT ALL SIGNED ADDENDUMS WILL BE CONSIDERED NON-RESPONSIVE.**

FOR: **Membrane Repair and Replacement**
Cathedral Square Parking Garage
765 North Jackson Street
Milwaukee, WI

ALL BIDS MUST BE TYPED OR PRINTED

Each bidder shall provide a Total Base Bid for the labor, materials and equipment necessary to perform all the work indicated in the specifications and drawings.

Lump Sum Prices shall include costs for all labor, equipment and material necessary for this project pursuant to the specifications, as well as: overhead; labor insurance (which shall include Federal and State Unemployment Workers Compensation; FICA Social Security Insurance and contributions paid by Employer Contractor for each employee); bonds; property insurance; Comprehensive General Liability Insurance; sales tax; Industry Programs; other expenses; and profit.

TOTAL BASE BID:

(Bid in figures) \$ _____ Lump Sum

(Bid in words) \$ _____ Lump Sum

***** IMPORTANT NOTICE *****

ALL BID PRICES MUST BE ENTERED IN WORDS AND IN NUMERALS. IN CASE OF VARIATION BETWEEN THE TWO, THE WORDS WILL PREVAIL.

IN ADDITION, IF THERE IS A DISCREPANCY BETWEEN THE TOTAL INDICATED IN THE PROPOSAL AND THE AMOUNT OBTAINED BY ADDING THE PRODUCTS OF THE QUANTITIES TIMES THE UNIT PRICES, THE LATTER SHALL GOVERN. ANY ERRORS FOUND IN THE TOTAL INDICATED SHALL BE CORRECTED AND THE CONTRACT AWARD SHALL BE MADE TO THE LOWEST RESPONSIBLE BIDDER BASED ON THE CORRECTED TOTAL.

IF DOUBT EXISTS AS TO WHAT IS BID, THE BID WILL BE REJECTED.

ACKNOWLEDGEMENTS PAGE

Official Notice No. 57385
Project No. _____

SMALL BUSINESS ENTERPRISE PROGRAM AND RESIDENT PREFERENCE PROGRAM PROVISIONS

In submitting this bid, the bidder acknowledges, understands and agrees that submission of a bid shall commit the bidder to comply with the Redevelopment Authority's provisions, goals outlined herein and percentages committed to below. Further, the bidder acknowledges, understands and agrees that submission of a bid shall commit the bidder to the comply the following:

The bidder's commitment for SBE participation on this project is _____%

The bidder's commitment for RPP Participation on the project is _____%

In submitting this bid, the bidder understands that the Executive Director-Secretary of Redevelopment Authority of the City of Milwaukee (RACM) reserves the right to reject any and all bids. If written notice of the acceptance of the bid is mailed, telegraphed, or delivered to the undersigned within forty-five (45) days after the opening thereof, the undersigned agrees to execute and deliver the contract in the prescribed form (contract form on file in the office of the Executive Director-Secretary of Redevelopment Authority of the City of Milwaukee) and furnish the required performance and payment bonds, and to meet such insurance requirements as may be required, within five days after the receipt of the official notice of award.

This bidder understands that if they are the successful bidder and the contract is awarded, failure to execute and to deliver the contract or to furnish the required insurance and the required security within five (5) days after receipt of the official notice of award or such extension thereto as the Executive Director-Secretary only may deem reasonable, RACM, in addition to any other legal or equitable remedy which it may have, may annul the award and notice of award, and the bid security of this bidder will be forfeited.

Attached hereto is an affidavit in proof that the undersigned has not colluded with any person in respect to this bid or any other bid for the contract for which this bid is submitted.

We acknowledge the receipt of Addenda _____ to _____ inclusive.

Bidder assures the City and acknowledges that the Official Notice; Special Provisions, if any; Special Conditions where applicable; Invitation to Bid and Bid; General, Detailed and Technical Specifications; Addenda, if any, and Plans of this particular project have been read and has a full understanding of the provisions therein.

**SIGNATURE PAGE – IMPORTANT – THREE(3) SIGNATURES ARE REQUIRED
OR BID WILL BE CONSIDERED NONRESPONSIVE.**

Rev. 2/2012

Official Notice No. _____
Project No. _____

In signing and submitting this bid, the bidder assures the Redevelopment Authority of the City of Milwaukee that the Official Notice, Notice to Bidders, Special Conditions where applicable, Invitation to Bid and Bid, General, Detailed and Technical Specifications, Special Provisions, schedule of fixed prices, Addenda, and Plans of this particular project have been read and understood and that the furnishing of the subject work, material, labor and services is under bidder's control. If the bidder's performance is contingent upon the acts of another party, the bidder assures that they have the necessary commitments to complete the contract which may be awarded.

Submitted by: _____
Name of Bidder (person, firm or corporation)

Telephone No: _____

Fax No: _____

Address: _____

(City, State, Zip Code)



Signed per _____
(Manual **signature required**)

MUST BE SIGNED

Official Capacity _____

BID DATED _____ SBE Contractor: Yes: _____
No _____

If a Corporation, answer the following:

Incorporated under laws of what state? _____

If a foreign corporation, are you licensed to do business in Wisconsin? _____

**SWORN STATEMENT OF BIDDER
AS REQUIRED BY
SECTION 66.0901 (7) WISCONSIN STATUTES**

I, being first duly sworn at _____
(City, State)

on oath state on behalf of said bidder, that I have examined and carefully prepared this proposal from the plans, specifications, and the other contract documents and have checked the same in detail before submitting this proposal; and this sworn statement is hereby made a part of the foregoing proposal.



MUST BE SIGNED

Signature _____

(Title, if any)

Subscribed and sworn to before me this

_____ day of _____, 20__

Notary Public, _____ County
State of _____

(Notary Signature)

My commission expires _____

NON-COLLUSION AFFIDAVIT

State of _____)
) ss.
County of _____)

_____, being first duly sworn, deposes and says that:

(1) He is _____
(owner, partner, officer, representative, or agent)

of _____, the Bidder that has submitted the attached Bid;

(2) He is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid;

(3) Such Bid is genuine and is not a collusive or sham Bid;

(4) Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees, or parties in interest, including this affiant, has in any way colluded, conspired, connived, or agreed, directly or indirectly with any other Bidder, firm, or person to submit a collusive or sham Bid in connection with the Contract for which the attached Bid has been submitted or to refrain from bidding in connection with such Contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other Bidder, firm, or person to fix the price or prices in the attached Bid or of any other Bidder, or to fix any overhead, profit, or cost element of the Bid price or the Bid price of any other Bidder, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against the Executive Director-Secretary of Redevelopment Authority of the City of Milwaukee or any person interested in the proposed Contract; and

(5) The price or prices quoted in the attached Bid are fair and proper and are not tainted by any collusion, conspiracy, connivance, or unlawful agreement on the part of the Bidder or any of its agents, representatives, owners, employees, or parties in interest, including this affiant.

(Check One) _____
Signature of

_____ Bidder if the bidder is an individual;

_____ Partner if the bidder is a partnership;

_____ Officer if the bidder is a corporation.

Subscribed and sworn to before me this
_____ day of _____, 20_____.

Notary Signature

My commission expires _____, 20_____.

Disclosure of Ownership

The statutory authority for the use of this form is prescribed in Sections 66.0903(12)(d) and 103.49(7)(d), Wisconsin Statutes. The use of this form is mandatory. The penalty for failing to complete this form is prescribed in Section 103.005(12), Wisconsin Statutes. Personal information you provide may be used for secondary purposes [Privacy Law, s. 15.04(1) (m), Wisconsin Statutes]

- (1)** On the date a contractor submits a bid to or completes negotiations with a state agency or local governmental unit, on a project subject to Section 66.0903 or 103.49, Wisconsin Statutes, the contractor shall disclose to such state agency or local governmental unit the name of any "other construction business", which the contractor, or a shareholder, officer or partner of the contractor, owns or has owned within the preceding three (3) years.
- (2)** The term "other construction business" means any business engaged in the erection, construction, remodeling, repairing, demolition, altering or painting and decorating of buildings, structures or facilities. It also means any business engaged in supplying mineral aggregate, or hauling excavated material or spoil as provided by Sections 66.0903(3), 103.49(2) and 103.50(2), Wisconsin Statutes.
- (3)** This form must ONLY be filed, with the state agency or local governmental unit that will be awarding the contract, if **both (A) and (B) are met.**
- (A)** The contractor, or a shareholder, officer or partner of the contractor:
- (1) Owns at least a 25% interest in the "other construction business", indicated below, on the date the contractor submits a bid or completes negotiations.
 - (2) Or has owned at least a 25% interest in the "other construction business" at any time within the preceding three (3) years.
- (B)** The Wisconsin Department of Workforce Development (DWD) has determined that the "other construction business" has failed to pay the prevailing wage rate or time and one-half the required hourly basic rate of pay, for hours worked in excess of the prevailing hours of labor, to any employee at any time within the preceding three (3) years.

Other Construction Business

Name of Business			
Street Address or P O Box	City	State	Zip Code
Name of Business			
Street Address or P O Box	City	State	Zip Code
Name of Business			
Street Address or P O Box	City	State	Zip Code
Name of Business			
Street Address or P O Box	City	State	Zip Code

I hereby state under penalty of perjury that the information, contained in this document, is true and accurate according to my knowledge and belief.

Print the Name of Authorized Officer			
Signature of Authorized Officer		Date Signed	
Name of Corporation, Partnership or Sole Proprietorship			
Street Address or P O Box	City	State	Zip Code

If you have any questions call (608) 266-6861

PREVAILING WAGE NOTICE

ALL PREVAILING WAGE CONTRACTS AWARDED BY THE DEPARTMENT OF PUBLIC WORKS AFTER THE FIRST OF ANY CALENDAR YEAR ARE SUBJECT TO THE NEW PREVAILING WAGE SCHEDULE THAT GOES INTO EFFECT ON JANUARY 2ND. THE PREVAILING WAGE SCHEDULE INCLUDED IN BID PACKAGES ISSUED LATE IN THE PRECEDING YEAR MAY NOT BE TOTALLY ACCURATE FOR CONTRACTS OFFICIALLY AWARDED AFTER THE TURN OF THE YEAR. THE NEW PREVAILING WAGE WILL BE INCORPORATED INTO THE CONTRACT WHEN AWARDED.

BIDDERS ARE REQUIRED TO UTILIZE THE WISCONSIN DEPARTMENT OF WORKFORCE DEVELOPMENT'S "DICTIONARY OF OCCUPATIONAL CLASSIFICATIONS AND WORK DESCRIPTIONS" TO DETERMINE THE APPROPRIATE JOB CLASSIFICATIONS AND WAGE RATES FOR THEIR EMPLOYEES PRIOR TO BIDDING. THIS DOCUMENT CAN BE FOUND ON THEIR WEBSITE AT DWD.WISCONSIN.GOV; TYPE "DICTIONARY" IN THE SEARCH BOX.

Residents Preference Program Provisions

I. General

A. In recognition of Chapter 309 of the Milwaukee Code of Ordinances, for this contract, bidders are to make best efforts in obtaining a minimum 40% of WORKER HOURS under the project to be performed by UNEMPLOYED or UNDEREMPLOYED RESIDENTS of the City. Up to one-third of worker hours may be achieved by documenting the use of UNEMPLOYED or UNDEREMPLOYED RESIDENTS on projects undertaken by the contractor where such compliance is not considered or by hiring UNEMPLOYED or UNDEREMPLOYED RESIDENTS on a full-time permanent basis for non-construction job categories connected to the project. Such adjustments must be proposed in an affidavit on a form provided by the department setting forth the facts upon which the request for adjustment is based.

B. The contractor, prior to commencing work, shall submit an affidavit (Form I) for proof of residency for all employees utilized by the contractor and subcontractors to meet the Residents Preference Program goals, stating that each employee is either UNEMPLOYED or UNDEREMPLOYED and is a RESIDENT of the City. The contractor shall prepare and submit accurate and timely resident utilization forms and reports within ten (10) days following completion of work, or every three months, whichever comes first. The reports shall identify the name, address, race, gender, work classification, wage rates and hours worked of all employees utilized on the contract by the contractor and all subcontractors. Failure to submit the required forms and reports may result in disqualification of future bids, delay of payments, or other appropriate sanctions. Final contract payments will not be made until the summary of hours worked on the back of the Prime Contractor's Affidavit of Compliance is completed and on file.

C. During the performance of this contract the Redevelopment Authority of the City of Milwaukee reserves the right to conduct compliance reviews. If the contractor is not in compliance with the specifications, the contractor will be notified in writing of the corrective action that will bring the contractor into compliance.

II. Definitions

A. RESIDENT – A person who maintains his or her place of permanent abode in the City of Milwaukee. Domiciliary intent is required to establish that a person is maintaining his or her place of permanent abode in the City. Mere ownership of real property is not sufficient to establish domiciliary intent. Evidence of domiciliary intent includes, without limitations, the location where a person votes, pays personal income taxes, or obtains a driver's license.

B. UNEMPLOYED or UNDEREMPLOYED – a RESIDENT that has worked less than 1,200 hours in the preceding 12 months or has not worked in the preceding 30 days or, regardless of employment status, has household income at or below the federal poverty guidelines as adjusted by the Wisconsin Department of Public Instruction to define eligibility for reduced lunch in public schools. A RESIDENT will continue to qualify as unemployed or underemployed for five (5) years from the date he or she first participates in a contract under Chapter 309. If a RESIDENT becomes an apprentice for a contractor or becomes a participant in an on-the-job training program after or in the course of performing on a particular construction contract, he or she shall continue to qualify as unemployed or underemployed for a period not exceeding 5 years from the date the person became an apprentice or participant in such on-the-job training program.

C. WORKER HOURS – means the total hours worked on a construction contract by skilled and unskilled construction trade workers, whether those workers are employed by the contractor or any subcontractor. In determining the total worker hours to be furnished at a construction site, the number of hours devoted to all tasks customarily performed on a construction site shall be included, whether or not such tasks are performed on the construction site. "Worker hours" includes work performed by persons filling apprenticeships and participating in on-the-job training programs and excludes the number of hours of work performed by all non-Wisconsin residents.

III. Residency Utilization Requirements

A. The contractor shall maintain, and shall ensure that all subcontractors maintain, personnel records listing the name, address, race and gender of all employees utilized for this contract and any records demonstrating that the employees utilized by the contractor in meeting the residency goals are actual residents of the City. These records shall be maintained for seven (7) years after the contractor has received final payment under the contract and shall be made available upon reasonable notice.

B. The following two organizations can be contacted for access to trained or qualified workers from the City. Other organizations or sources of qualified RESIDENTS can be used at the bidder's discretion.

1. Milwaukee Urban League, located at 435 West North Avenue, Milwaukee, WI 53212. Telephone number 414-374-5850 Ext. 103, fax number 414-374-1995.

2. Big Step, located at 3841 West Wisconsin Avenue, Milwaukee, WI 53208. Telephone 414-342-9787, fax number 414-342-3546.

G. If the prime contractor has problems in meeting the residency goals or if any other problems relative to residency participation arise during the completion of this project, the prime contractor shall make this known immediately.

Contractor Name

RACM Contract No.

Employee Affidavit Residents Preference Program

I certify that I maintain my permanent residence in the City of Milwaukee and that I vote, pay personal income tax, obtain my driver's license, etc. at _____, Milwaukee, WI _____
(Address) (Zip Code)

Residency status:

To verify my resident status, attached please find the following (check one)

- _____ Copy of my voter's certification form.
- _____ Copy of my last year's Form 1040.
- _____ Copy of my current Wisconsin Driver's License or State ID.
- _____ Copy of Other (i.e., Utility bill, Lease, etc.)

AND

Unemployment status:

I certify that I have been unemployed as follows: (Check those that apply)

- _____ I have worked less than 1,200 hours in the preceding 12 months.
- _____ I have not worked in the preceding 30 days.

OR

Underemployed status:

_____ I certify that based on the attached chart (Income Eligibility Guidelines), I am underemployed.

Print Name

Sign Name

Social Security Number

Home Telephone Number

Subscribed and sworn to me this _____ day

Of _____, _____ A.D.

My Commission Expires _____.

Notary Public Milwaukee County

Income Eligibility Guidelines

July 1, 2012 to June 30, 2013

Eligibility determination is based on household size and income. Total income must be at or below the amount in the table.

Household Size	Yearly	Monthly	Twice per month	Every 2 weeks	Weekly
1	20,665	1,723	862	795	398
2	27,991	2,333	1,167	1,077	539
3	35,317	2,944	1,472	1,359	680
4	42,643	3,554	1,777	1,641	821
5	49,969	4,165	2,083	1,922	961
6	57,295	4,775	2,388	2,204	1,102
7	64,621	5,386	2,693	2,486	1,243
8	71,947	5,996	2,998	2,768	1,384
9	79,273	6,607	3,304	3,050	1,525
10	86,599	7,218	3,610	3,332	1,666
11	93,925	7,829	3,916	3,614	1,807
12	101,251	8,440	4,222	3,896	1,948
For Each Additional Household Member Add	+7,326	+611	+306	+282	+141

Source: Wisconsin Department of Public Instruction School Nutrition Programs

PROPOSED RESIDENT/APPRENTICE UTILIZATION FORM

This is a preliminary statement of proposed workforce needs where known

Official Notice # _____ Project # _____ Contract # _____

Contractor _____

JOB CATEGORY	PROPOSED # OF HOURS ON THIS PROJECT	PROPOSED # OF HOURS FOR SPECIAL IMPACT AREA RESIDENTS	PROPOSED # OF HOURS FOR ALL OTHER WORKERS
TRUCK DRIVERS:		(%)	(%)
OPERATING ENGINEERS:			
<i>Journeyman</i>		(%)	(%)
<i>Apprentices</i>		(%)	(%)
SKILLED TRADES:			
(Specify)			
<i>Journeyman</i>		(%)	(%)
<i>Apprentices</i>		(%)	(%)
<i>Trainees</i>		(%)	(%)
LABORERS:			
(Specify type)			
		(%)	(%)
		(%)	(%)
		(%)	(%)
		(%)	(%)
		(%)	(%)

NAME and ADDRESS of Target Area Residents:

NAME and ADDRESS of Apprentices:

Redevelopment Authority of the City of Milwaukee
Minority/Women/Small Business Enterprise (MWSBE) Provisions

I. General

- A. In recognition of Chapter 370 of the Milwaukee Code of Ordinances, RACM shall strive to achieve the utilization of City certified Small Business Enterprises (SBE) for 25% of the total dollars, through prime contracts or subcontracts for Construction and the purchase of Goods and Services. For the purchase of Professional Services the goal is 18%. The goal for this contract is a SBE participation rate of 25%.
- B. The prime contractor shall prepare and submit accurate and timely SBE utilization forms and reports to the Redevelopment Authority. The reports shall include, but not be limited to, project participation (Form A), monthly utilization (Form D), and SBE subcontractor payment certification (Form E) forms as directed. Failure to submit the required forms and reports may result in delay of payments or other appropriate sanctions. Final contract payments will not be made until final SBE utilization reports and SBE subcontractor payment certification forms are on file with the Redevelopment Authority.
- C. During the performance of this contract, the Redevelopment Authority reserves the right to conduct compliance reviews. If the contractor is not in compliance with the specifications, the Redevelopment Authority will notify the contractor in writing of the corrective action that will bring the contractor into compliance. If the contractor fails or refuses to take corrective action as directed, the Redevelopment Authority may take one or more of the actions listed below:
 - 1. Withhold payments on the contract.
 - 2. Any other remedy available to the Redevelopment Authority at law or in equity.

II. Definitions

- A. "SMALL BUSINESS ENTERPRISE" (SBE) means a small business concern that is 51% owned, operated and controlled by one or more individuals who are a r a small business owner (who is at an "economic disadvantage"). The individuals must have day-to-day operational and managerial control and interest in capital, financial risks and earnings commensurate with the percentage of their ownership.
- B. "OWNED, OPERATED AND CONTROLLED" means a business which is one of the following:
 - 1. A sole proprietorship legitimately owned and operated and controlled by an individual at a disadvantage as defined in Chapter 370.
 - 2. A partnership or joint venture legitimately owned, operated and controlled by individuals who are at a disadvantage and who own at least 51% of the beneficial ownership interests in the enterprise and who hold at least 51% of the voting interests of the enterprise eligible as defined in Chapter 370.
 - 3. A corporation legitimately owned, operated and controlled by one or more individuals who are a disadvantage and who own at least 51% of the outstanding shares and who hold at least 51% of the voting interests of the corporation eligible as defined in Chapter 370.

III. SBE Utilization

- A. Each prime contractor is to make best efforts shall utilize SBE to a minimum of 25% on this contract. Note that the prime contractors is to make best efforts to attain SBE participation on their base bid including specified allowances, alternatives, and change orders. SBE commitments relative to contract award shall be based upon the approved SBE Compliance Plan (Form A).

- B. The determination of SBE utilization shall be based on the following criteria:
1. The firms identified as SBE by the prime contractor on the SBE Participation Form (Form A) must be certified with the Office of Small Business Development prior to bid opening.
 2. The prime contractor shall be credited for the entire expenditure to SBE firms only if all of the identified scope of work is performed directly by the certified SBE firm.
 3. The prime contractor shall be credited for the entire expenditure to SBE manufacturer only if the manufacturer produces goods from raw materials or substantially alters them for resale. Only 20% of the SBE goals may be expended for SBE suppliers that do not manufacture products they supply.
 4. The prime contractor shall count toward the SBE participation only those payments to SBEs who perform a commercially-useful function in the actual performance of the contract. While that generally means an SBE should be engaged in direct contract work, a “commercially-useful function” may also include management of a third tier subcontractor. For example, while an SBE trucking subcontractor is always expected to perform some direct work on the project, in some cases it may become necessary to subcontract work out to one or more third tier subcontractors. If a third tier subcontractor is also an SBE, the full amount of the work performed by that third tier SBE can be counted toward SBE participation. However, if the third party subcontractor is not an SBE, the prime contractor may only count 20% of the amount being subcontracted to the third tier non-SBE subcontractor. SBEs are required to notify the Redevelopment Authority if they subcontract out work so that the Redevelopment Authority can determine how much, if any, of the subcontracted work can be counted toward the SBE goal. The Redevelopment Authority will make the final determination and evaluation of whether the SBE is performing a commercially-useful function.
- C. The contractor, by signing and submitting a bid, certifies that the contractor understands the provisions of Chapter 370 and knows of and intends to comply with them. The completed SBE Participation Form (Form A) must be submitted by the apparent low bid contractor within three (3) working days after the identification of the “low bidder.”
1. Information on Form A shall include, but not be limited to:
 - a. The names, addresses, telephone numbers, SBE Certification designation and contact person names for the certified SBE contractors that will participate on the project as subcontractors or suppliers;
 - b. A description of the scope of work to be performed by the SBE on this project; and
 - c. The SBE contractor dollar value(s) and corresponding percentages that the dollar values represent of the total contract amount.
 2. Listing an SBE on the SBE Participation Form (Form A) shall constitute a representation that the contractor has communicated directly with the SBEs listed. If awarded the contract, the bidder will enter into a subcontract with the firm for the portion of the work listed.
 3. Only SBEs that have been certified by the Office of Small Business Development may be listed on the SBE Participation Form (Form A) and counted towards this project. A listing of the currently City certified SBE firms is maintained at:

Office of Small Business Development
200 East Wells Street

City Hall, Room 606
Milwaukee, Wisconsin 53202
Phone: (414) 286-5553
FAX: (414) 286-8752

- D. After execution of the contract, if for any reason an SBE cannot perform, the prime contractor shall contact the Redevelopment Authority for approval to substitute another certified SBE firm. The prime contractor must submit a written request for substitution which specifies the reasons for the request. Approval must be obtained prior to making substitutions. Any difference in the cost occasioned by such substitution shall be borne by the prime contractor. If the prime contractor cannot find another certified firm to do the work at a comparable price, a non-SBE firm may be substituted with the approval of the Redevelopment Authority.
- E. If the prime contractor has a problem in meeting the SBE participation or if any other problems relative to MWSBE (s) arise during the completion of this project, the prime contractor shall immediately contact the Redevelopment Authority.
- F. Certification from programs other than the Office of Small Business Development is neither accepted by the City of Milwaukee nor do they have any bearing whatsoever on the eligibility criteria established by the City of Milwaukee.

FORM A

**REDEVELOPMENT OF THE CITY OF MILWAUKEE
SBE PARTICIPATION FOR SUBCONTRACTORS AND/OR MATERIAL SUPPLIERS**

PRIME CONTRACTOR'S NAME: _____ BID / RFP OR CONTRACT NUMBER: _____

PRIME CONTRACTOR'S ADDRESS: _____

START DATE: _____ TOTAL CONTRACT AMOUNT: _____ TOTAL SBE AMOUNT: _____

VENDOR (BLANKET) CONTRACT: NO: _____ YES _____ IF YES, EXPIRATION DATE: _____

Please list below **all** proposed SBE subcontractor(s) and/or SBE material supplier(s) for this project.

SBE FIRM(S) NAME ADDRESS/CONTACT PERSON AND PHONE NUMBER	% OF BID	SUB-CONTRACTOR/OR SUPPLIER	WORK PERFORMED/ MATERIAL SUPPLIED	AMOUNT	AUTHORIZED SBE(S) OWNER/REPRESENTATIVE SIGNATURE OF ACKNOWLEDGMENT
1. _____ _____					
2. _____ _____					
3. _____ _____					
4. _____ _____					

Contractor's Authorized Signature: _____ Phone Number: _____

Print Name: _____ Title: _____

Reviewed By: _____ Date: _____

PURCHASING AGENT

**REDEVELOPMENT AUTHORITY OF THE CITY OF MILWAUKEE
SUBCONTRACTOR PAYMENT CERTIFICATION FORM**

Form D - SBE REPORT

(1) Prime Contractor/Firm _____

(2) Full Address & Phone Number: _____

(3) Description of service performed and/or material supplied _____

(4) Purchase Order /Contract# _____

(5) Start Date: _____ (6) Prime Contractors Total \$: _____

(7) Completion Date: _____ (8) Prime Contractor YTD \$: _____

(9) SBE % goal _____ and \$ goal _____

List all SBE subcontractor firm(s) utilized in connection with the above contract, either as service performed and/or supplier for the month. This form shall be signed and returned. **If this represents the final report, be sure to attach SBE Payment Certification Form (Form E).**

NAME OF SBE FIRM(s)	SERVICE PERFORMED/ MATERIAL SUPPLIED	AMOUNT PAID FOR THE MONTH	TOTAL \$ PAID Y-T-D
TOTAL PAID TO SBE(s)			

I/we hereby certify that I/we have read the above and approved this information to be precise and confirmed.

(10) Report Prepared By: _____
(Name) (Title) (Phone Number)

(11) Authorized Signature: _____
(Name) (Title)

(12) Date _____

Note: This form should be submitted to **Redevelopment Authority of the City of Milwaukee, Attn: Scott Stange, 809 North Broadway, Third floor Milwaukee, WI 53202.**

DIRECTIONS FOR SBE FINAL REPORT (FORM D)

1. Prime contractor's or firm's registered company name.
2. List full registered business address to include city/state, zip code and telephone number.
3. Brief description service performed and/or material supplied on this contract.
4. List the official Purchase Order or Contract Number, as represented on the contract or purchase order.
5. List the start date of the project.
6. List the total dollars awarded to the prime contractor.
7. List the completion date of the project.
8. Prime contractor's total dollar amount paid to each SBE firm(s), for the month being reported, for service performed and/or materials supplied.
9. List the SBE percentage goal on this project and the dollar amount.
10. List the name of the name, title and phone number of the individual who prepared the report.
11. Provide the authorized signature and title of the individual who approves the report.
12. List the date that the report is completed.

REDEVELOPMENT AUTHORITY OF THE CITY OF MILWAUKEE

SBE SUBCONTRACTOR PAYMENT CERTIFICATION

SBE Subcontractor's Firm Name: _____

Prime Contractor Name: _____

Prime Contractor's Bid or RFP#: _____ Purchase Order or Contract # _____

This certificate is to be signed by the SBE subcontractor firm that was utilized in connection with the above contract, either for service performed, and/or as a supplier. Attach this form to the Prime Contractor's final **FORM D** (SBE Monthly Report) and return to:

Redevelopment Authority of the City of Milwaukee
Attn: Scott Stange
809 North Broadway
Third Floor
Milwaukee WI 53202
(or fax to 414-286-0851)

I _____ hereby certify that our firm has received
(PLEASE PRINT NAME)
\$ _____ from _____
(PRIME CONTRACTORS NAME)
for subcontract work performed and/or material supplied on the above contract.

Signature & Title _____ Date: _____
Subcontractor
Signature & Title _____ Date: _____
Prime Contractor

**NOTE: THIS FORM MUST BE ATTACHED TO PRIME CONTRACTORS FINAL FORM D
(SBE MONTHLY REPORT)**

NOTICE TO CONTRACTORS

PLEASE NOTE: RACM has agreed to abide by the provisions of the City of Milwaukee Code of Ordinances 310-14, effective 12/28/05, relative to the disclosure of participation in or profits derived from slavery by contractors. All contractors awarded a contract on behalf of RACM, whether or not subject to a competitive bid, shall complete an affidavit prior to entering into the contract verifying that the contractor has searched any and all records of the company and or any predecessor company regarding records of investments or profits from slavery or slaveholder insurance policies during the slavery era. The names of any enslaved persons or slaveholders described in those records must be disclosed in the affidavit.

**CITY OF MILWAUKEE - DEPARTMENT OF DEPARTMENT OF CITY
DEVELOPMENT
AFFIDAVIT OF COMPLIANCE
DISCLOSURE OF PARTICIPATION IN OR PROFITS DERIVED
FROM SLAVERY BY CONTRACTORS**

COMPANY NAME: _____

ADDRESS: _____

CITY/STATE/ZIP: _____

This affidavit of compliance will be the contractor's sworn statement that publicly discloses any slavery policies sold by any companies, or profits from slavery by industries or their predecessors who are doing business with the City of Milwaukee as defined in the Milwaukee Code of Ordinances 310-14.

Please check one:

_____ This business **was not** in existence prior to 1865.

_____ This business **was** in existence prior to 1865. I have searched any and all records for records of investments or profits from slavery and have found no such records.

_____ This business **was** in existence prior to 1865. I have searched any and all records for records of investments or profits from slavery and am disclosing the findings on the attached pages.

I hereby declare that all statements are true, accurate and complete as of the date furnished to the City of Milwaukee.

AUTHORIZED SIGNATURE: _____

PRINTED NAME: _____

Subscribed to before me this _____ day of _____, 20____

NOTARY PUBLIC _____ County, _____ State _____

SIGNATURE: _____

PRINT NAME: _____

(Seal)

My commission expires: _____

Ref: slaverydisclosureaffidavit

REDEVELOPMENT AUTHORITY OF THE CITY OF MILWAUKEE
PRIME CONTRACTOR AFFIDAVIT OF COMPLIANCE
WITH MINIMUM WAGE SCALE AND SPECIAL AREA WORKER HOURS PROVISIONS

STATE OF _____) Project Name _____
 _____) SS. _____
 _____ County) RACM Contract No. _____

I, _____, being duly sworn, state that:

1. I am the _____ of _____, a _____
 (State)
 corporation, partnership, or individual of _____,
 (City, Village, Township) (State)

and make this affidavit pursuant to the provisions of § 66.0903 (9), Wisconsin Statutes, and Wisconsin Administrative Code section §DWD 290.14 regarding wage and fringe benefit rates for municipal contracts for construction of public works and pursuant to Section 309-41 of the Milwaukee Code of Ordinances.

2. I have recently completed the work required under the terms of the contract dated _____, 20_____, with the Redevelopment Authority of the City of Milwaukee for the construction of all or part of the above-named public works project and make this affidavit in order to obtain my final payment.

3. I have fully complied with the wage and hour requirements as set forth in the above-referenced contract and paid overtime rates (1½ times) for any work over ten (10) hours per day or forty (40) hours per week.

4. I have received similar evidence of compliance with the contract wage rates and special impact area worker hour requirements in the form of completed affidavits from each of my agents and subcontractors who worked on this project and have listed their names on the reverse side of this affidavit along with numbers and percentages of worker hours.

5. I have full and accurate records which clearly show the name, trade or occupation, and home address of every laborer, worker, or mechanic that I employed in connection with the work on this project, as well as the hours worked and actual wage and fringe benefits paid to such employees. These records will be kept at _____ in the custody of _____, who address and telephone number are _____. These payroll records and the evidence of compliance set in Paragraph 4 will be retained and made available for inspection for a period of at least **seven (7)** years following the completion of the project and will not be removed without prior notification to the Redevelopment Authority of the City of Milwaukee.

<u>Title</u>	<u>Officer Name</u>	<u>Address</u>
<u>President</u>	_____	_____
<u>Vice-President</u>	_____	_____
<u>Secretary-Treasure</u>	_____	_____

Subscribed and sworn to before me this _____
 day of _____, 20_____

Notary Public, State of _____

My Commission Expires: _____

 (Signature)

SUMMARY OF HOURS WORKED
(TARGET RESIDENCY VS TOTAL HOURS)

(REV. 01/01/01)

Name	No. of Hours of Special Impact Area Workers	% of Total Hours	No. of Hours of All Other Workers	% of Total Hours	Total of All Worker Hours
Prime Contractor:					
Subcontractors:					
GRAND TOTAL					

PREVAILING WAGE RATE DETERMINATION

Issued by the State of Wisconsin
Department of Workforce Development
Pursuant to s. 66.0903, Wis. Stats.
Issued On: 01/13/2012
Amended On: 03/02/2012

DETERMINATION NUMBER: 201200107

EXPIRATION DATE: Prime Contracts MUST Be Awarded or Negotiated On Or Before 12/31/2012. If NOT, You MUST Reapply.

PROJECT NAME: ALL PUBLIC WORKS PROJECTS UNDER SEC. 66.0903, STATS.-CITY OF MILWAUKEE

PROJECT LOCATION: MILWAUKEE CITY, MILWAUKEE COUNTY, WI

CONTRACTING AGENCY: CITY OF MILWAUKEE-DEPT OF PUBLIC WORKS

CLASSIFICATION:	Contractors are responsible for correctly classifying their workers. Either call the Department of Workforce Development (DWD) with trade or classification questions or consult DWD's Dictionary of Occupational Classifications & Work Descriptions on the DWD website at: dwd.wisconsin.gov/er/prevailing_wage_rate/Dictionary/dictionary_main.htm .
OVERTIME:	<p>Time and one-half must be paid for all hours worked:</p> <ul style="list-style-type: none">- over 10 hours per day on prevailing wage projects- over 40 hours per calendar week- Saturday and Sunday- on all of the following holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25;- The day before if January 1, July 4 or December 25 falls on a Saturday;- The day following if January 1, July 4 or December 25 falls on a Sunday. <p>Apply the time and one-half overtime calculation to whichever is higher between the Hourly Basic Rate listed on this project determination or the employee's regular hourly rate of pay. Add any applicable Premium or DOT Premium to the Hourly Basic Rate before calculating overtime.</p> <p>A DOT Premium (discussed below) may supersede this time and one-half requirement.</p>
FUTURE INCREASE:	When a specific trade or occupation requires a future increase, you MUST add the full hourly increase to the "TOTAL" on the effective date(s) indicated for the specific trade or occupation.
PREMIUM PAY:	If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.
DOT PREMIUM:	This premium only applies to highway and bridge projects owned by the Wisconsin Department of Transportation and to the project type heading "Airport Pavement or State Highway Construction." DO NOT apply the premium calculation under any other project type on this determination.
APPRENTICES:	Pay apprentices a percentage of the applicable journey person's hourly basic rate of pay and hourly fringe benefit contributions specified in this determination. Obtain the appropriate percentage from each apprentice's contract or indenture.
SUBJOURNEY:	Subjourney wage rates may be available for some of the trades or occupations indicated below with the exception of laborers, truck drivers and heavy equipment operators. Any employer interested in using a subjourney classification on this project MUST complete Form ERD-10880 and request the applicable wage rate from the Department of Workforce Development PRIOR to using the subjourney worker on this project.

This document **MUST BE POSTED** by the **CONTRACTING AGENCY** in at least one conspicuous and easily accessible place **on the site of the project**. A local governmental unit may post this document at the place normally used to post public notices if there is no common site on the project. This document **MUST** remain posted during the entire time any worker is employed on the project and **MUST** be physically incorporated into the specifications and all contracts and subcontracts. If you have any questions, please write to the Equal Rights Division, Labor Standards Bureau, P.O. Box 8928, Madison, Wisconsin 53708 or call (608) 266-6861.

The following statutory provisions apply to local governmental unit projects of public works and are set forth below pursuant to the requirements of s. 66.0903(8), Stats.

s. 66.0903 (1) (f) & s. 103.49 (1) (c) "PREVAILING HOURS OF LABOR" for any trade or occupation in any area means 10 hours per day and 40 hours per week and may not include any hours worked on a Saturday or Sunday or on any of the following holidays:

1. January 1.
2. The last Monday in May.
3. July 4.
4. The first Monday in September.
5. The 4th Thursday in November.
6. December 25.
7. The day before if January 1, July 4 or December 25 falls on a Saturday.
8. The day following if January 1, July 4 or December 25 falls on a Sunday.

s. 66.0903 (10) RECORDS; INSPECTION; ENFORCEMENT.

(a) Each contractor, subcontractor, or contractor's or subcontractor's agent performing work on a project of public works that is subject to this section shall keep full and accurate records clearly indicating the name and trade or occupation of every person performing the work described in sub. (4) and an accurate record of the number of hours worked by each of those persons and the actual wages paid for the hours worked.

s. 66.0903 (11) LIABILITY AND PENALTIES.

(a) 1. Any contractor, subcontractor, or contractor's or subcontractor's agent who fails to pay the prevailing wage rate determined by the department under sub. (3) or who pays less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor is liable to any affected employee in the amount of his or her unpaid wages or his or her unpaid overtime compensation and in an additional amount as liquidated damages as provided under subd. 2., 3., whichever is applicable.

2. If the department determines upon inspection under sub. (10) (b) or (c) that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the department shall order the contractor to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages within a period specified by the department in the order.

3. In addition to or in lieu of recovering the liability specified in subd. 1. as provided in subd. 2., any employee for and in behalf of that employee and other employees similarly situated may commence an action to recover that liability in any court of competent jurisdiction. If the court finds that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the court shall order the contractor, subcontractor, or agent to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages.

5. No employee may be a party plaintiff to an action under subd. 3. unless the employee consents in writing to become a party and the consent is filed in the court in which the action is brought. Notwithstanding s. 814.04 (1), the court shall, in addition to any judgment awarded to the plaintiff, allow reasonable attorney fees and costs to be paid by the defendant.

BUILDING OR HEAVY CONSTRUCTION

Includes sheltered enclosures with walk-in access for the purpose of housing persons, employees, machinery, equipment or supplies and non-sheltered work such as canals, dams, dikes, reservoirs, storage tanks, etc. A sheltered enclosure need not be "habitable" in order to be considered a building. The installation of machinery and/or equipment, both above and below grade level, does not change a project's character as a building. On-site grading, utility work and landscaping are included within this definition. Residential buildings of four (4) stories or less, agricultural buildings, parking lots and driveways are NOT included within this definition.

SKILLED TRADES

<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
		\$	\$	\$
101	Acoustic Ceiling Tile Installer	33.43	19.31	52.74
102	Boilermaker	31.09	21.87	52.96
103	Bricklayer, Blocklayer or Stonemason Future Increase(s): Add \$.50 on 6/01/2012; Add \$1.45/hr on 6/01/2013 Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	35.58	16.37	51.95
104	Cabinet Installer	29.06	15.16	44.22
105	Carpenter Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	33.43	19.31	52.74
106	Carpet Layer or Soft Floor Coverer	31.68	18.55	50.23
107	Cement Finisher	30.87	16.33	47.20
108	Drywall Taper or Finisher Future Increase(s): Add \$2.20/hr on 6/1/2012	28.97	17.74	46.71
109	Electrician Future Increase(s): Add \$1.40/hr on 6/1/2012. Add \$1.60/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	31.54	20.95	52.49
110	Elevator Constructor	43.79	25.48	69.27
111	Fence Erector	27.00	0.00	27.00
112	Fire Sprinkler Fitter	36.82	19.03	55.85
113	Glazier	32.25	16.20	48.45
114	Heat or Frost Insulator	33.28	22.45	55.73

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
115	Insulator (Batt or Blown)	23.62	11.55	35.17
116	Ironworker	31.31	21.54	52.85
117	Lather	31.68	18.41	50.09
118	Line Constructor (Electrical)	35.97	18.08	54.05
119	Marble Finisher	31.16	16.27	47.43
120	Marble Mason	35.53	15.92	51.45
121	Metal Building Erector	21.05	7.82	28.87
122	Millwright	28.30	23.29	51.59
123	Overhead Door Installer	26.53	0.00	26.53
124	Painter Future Increase(s): Add \$2.20/hr on 6/1/2012. Premium Increase(s): Add \$.20/hr for paperhanging; Add \$.35/hr for bridge, iron and drywall; Add \$.75/hr for spraying and sandblasting; Add \$.60/hr for EIFS work; Add \$1.00/hr for lead based paint removal.	28.97	17.74	46.71
125	Pavement Marking Operator	26.00	0.00	26.00
126	Piledriver	28.11	23.94	52.05
127	Pipeline Fuser or Welder (Gas or Utility)	30.52	18.84	49.36
129	Plasterer	20.13	1.03	21.16
130	Plumber	36.97	17.47	54.44
132	Refrigeration Mechanic	37.21	19.04	56.25
133	Rofer or Waterproofor Future Increase(s): Add \$.50/hr. effective 06/01/2012	29.40	15.05	44.45
134	Sheet Metal Worker	37.20	16.37	53.57
135	Steamfitter	38.26	19.49	57.75
137	Teledata Technician or Installer Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	24.65	15.67	40.32
138	Temperature Control Installer	29.63	19.17	48.80
139	Terrazzo Finisher	18.00	5.35	23.35
140	Terrazzo Mechanic	31.16	16.27	47.43

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
141	Tile Finisher	23.76	16.05	39.81
142	Tile Setter	29.95	15.64	45.59
143	Tuckpointer, Caulker or Cleaner Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	34.35	15.92	50.27
144	Underwater Diver (Except on Great Lakes)	36.20	18.81	55.01
146	Well Driller or Pump Installer	25.32	15.30	40.62
147	Siding Installer	36.60	16.37	52.97
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	27.42	15.10	42.52
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	28.78	15.16	43.94
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	17.80	9.00	26.80
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	23.38	12.48	35.86
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.30	10.97	32.27

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	32.32	16.75	49.07
203	Three or More Axle Future Increase(s): Add \$1.75/hr on 6/1/2012; Add \$1.85/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	22.50	16.19	38.69
204	Articulated, Euclid, Dumptor, Off Road Material Hauler	33.32	17.60	50.92
205	Pavement Marking Vehicle	19.25	10.84	30.09
207	Truck Mechanic	24.91	15.35	40.26

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer Premium Increase(s): Add \$.11 for mortar mixer, fork lift operator, air and electric equipment and power buggy operators; Add \$.22 for jackhammer operator, certified welder, gunite machineman.	28.82	15.61	44.43
302	Asbestos Abatement Worker	21.58	17.83	39.41
303	Landscaper	12.50	2.20	14.70
310	Gas or Utility Pipeline Laborer (Other Than Sewer and Water)	19.14	15.53	34.67
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased) Premium Increase(s): DOT PREMIUMS: Pay two times the hourly basic rate on New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	17.24	15.00	32.24
314	Railroad Track Laborer	17.00	1.06	18.06

**HEAVY EQUIPMENT OPERATORS
SITE PREPARATION, UTILITY OR LANDSCAPING WORK ONLY**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
501	Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Milling Machine; Boring Machine (Directional, Horizontal or Vertical); Backhoe (Track Type) Having a Mfgr's Rated Capacity of 130,000 Lbs. or Over; Backhoe (Track Type) Having a Mfgr's Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Crane, Shovel, Dragline, Clamshells; Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Grader or Motor Patrol; Master Mechanic; Mechanic or Welder; Robotic Tool Carrier (With or Without Attachments); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Tractor (Scraper, Dozer, Pusher, Loader); Trencher (Wheel Type or Chain Type Having Over 8 Inch Bucket).	32.32	18.18	50.50
502	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Environmental Burner; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Jeep Digger; Screed (Milling Machine); Skid Rig; Straddle Carrier or Travel Lift; Stump Chipper; Trencher (Wheel Type or Chain Type Having 8 Inch Bucket & Under).	33.32	17.60	50.92

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked				
CODE	TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
503	Air Compressor (&/or 400 CFM or Over); Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Greaser; High Pressure Utility Locating Machine (Daylighting Machine); Mulcher; Oiler; Post Hole Digger or Driver; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack.	32.32	17.59	49.91
504	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	36.20	18.81	55.01
505	Work Performed on the Great Lakes Including Crane or Backhoe Operator; Assistant Hydraulic Dredge Engineer; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder; 70 Ton & Over Tug Operator. Premium Increase(s): Add \$.50/hr for friction crane, lattice boom or crane certification (CCO).	37.45	19.45	56.90
506	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	26.80	18.52	45.32
507	Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	27.75	19.15	46.90

**HEAVY EQUIPMENT OPERATORS
EXCLUDING SITE PREPARATION, UTILITY, PAVING LANDSCAPING WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked				
CODE	TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
508	Boring Machine (Directional); Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. Premium Increase(s): Crane Operators with CCO certification add \$.50/hr. Cranes with boom length over 200 ft. not exceeding 300 ft. OR lifting capacity over 200 ton not exceeding 300 ton add \$.50/hr. Over 300 ton OR 300 ft. add \$.01/hr. per foot OR ton whichever is greater.	39.16	19.10	58.26

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
509	Backhoe (Track Type) Having a Mfgr's Rated Capacity of 130,000 Lbs. or Over; Boring Machine (Horizontal or Vertical); Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Pile Driver; Versi Lifts, Tri-Lifts & Gantrys (20,000 Lbs. & Over). Premium Increase(s): Crane Operators with CCO certification add \$.50/hr.	38.66	19.10	57.76
510	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Dredge (NOT Performing Work on the Great Lakes); Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Hydro-Blaster (10,000 PSI or Over); Milling Machine; Skid Rig; Traveling Crane (Bridge Type). Premium Increase(s): Crane Operators with CCO certification add \$.50/hr.	38.16	19.10	57.26
511	Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Environmental Burner; Gantrys (Under 20,000 Lbs.); Grader or Motor Patrol; High Pressure Utility Locating Machine (Daylighting Machine); Manhoist; Material or Stack Hoist; Mechanic or Welder; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tining or Curing Machine; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket). Premium Increase(s): Crane Operators with CCO certification add \$.50/hr.	38.16	19.10	57.26
512	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Grout Pump; Hoist (Tugger, Automatic); Industrial Locomotives; Jeep Digger; Lift Slab Machine; Mulcher; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames.	37.47	19.10	56.57

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
513	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Boatmen (NOT Performing Work on the Great Lakes); Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Elevator; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Forklift; Generator (&/or 150 KW or Over); Greaser; Heaters (Mechanical); Loading Machine (Conveyor); Oiler; Post Hole Digger or Driver; Prestress Machine; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack.	30.44	19.10	49.54
514	Gas or Utility Pipeline, Except Sewer & Water (Primary Equipment). Future Increase(s): Add \$2/hr. on 1/1/2013.	34.89	19.68	54.57
515	Gas or Utility Pipeline, Except Sewer & Water (Secondary Equipment).	31.26	17.40	48.66
516	Fiber Optic Cable Equipment	25.74	15.85	41.59

SEWER, WATER OR TUNNEL CONSTRUCTION
--

Includes those projects that primarily involve public sewer or water distribution, transmission or collection systems and related tunnel work (excluding buildings).

SKILLED TRADES

CODE	TRADE OR OCCUPATION	Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		
		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason	35.53	15.92	51.45
105	Carpenter Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	33.43	19.31	52.74
107	Cement Finisher Future Increase(s): Add \$1.86 on 6/1/12; Add \$1.87 on 6/1/13; Add \$1.87 on 6/1/14; Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	27.14	19.22	46.36
109	Electrician Future Increase(s): Add \$1.40/hr on 6/1/2012. Add \$1.60/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	31.54	20.95	52.49
111	Fence Erector	27.00	0.00	27.00
116	Ironworker Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	31.31	22.22	53.53
118	Line Constructor (Electrical)	35.97	18.08	54.05
125	Pavement Marking Operator	26.00	0.00	26.00
126	Piledriver	28.11	23.94	52.05
130	Plumber	36.18	16.86	53.04
135	Steamfitter	35.81	19.04	54.85
137	Teledata Technician or Installer	24.65	15.17	39.82

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
143	Tuckpointer, Caulker or Cleaner	34.30	15.47	49.77
144	Underwater Diver (Except on Great Lakes)	36.20	18.81	55.01
146	Well Driller or Pump Installer	24.22	14.80	39.02
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	27.42	15.10	42.52
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	28.78	15.16	43.94
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	17.80	9.00	26.80
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	23.38	12.48	35.86
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.30	10.97	32.27

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	23.00	8.64	31.64
203	Three or More Axle	17.54	13.41	30.95
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1.75/hr on 6/1/2012; Add \$1.85/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	22.50	16.19	38.69
205	Pavement Marking Vehicle	19.25	10.84	30.09
207	Truck Mechanic	17.54	13.41	30.95

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer Future Increase(s): Add \$1.73/hr on 6/4/2012. Premium Increase(s): Add \$1.92 for bottomman; Add \$2.03 for concrete manhole builder, bracer, jointman, or pipelayer; Add \$4.83 for blaster. Add \$2.00 for all tunnel work under 15 lbs. compressed air; Add \$2.00 for 0-30 lbs. compressed air; Add \$3.00 for over 30 lbs. compressed air.	27.72	15.61	43.33

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked				
CODE	TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
303	Landscaper	12.50	2.20	14.70
304	Flagperson or Traffic Control Person	22.50	12.90	35.40
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.09	14.40	31.49
314	Railroad Track Laborer	17.00	1.06	18.06

**HEAVY EQUIPMENT OPERATORS
SEWER, WATER OR TUNNEL WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked				
CODE	TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
521	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Master Mechanic; Pile Driver. Premium Increase(s): Crane Operators with CCO certification add \$.50/hr. Cranes with boom length over 200 ft. not exceeding 300 ft. OR lifting capacity over 200 ton not exceeding 300 ton add \$.50/hr. Over 300 ton OR 300 ft. add \$.01/hr. per foot OR ton whichever is greater.	39.16	19.10	58.26
522	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Boring Machine (Directional); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Spreader & Distributor; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. & Under; Dredge (NOT Performing Work on the Great Lakes); Milling Machine; Skid Rig; Telehandler; Traveling Crane (Bridge Type). Future Increase(s): Add \$2.05/hr on 6/4/2012. Premium Increase(s): Add \$.25/hr for operating tower crane.	33.91	18.55	52.46

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
523	Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Boring Machine (Horizontal or Vertical); Bulldozer or Endloader (Over 40 hp); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Manhoist; Material or Stack Hoist; Mechanic or Welder; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket). Future Increase(s): Add \$2.05/hr on 6/4/2012. Premium Increase(s): Add \$.25/hr for operating tower crane.	32.96	18.55	51.51
524	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Environmental Burner; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Hoist (Tugger, Automatic); Grout Pump; Jeep Digger; Lift Slab Machine; Mulcher; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Tining or Curing Machine; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames.	30.89	18.12	49.01
525	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Loading Machine (Conveyor); Post Hole Digger or Driver; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$2.05/hr on 6/4/2012. Premium Increase(s): Add \$.25/hr for operating tower crane.	30.51	18.55	49.06
526	Boiler (Temporary Heat); Forklift; Greaser; Oiler.	29.44	18.10	47.54
527	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	36.20	18.81	55.01

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
528	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	36.20	18.81	55.01
529	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	26.80	18.52	45.32
530	Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under), Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	26.80	18.52	45.32

AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION

Includes all airport projects (excluding buildings) and all projects awarded by the Wisconsin Department of Transportation (excluding buildings).

SKILLED TRADES

CODE	TRADE OR OCCUPATION	Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		
		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason	32.66	15.92	48.58
105	Carpenter Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	33.43	19.31	52.74
107	Cement Finisher Future Increase(s): Add \$1.86 on 6/1/12; Add \$1.87 on 6/1/13; Add \$1.87 on 6/1/14; Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	29.33	17.03	46.36
109	Electrician	31.64	23.78	55.42
111	Fence Erector	35.62	0.00	35.62
116	Ironworker	31.31	21.54	52.85
118	Line Constructor (Electrical)	35.97	18.08	54.05
124	Painter	27.87	14.39	42.26
125	Pavement Marking Operator	27.87	14.39	42.26
126	Piledriver Premium Increase(s): Add \$.65/hr for Piledriver Loftsmen; Add \$.75/hr for Sheet Piling Loftsmen. DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	29.56	24.96	54.52
133	Rofer or Waterproofer	28.85	14.60	43.45
137	Teledata Technician or Installer	24.65	15.17	39.82
143	Tuckpointer, Caulker or Cleaner	34.30	15.47	49.77
144	Underwater Diver (Except on Great Lakes)	36.20	18.81	55.01

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	33.87	16.10	49.97
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	29.64	14.64	44.28
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.18	13.07	38.25
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	23.38	12.48	35.86
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.30	10.97	32.27

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle Future Increase(s): Add \$1.75/hr on 6/1/2012; Add \$1.85/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	22.35	16.19	38.54
203	Three or More Axle	24.91	15.63	40.54
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1.75/hr on 6/1/2012; Add \$1.85/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	22.50	16.19	38.69
205	Pavement Marking Vehicle	23.84	14.70	38.54
206	Shadow or Pilot Vehicle	24.76	15.35	40.11
207	Truck Mechanic	24.91	15.63	40.54

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer Future Increase(s): Add \$1.60/hr on 6/1/2012; Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Increase(s): Add \$.15/hr for air tool operator, joint sawer and filler (pavement), vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.35/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement) and strike off man; Add \$.50/hr for line and grade specialist; Add \$.65/hr for blaster and powderman; Add \$2.01/hr for topman; Add \$2.46/hr for bottomman; Add \$3.23/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	24.34	17.85	42.19
302	Asbestos Abatement Worker	22.00	16.86	38.86
303	Landscaper	23.71	15.03	38.74
304	Flagperson or Traffic Control Person Future Increase(s): Add \$1.60/hr on 6/1/2012; Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	20.83	17.85	38.68
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.09	14.40	31.49
314	Railroad Track Laborer	17.00	1.06	18.06

**HEAVY EQUIPMENT OPERATORS
AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked				
CODE	TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
531	Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type). Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	34.22	18.90	53.12
532	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	33.72	18.90	52.62

Fringe Benefits Must Be Paid On All Hours Worked

<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u> \$	<u>HOURLY FRINGE BENEFITS</u> \$	<u>TOTAL</u> \$
533	<p>Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane Wlth a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.</p> <p>Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).</p>	33.22	18.90	52.12

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
534	<p>Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine.</p> <p>Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).</p>	32.96	18.90	51.86
535	<p>Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.</p> <p>Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).</p>	32.67	18.90	51.57
536	Fiber Optic Cable Equipment.	24.39	15.45	39.84
537	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	36.20	18.81	55.01

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
538	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	36.20	18.81	55.01
539	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	26.80	18.52	45.32
540	Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY.	26.80	18.52	45.32

LOCAL STREET OR MISCELLANEOUS PAVING CONSTRUCTION
--

Includes roads, streets, alleys, trails, bridges, paths, racetracks, parking lots and driveways (except residential or agricultural), public sidewalks or other similar projects (excluding projects awarded by the Wisconsin Department of Transportation).

SKILLED TRADES

CODE	TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason	35.53	15.92	51.45
105	Carpenter	29.06	15.16	44.22
107	Cement Finisher	27.57	16.33	43.90
109	Electrician Future Increase(s): Add \$.50/hr. effective 06/04/2012. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	28.74	17.86	46.60
111	Fence Erector	27.00	0.00	27.00
116	Ironworker	31.31	21.54	52.85
118	Line Constructor (Electrical)	35.97	18.08	54.05
124	Painter	28.47	16.74	45.21
125	Pavement Marking Operator	26.00	0.00	26.00
126	Piledriver	28.11	23.94	52.05
133	Rofer or Waterproofer	28.85	14.60	43.45
137	Teledata Technician or Installer	24.65	15.17	39.82
143	Tuckpointer, Caulker or Cleaner	34.30	15.47	49.77
144	Underwater Diver (Except on Great Lakes)	36.20	18.81	55.01
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	35.42	12.90	48.32
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	28.78	14.42	43.20
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.18	13.07	38.25
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	23.38	12.48	35.86
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.30	10.97	32.27

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	15.00	0.00	15.00
203	Three or More Axle	20.00	6.00	26.00
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1/hr on 6/3/2012; Add \$1/hr on 6/2/2013.	31.89	17.98	49.87
205	Pavement Marking Vehicle	19.25	10.84	30.09
206	Shadow or Pilot Vehicle	15.00	0.00	15.00
207	Truck Mechanic	20.00	6.00	26.00

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer	21.73	17.04	38.77
303	Landscaper	22.96	15.37	38.33
304	Flagperson or Traffic Control Person Future Increase(s): Add \$1.60/hr on 6/1/2012; Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	23.55	13.45	37.00
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.09	14.40	31.49
314	Railroad Track Laborer	17.00	1.06	18.06

**HEAVY EQUIPMENT OPERATORS
CONCRETE PAVEMENT OR BRIDGE WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
541	<p>Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic.</p> <p>Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).</p>	34.22	18.90	53.12
542	<p>Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. & Under; Crane, Tower Crane Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver.</p> <p>Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).</p>	33.72	18.90	52.62

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
543	Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.	31.89	18.22	50.11
544	Backfiller; Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine. Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	33.22	18.90	52.12

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
545	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.	30.42	17.58	48.00
546	Fiber Optic Cable Equipment.	24.39	15.45	39.84
547	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	36.20	18.81	55.01
548	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	36.20	18.81	55.01
549	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or more); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	26.80	18.52	45.32
550	Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	26.80	18.52	45.32

**HEAVY EQUIPMENT OPERATORS
ASPHALT PAVEMENT OR OTHER WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
551	Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads and/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic.	38.06	18.10	56.16

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
552	<p>Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver.</p> <p>Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).</p>	33.72	18.90	52.62
553	<p>Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Laser/Screed; Concrete Slipform Placer Curb & Gutter Machine; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.</p>	31.52	17.50	49.02

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	<u>TOTAL</u>
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	\$	\$	\$
554	Backfiller; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self-Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler. Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.	32.67	18.55	51.22
555	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$2/hr on 6/1/12; Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.	32.67	18.55	51.22
556	Fiber Optic Cable Equipment.	24.39	15.45	39.84

RESIDENTIAL OR AGRICULTURAL CONSTRUCTION

Includes single family houses or apartment buildings of no more than four (4) stories in height and all buildings, structures or facilities that are primarily used for agricultural or farming purposes, excluding commercial buildings. For classification purposes, the exterior height of a residential building, in terms of stories, is the primary consideration. All incidental items such as site work, driveways, parking lots, private sidewalks, private septic systems or sewer and water laterals connected to a public system and swimming pools are included within this definition. Residential buildings of five (5) stories and above are NOT included within this definition.

SKILLED TRADES

<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
		\$	\$	\$
101	Acoustic Ceiling Tile Installer	27.00	1.16	28.16
102	Boilermaker	31.09	21.87	52.96
103	Bricklayer, Blocklayer or Stonemason	26.22	13.80	40.02
104	Cabinet Installer	26.00	2.33	28.33
105	Carpenter	31.68	7.03	38.71
106	Carpet Layer or Soft Floor Coverer	21.40	6.01	27.41
107	Cement Finisher	28.00	10.10	38.10
108	Drywall Taper or Finisher Future Increase(s): Add \$2.20/hr on 6/1/2012	28.97	17.74	46.71
109	Electrician	31.10	6.01	37.11
110	Elevator Constructor	43.79	25.48	69.27
111	Fence Erector	17.64	4.66	22.30
112	Fire Sprinkler Fitter	36.39	16.97	53.36
113	Glazier	36.23	8.04	44.27
114	Heat or Frost Insulator	29.04	19.73	48.77
115	Insulator (Batt or Blown)	11.00	2.51	13.51
116	Ironworker	23.05	4.06	27.11
117	Lather	28.15	15.14	43.29
119	Marble Finisher	31.16	16.27	47.43
120	Marble Mason	35.53	15.92	51.45
121	Metal Building Erector	15.19	2.00	17.19
123	Overhead Door Installer	23.00	8.00	31.00
124	Painter	23.00	2.81	25.81

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
125	Pavement Marking Operator	26.00	0.00	26.00
129	Plasterer	30.36	7.15	37.51
130	Plumber	37.42	17.92	55.34
132	Refrigeration Mechanic	25.00	0.51	25.51
133	Rofer or Waterproofor Future Increase(s): Add \$.50/hr. effective 06/01/2012	29.40	15.05	44.45
134	Sheet Metal Worker	28.15	15.14	43.29
135	Steamfitter	32.59	11.05	43.64
137	Teledata Technician or Installer	19.23	5.32	24.55
138	Temperature Control Installer	22.00	2.64	24.64
139	Terrazzo Finisher	18.00	5.35	23.35
140	Terrazzo Mechanic	31.16	16.27	47.43
141	Tile Finisher	23.96	15.50	39.46
142	Tile Setter	27.00	1.91	28.91
143	Tuckpointer, Caulker or Cleaner	32.50	1.62	34.12
146	Well Driller or Pump Installer	27.60	0.00	27.60
147	Siding Installer	16.00	0.00	16.00

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	16.25	2.25	18.50
203	Three or More Axle	17.00	7.63	24.63
205	Pavement Marking Vehicle	19.25	10.84	30.09
207	Truck Mechanic	19.00	1.75	20.75

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer	17.50	6.16	23.66
302	Asbestos Abatement Worker	17.00	2.21	19.21
303	Landscaper	11.00	2.07	13.07
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.09	14.40	31.49

**HEAVY EQUIPMENT OPERATORS
RESIDENTIAL OR AGRICULTURAL CONSTRUCTION**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
557	Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type); Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Crane, Shovel, Dragline, Clamshells; Forestry Equipment, Timberco, Tree Shear, Tub Grinder, Processor; Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type); Winches & A-Frames.	32.56	10.76	43.32
558	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Backfiller; Belting, Burlap, Texturing Machine; Boiler (Temporary Heat); Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Jeep Digger; Lift Slab Machine; Mulcher; Oiler; Post Hole Digger or Driver; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Rock, Stone Breaker; Roller (Rubber Tire, 5 Tons or Under); Screed (Milling Machine); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Stump Chipper; Telehandler; Vibratory Hammer or Extractor, Power Pack.	17.40	0.44	17.84

***** END OF RATES *****

Specifications

**Redevelopment Authority of the
City of Milwaukee
Official Notice #57385**

**Membrane Repair and Replacement
Cathedral Square Parking Garage
765 North Jackson Street
Milwaukee, WI**

I. INSTRUCTIONS TO BIDDERS

A. **BID FORM:** Submit a lump sum price for the work as indicated and specified herein, complete in every respect. Bids will not be accepted in any form except on the bid form included with this project manual. The contractor must recognize and abide by the right of the Owner (Redevelopment Authority of the City of Milwaukee) to accept or reject any or all bids in the best interests of the Redevelopment Authority.

Lump Sum for labor, materials and equipment shall include: overhead, Labor Insurance (which shall include Federal and State Unemployment Workers Compensation, and FICA Social Security Insurance and contributions paid by Employer Contractor for each employee), Sales Tax, Bonds, Property Insurance, Comprehensive General Liability Insurance, Industry Programs, other expenses, and profit on “Wage Rate” and/or “cost”.

B. **BID EVALUATION:** The Executive Director-Secretary of Redevelopment Authority of the City of Milwaukee will award the contract on the basis of the Total Base Bid. The contract will be awarded to the Contractor with the lowest responsive and responsible Total Base Bid, who also meets the required qualifications found in the Specifications.

C. **EXCLUSIVITY OF WORK:** The Redevelopment Authority reserves the right based on availability and need to acquire services outside this contract to best meet the needs of the City.

D. **CONTRACT AWARD:** The Executive Director-Secretary of Redevelopment Authority of the City of Milwaukee will award the contract on the basis of the Total Base Bid amount. The contract shall be awarded to the lowest responsible bidder whose bid complies with the bid specifications. The Executive Director-Secretary of Redevelopment Authority of the City of Milwaukee reserves the right to reject all bids if it appears that the lowest bid for the work to be let is unreasonably high. The Executive Director-Secretary further reserves the right to reject the bid of any bidder who is, in the judgment of said Executive Director-Secretary, incompetent or otherwise unreliable for the performance of the work bid or who shall previously have willfully or negligently failed to complete any work or contract entered into with the Redevelopment Authority or the City of Milwaukee, or any officer or department thereof or who shall have willfully or negligently failed to enter into a contract with satisfactory Surety for any work that shall have been previously awarded by said Executive Director-Secretary. The Executive Director-Secretary further reserves the right to disregard and reject any and all bids.

E. SITE VISIT: All contractors shall visit the project specific sites, consult project manual, be familiar with the work of other contractors and determine for himself all conditions affecting the work.

Failure by a contractor to be familiar with the specific project shall not release him from any obligation under this contract to complete the work in strict conformity with the plans and project manual and all City, State and Federal Codes or regulations pertaining to the work.

F. **CONSTRUCTION START AND COMPLETION DATES:** The time allowed for completion is stated in the Specific Official Notice and shall start with the date on the Notice to Proceed which will be sent to the contractor following the signing of the contract. The time allowed includes the time required for fabricating and procuring material and doing the work at the building site.

G. **BASE BID EXCLUSIONS:** N.A. All work is to be performed under this contract.

H. **ADDITIONAL PLANS/PROJECT MANUALS:** The successful contractor will be responsible for furnishing all additional copies of plans, project manuals, addenda, etc., as may be needed by the

contractor and subcontractors. Contractor shall have complete sets of plans and project manuals on the job site at all times. The Redevelopment Authority will cooperate by making originals available to the contractor/s printer of choice.

I. EXAMINE DOCUMENTS:

1. Before submitting a bid proposal, bidders should carefully examine the contract manual; fully inform themselves as to all existing conditions and limitations, including those of labor; and shall include in the bid proposal a sum sufficient to cover the cost of all items contemplated by the contract documents.
2. Each sub-bidder further represents that he is familiar with the scope of the proposed work to ascertain any obstacles that might be encountered and other matters and conditions relevant to this work.
3. Additional charges will not be as considered for work which, prior to bidding, could reasonably be inferred as appropriate by examination of the contract documents, and closely reviewing the work as indicated above.

J. GENERAL SPECIFICATIONS:

1. Provisions of the Redevelopment Authority of the City of Milwaukee General Specifications (“General Specifications”), and subsequent addenda, contained herein, except as may be modified or expanded upon in this project manual, shall apply to all contractors and subcontractors working on the project. (For a copy, please go to the following link and click on “General Specifications” <http://city.milwaukee.gov/racm>)

II. GENERAL REQUIREMENTS:

A. Contractor shall comply with all applicable state, federal and local codes, and pay all permits, licenses and certificates, and other fees as required by the work including but not limited to the following:

1. Safety Regulations: All work shall be done in accordance with the safety requirements referenced in the International Building Code, as adopted and amended by the State of Wisconsin and OSHA. Also, Contractor shall provide all barricades necessary to protect neighbors during the construction activities.
2. Contractor shall comply with all rulings, regulations and laws of the following shall be complied with in the completion of this project, including:

International Building Code, as amended and adopted by the State of Wisconsin
Plumbing and Drainage Codes of the City of Milwaukee
Ordinances of the City of Milwaukee
National Board of Fire Underwriters
OSHA
N FPA
FAA
NEC
IEEE
UL

4. Contractors shall obtain, from the City of Milwaukee Department of City Development and/or other government or private agencies, all special permits as may be necessary in their work.

6. Contractors shall obtain all permits to occupy or work in the public way as may be necessary for their work.

7. Contractors shall notify the City and/or appropriate utilities when making utility connections as part of the project.

B. SCHEDULING:

1. Contractor should prepare and submit to the Owner, for approval, a schedule fixing the time and dates for the work to begin and end. The work involving the surface preparation and application of the traffic coating on the entry ramp; other traffic coating repair and re-coating where indicated; and the re-painting of designated traffic markings shall occur **between 2:00 a.m. Saturday and 11:59 p.m. the following Sunday**. All work shall progress with sufficient time for traffic membrane coats to cure between applications and for the traffic coating assembly to have cured before the parking structure is opened to traffic. Contractor is cautioned to make every effort to protect and maintain it in a weathertight manner while executing the work. The contractor will be held liable for any damage caused to the building(s) and ancillary structures, and/or injury to the occupants resulting from the execution of the work or from not exercising proper precautionary protective measures. Any cost of repair/replacement resulting from damages shall be at the contractor's expense.

2. Unless authorization is received from the Redevelopment Authority Construction Representative, all work shall be completed during one and only one of the following weekends: 10/13/2012-10/14/2012 or 10/20/2012-10/21/2012 or 10/27/2012-10/28/2012. It is the intent to close the parking structure for parking operations, on the levels to receive work, during the one selected weekend.

C. INSPECTIONS:

1. Redevelopment Authority Staff, or designee, may provide daily inspection to verify compliance with contract documents, identify contractors and crews on the job, verify compliance with contract conditions (SBE, residency, wage requirements), and record job progress and conditions.

2. Contractors shall arrange with the Department of Neighborhood Services/Construction Trades Division and permit issuing agencies for all code compliance inspections as required by all permits including, but not limited to, the general building and all special permits issued by that agency.

3. Contractors shall arrange with the appropriate City agency for compliance inspections, as required, for all permits including, but not limited to, curb and pavement cuts and patches, and public way occupancy and utility connections

D. Liquidated Damages: \$75.00 per calendar day. Should the CONTRACTOR fail to complete the work by the completion date of the contract or within such extra time as may have been allowed for delay by extensions granted as provided in the Contract, the Contractor shall reimburse the Owner for the additional expense and damage for each calendar day, Sundays and legal holidays included, that the Contract remains uncompleted after the specified completion date. The said amount agreed upon is not a penalty but are liquidated damages for the loss to the Owner on account of expense due to the employment of engineers, designers, inspectors, and other employees after the expiration of the time of completion, and if applicable, expenses incurred as a result of the impact of the

Contractor on other Contractors under this project or other contracts, and on account of the value of the operation of the works dependent thereon. The Owner shall have the right to deduct such damages from any amount due, or that may become due the Contractor, or the amount of such damages shall be due and collectible from the Contractor.

I. WORK BY OTHERS:

1. Project roles are defined as follows:

- a. OWNER – The Redevelopment Authority of the City of Milwaukee.
- b. OWNER’s REPRESENTATIVE– Representative from Redevelopment Authority, or the City of Milwaukee Department of City Development, or designee.
- c. CONTRACTOR – The successful bidder of this contract.
- d. CONTRACTOR’s REPRESENTATIVE – The CONTRACTOR’s Project Manager.
- e. SUBCONTRACTOR(s) – Any lower-tiered CONTRACTOR to the CONTRACTOR.

2. The CONTRACTOR shall not obstruct or cause delay in progress of work by others on the Property. CONTRACTOR shall coordinate with others performing work at the property regarding access, material staging areas, and work schedules.

3. The CONTRACTOR shall coordinate all Work, or specifically identified portions of the Work, with the OWNER’s REPRESENTATIVE to allow for entry to inside of the building, obtain direction for locating equipment and materials, and obtain prior approval from OWNER’s REPRESENTATIVE for changes to the initial schedule

4. CONTRACTOR’S REPRESENTATIVE shall be experienced and shall be directly in charge of the installation, all staff, and staff contractors associated with this work.

J. SUPERVISION OF WORK:

1. Contractors shall furnish the services of an experienced foreman or superintendent.

2. He shall be constantly in charge of the installation of the work together with all subcontractors, skilled workers, helpers, and labor required to unload, transfer, erect, connect up, adjust, start, operate and test each system.

3. He shall be thoroughly acquainted with and be responsible for the various subcontractors' work so that it is properly coordinated and supervised to the satisfaction of the Executive Director Secretary of the Redevelopment Authority or his representative.

K. INVOICING:

1. Pay applications to be submitted on a monthly basis. Applications shall include a summary of work occurring for previous month.

2. Payments will be held if contract administrative matters are not met, i.e. wages, SBE and/or RPP participation, or paper work for requirements are not up to date.

3. Contractor shall maintain individual invoices for each maintenance occurrence during previous month. These records must be submitted with monthly pay requests for request to be process.

L. WORK NOT INCLUDED: The Redevelopment Authority reserves the right to contract for other related services outside this contract. Nothing in these specifications shall be deemed to preclude this right the contractor shall not be entitled to compensation or -damages for such services rendered by others.

M. ELECTRICAL POWER: Contractor shall be responsible for providing their own power source

N. TOILET FACILITIES: Contractor shall be responsible for providing their own toilet facilities.

O. WEATHER PROTECTION: Contractor is also to furnish, install, and maintain a waterproof protection of new traffic coating assembly until the entire traffic coating assembly is fully cured

III. TECHNICAL SPECIFICATIONS: See Attached

TECHNICAL SPECIFICATIONS

Section 02 05 00 - Common Work Results for Existing Conditions

Pages thru 02 05 00 – 4

Section 07 18 00 – Traffic Coatings

Pages thru 07 18 00 – 8

DRAWINGS

A0.00 Title Sheet

A2.00 South Basement Floor Plan – South

A2.00 North Basement Floor Plan – North

A2.01 South Ground Floor Plan – South

A2.01 North Ground Floor Plan – North

A2.01A South Mezzanine Floor Plan – South

A2.01A North Mezzanine Floor Plan – North

A2.02 South 2nd Floor Plan – South

A2.02 North 2nd Floor Plan – North

A2.03 South 3rd Floor Plan – South

A2.03 North 3rd Floor Plan – North

A2.04 South 4th Floor Plan – South

A2.04 North 4th Floor Plan – North

A2.05 South 5th Floor Plan – South

A2.05 North 5th Floor Plan – North

A2.06 South 6th Floor Plan – South

A2.06 North 6th Floor Plan – North

A2.07 South 7th Floor Plan – South

A2.07 North 7th Floor Plan – North

A2.08 South 8th Floor Plan – South

A2.08 North 8th Floor Plan – North

A2.09 South 9th Floor Plan – South

A2.09 North 9th Floor Plan – North

A2.09A South 9th Mezzanine Floor Plan – South

A2.09A North 9th Mezzanine Floor Plan – North

SECTION 02 05 00
COMMON WORK RESULTS FOR EXISTING CONDITIONS

PART 1 - GENERAL

1.1 SCOPE

- A. This section provides information common to two or more technical specification sections or items that are of a general nature, and not included in other sections. This section applies to ALL site and building work, as applicable.

1.2 RELATED WORK

- A. Applicable provisions of the General Specifications shall govern work under this Section. The Contractor shall consult these provisions in detail prior to proceeding with work.

1.3 REFERENCED ORGANIZATIONS

- A. Applicable provisions of General Specifications shall govern all work under this section.
- B. Abbreviations of organizations referenced in these specifications are as follows:
 - 1. AASHTO American Association of State Highway and Transportation Officials
 - 2. ACPA American Concrete Pipe Association
 - 3. ANSI American National Standards Institute
 - 4. ASCE American Society of Civil Engineers
 - 5. ASME American Society of Mechanical Engineers
 - 6. ASTM American Society for Testing and Materials
 - 7. AWWA American Water Works Association
 - 8. AWS American Welding Society
 - 9. FHA Federal Highway Administration
 - 10. EPA Environmental Protection Agency
 - 11. NEC National Electric Code
 - 12. NEMA National Electrical Manufacturers Association
 - 13. NFPA National Fire Protection Association
 - 14. NSF National Sanitation Foundation
 - 15. OSHA Occupational Safety and Health Administration
 - 16. STI Steel Tank Institute
 - 17. UL Underwriters Laboratories Inc.
 - 18. WDNR State of Wisconsin Department of Natural Resources
 - 19. WISDOT State of Wisconsin Department of Transportation

1.4 QUALITY ASSURANCE

- A. Provide materials and products as required by individual specification sections. Refer to General Specifications of the Contract regarding substitutions.
- B. Provide quality assurance testing and reporting as required by individual specification sections.

1.5 SAFETY

- A. Contractor is solely responsible for worksite safety.
- B. Perform all work in accordance with applicable OSHA, state and local safety standards.

- C. Contact Diggers Hotline at 1-800-242-8511 in accordance with statutory requirements. Request that non-member utilities and private utilities be located by the appropriate parties.
- 1.6 PERMITS
- A. Unless otherwise noted in the Contract Documents, Contractor shall be responsible for obtaining and paying for all permits necessary to complete the work.
- 1.7 CONSTRUCTION LIMITS
- A. Construction Limits are indicated on the drawings. In the absence of such a designation on the drawings, confine work to the minimum area reasonably necessary to undertake the work as determined by the Redevelopment Authority Construction Representative. In no case shall construction activities extend beyond state property lines or construction easements.
 - B. The Contractor shall restore all disturbed areas in accordance with the drawings and specifications. If plans and specifications do not address restoration of specific areas, these areas will be restored to pre-construction conditions as approved by the Redevelopment Authority Construction Representative and/or Architect.
 - C. Refer to drawings for limits to staging, storage and parking on site.
- 1.8 WORK BY OTHERS
- A. Coordinate work under this project with work by Owner and other contractors on the site.
- 1.9 SUBMITTALS
- A. Refer also to General Specifications and individual specification sections.
 - B. Submit manufacturer's shop drawings, product data, samples, substitutions and operation and maintenance (O&M) data for approval as required by individual specification sections.
 - C. Unless otherwise noted, provide 6 copies of each submittal. Submit to project architect/engineer (A/E) unless otherwise directed by Redevelopment Authority Construction Representative at the Pre-Construction Meeting.
- 1.10 OFF SITE STORAGE
- A. Refer to General Specifications.
 - B. In general, the payments for materials stored off site will only be considered in instances where there is limited space available for storage on the site. Prior approval by the Redevelopment Authority Construction Representative, together with the execution of a Storage Agreement will be required.
- 1.11 CODES
- A. Comply with the requirements of all applicable, local, state and federal codes.
- 1.12 CERTIFICATIONS AND INSPECTIONS
- A. Refer to Section General Specifications and individual specification sections.
 - B. Obtain and pay for all required sampling, testing, inspections, and certifications except those expressly listed as provided by the A/E or other third party in the

Contract Documents. Deliver originals of certificates and documents to the Redevelopment Authority Construction Representative within 3 days; provide copies to the A/E. Include copies of the certifications and documents in the O&M Manual.

PART 2 - MATERIALS

2.1 BARRICADES, SIGNS, AND WARNING DEVICES

- A. Traffic barricades, traffic signs, and warning devices shall meet the requirements of applicable OSHA standards and the FHA Manual of Uniform Traffic Control Devices (MUTCD).
- B. Provide safety barriers and warning devices as required for proposed work at the roof level per the guidelines and requirements of OSHA and other governing bodies. Remove barriers and warning devices when no longer required per the guidelines and requirements of OSHA and other governing bodies.

2.2 TEMPORARY PLASTIC BARRIER FENCING

- A. UV stabilized high-density polyethylene barrier fence free of holes tears and other defects. Provide 4' tall fence in diamond or rectangular pattern. Fencing shall be "safety orange" color, unless otherwise noted.
- B. Posts for temporary plastic barrier fencing shall be such that the temporary fence is held securely in place for the duration of the construction activity.

PART 3 - EXECUTION

3.1 MAINTENANCE OF SITE AND BUILDING ACCESS/EGRESS

- A. Unless otherwise shown or directed, maintain existing access and egress to the facility throughout construction. Maintain ANSI A117 compliant access for disabled persons, delivery access, emergency vehicle access, and emergency egress. Do not interrupt access and egress without prior written approval from the Redevelopment Authority Construction Representative.
- B. Two means of egress must be maintained from each level throughout construction.

3.2 CONTINUITY OF EXISTING TRAFFIC/PARKING AND TRAFFIC CONTROL

- A. Refer also to General Specifications.
- B. Refer to drawings for location of on site storage, staging and worker parking.
- C. Do not interrupt or change existing traffic, delivery, or parking without prior written approval from the Redevelopment Authority Construction Representative. When interruption is required, coordinate schedule with the Redevelopment Authority Construction Representative to minimize disruptions. When working in public right-of-way, obtain all necessary approvals and permits from applicable municipalities and WISDOT.
- D. When Contractor's activities impede or obstruct traffic flow, Contractor shall provide traffic control devices, signs and flaggers in accordance with other Contract Documents and the current version of the MUTCD, or as shown on the Drawings.

3.3 PROTECTION AND CONTINUITY OF EXISTING UTILITIES

- A. Verify the locations of any water, drainage, gas, sewer, electric, drainage, gas, sewer, electric, telephone/communication, fuel, steam lines or other utilities and site features which may be encountered in any work including excavations or other sitework. All lines shall be properly protected, underpinned and supported to avoid disruption of service.
- B. Do not interrupt or change existing utilities without prior written approval from the Redevelopment Authority Construction Representative, affected utilities and users. Contractor shall provide a written 2 week advance notice to Redevelopment Authority Construction Project Representative for partial building closures, utility shut-downs and critical tie-ins.
- C. Notification shall be provided in writing and describe the nature and duration of outages and provide the name and number of Contractor's foreman or other contact. Contractor shall obtain approval in writing from Redevelopment Authority Construction Representative prior to proceeding.

3.4 PROTECTION OF EXISTING WORK AND FACILITIES

- A. Verify the locations of, and protect, any signs, paved surfaces, buildings, structures, landscaping, streetlights, utilities, and all other such facilities that may be encountered or interfered with during the progress of the work. Take measures necessary to safeguard all existing work and facilities that are outside the limits of the work or items that are within the construction limits but are intended to remain. Report any damage to existing facilities to the Redevelopment Authority Construction Representative immediately. Correct and pay for all damages.
- B. Contractor shall maintain a weathertight enclosure during construction on the parking structure membranes to prevent the intrusion of water to the spaces below.
- C. Maintain secure and weathertight enclosures where work on doorways is occurring. New doors shall be installed on the same day as the existing doors are removed.

END OF SECTION 02 05 00

**SECTION 07 18 00
TRAFFIC COATINGS**

PART 1 - GENERAL

1.1 SCOPE

- A. Section includes repair and/or re-coating of existing traffic coatings where indicated and the re-painting of pavement markings where indicated.

1.2 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General Specification Sections, apply to this Section.

1.3 PREINSTALLATION MEETINGS

- A. Preinstallation Conference: Conduct conference at Project site.

1.4 ACTION SUBMITTALS

- A. Product Data: For each type of product, including installation instructions.
- B. Shop Drawings: For traffic coatings.
 - 1. Include details for treating substrate joints and cracks, flashings, deck penetrations, and other termination conditions.
- C. Samples for Initial Selection:
 - 1. For each type of exposed finish and aggregate.
 - 2. Manufacturer's full range of available colors.
 - 3. Aggregate samples applied to minimum 12" x 12" rigid backing.
- D. Samples for Verification: For each type of exposed finish, prepared on minimum 18" x 18" rigid backing.
 - 1. Provide stepped Samples on backing to illustrate buildup of traffic coatings.
 - 2. For each type of exposed finish and aggregate in selected color.

1.5 INFORMATIONAL SUBMITTALS

- A. Qualification Data: For Installer.
- B. Product Certificates: For each type of traffic coating.
- C. Field quality control report.
- D. Sample Warranty.

1.6 CLOSEOUT SUBMITTALS

- A. Product Data: For all materials used under this section.
- B. Maintenance Data: For traffic coatings to include in maintenance manuals.

1.7 QUALITY ASSURANCE

- A. Installer Qualifications: Installer shall be qualified for the project of this scope and be an authorized representative who is trained and approved by manufacturer. Being sold materials for the project does not constitute a Contractor as a qualified installer.

1.8 FIELD CONDITIONS

- A. Environmental Limitations: Apply traffic coatings within the range of ambient and substrate temperatures recommended in writing by manufacturer. Do not apply traffic coatings to contaminated, damp or wet substrates; when air temperatures are below 50 deg F and falling; when relative humidity exceeds 85 percent; when temperatures are less than 5 deg F above dew point.
 - 1. Do not apply traffic coatings in snow, rain, fog, or mist, or when such weather conditions are imminent during the application and curing period. Apply only when frost-free conditions occur throughout the depth of substrate.
- B. Do not install traffic coating until items that penetrate membrane have been installed.
- C. Pavement-Marking Paint: Proceed with pavement marking only on clean, dry surfaces and at a minimum ambient or surface temperature of 50 deg F (10 deg C) for water-based materials, and not exceeding 95 deg F (35 deg C).
- D. Schedule: Submit in writing a description of the work activities, schedule of work and needed facility closures to the Redevelopment Authority Construction Representative. Obtain Redevelopment Authority Construction Representative approval of the schedule in writing prior to proceeding with work.

1.9 WARRANTY

- A. Manufacturer's Warranty: Manufacturer agrees to repair or replace traffic coating that fails in materials or workmanship within specified warranty period.
 - 1. Failures include, but are not limited to, the following:
 - a. Adhesive or cohesive failures.
 - b. Abrasion or tearing failures.
 - c. Surface crazing or spalling.
 - d. Intrusion of water, oils, gasoline, grease, salt, deicer chemicals, or acids into deck substrate.
 - 2. Warranty Period: Five years from date of Substantial Completion.

PART 2 - PRODUCTS

2.1 MATERIALS, GENERAL

- A. Material Compatibility: Provide primers; base-, intermediate-, and topcoat; and accessory materials that are compatible with one another and with substrate under conditions of service and application, as demonstrated by manufacturer based on testing and field experience.
- B. Source Limitations:
 - 1. Obtain primary traffic-coating materials, including primers, from traffic-coating manufacturer. Obtain accessory materials including aggregates, sheet flashings, joint sealants, and substrate repair materials of types and from sources recommended in writing by primary material manufacturer.
 - 2. Obtain pavement-marking paint from single source from single manufacturer.

2.2 TRAFFIC COATING

- A. Traffic Coating: Manufacturer's standard, traffic-bearing, seamless, high-solids-content, cold liquid-applied, elastomeric, waterproofing membrane system with integral wearing surface for vehicular traffic according to ASTM C 957.
 - 1. SYSTEM 1: Traffic Coating System at this designation shall be suitable for extra heavy vehicular traffic including vehicle steep sloped ramps and vehicle steep sloped turns. System 1 includes but is not limited to the removal of the existing traffic membrane, surface preparation and applying a new total traffic coating system.
 - 2. SYSTEM 2: Traffic coating system at this designation shall be suitable for heavy vehicular traffic including vehicle turning lanes, entrances and exits. System 2 includes but is not limited to surface preparation and re-coating over the existing traffic membrane. System 2 will also require patching at designated areas where the existing membrane has been worn to a level which would not allow re-coating.
 - 3. Basis-of-Design Product: Subject to compliance with requirements, provide products by one of the following manufacturers:
 - a. Tremco Incorporated; an RPM company.(Basis of Design)
 - b. Advanced Polymer Technology Corporation.
 - c. BASF Construction Chemicals, LLC - Building Systems.
 - d. Neogard; Division of Jones-Blair.
- B. Primer:
 - 1. Liquid primer recommended for substrate and conditions by traffic-coating manufacturer.
 - 2. Basis of Design: Vulkem Primer 191. Low VOC one-part interlaminar primer.
- C. Base Coat:
 - 1. Polyurethane of minimum film thickness as recommended in writing by manufacturer for substrate and service conditions indicated.
 - 2. Basis of Design: Vulkem 350NF roller grade two-part, slightly thixotropic, polyurethane coating used as the elastomeric waterproofing base coat.

D. Intermediate Coat

1. Two-part aromatic low odor/no VOC, 99% solids polyurethane of minimum film thickness as recommended in writing by manufacturer for substrate and service conditions indicated.
2. Basis of Design: Vulkem 950NF Coating. Two-part aromatic low odor/no VOC, 99% solids polyurethane providing a chemical resistant, weatherproof surface.

E. Top Coat:

1. Two-part low odor/no VOC aliphatic polyurethane of minimum film thickness as recommended in writing by manufacturer for substrate and service conditions indicated.
2. Basis of Design: Vulkem 951NF. Two-part low odor/no VOC aliphatic 99% solid polyurethane. Chemical and UV resistant, color stable, weatherproof wearing surface.

F. Aggregate:

1. Aggregate 'A' (Basis of Design): Badger Mining Corp., Hydraulic Fracturing Sands T1630F.
2. Aggregate 'B' (Basis of Design): US Silica Co., Unground Silica #3Q-Rok.

2.3 ACCESSORY MATERIALS

A. Joint Sealants:

1. ASTM C 920 and as recommended in writing by traffic coating manufacturer.
2. Basis of Design: Dymeric 240C Sealant. Two part chemically cured, gun grade polyurethane deck joint sealant for use in sealing cracks, expansion joints and for use in forming cants.

B. Sheet Flashing: Nonstaining sheet material recommended in writing by traffic-coating manufacturer.

C. Adhesive: Contact adhesive recommended in writing by traffic-coating manufacturer.

D. Reinforcing Strip: Fiberglass mesh recommended in writing by traffic-coating manufacturer.

2.4 PAVEMENT MARKINGS

A. General: The intent is to re-paint designated striping, numbers, symbols and traffic markings and to match existing color, width length and size.

B. Pavement-Marking Paint: Alkyd-resin type, lead and chromate free, ready mixed, complying with AASHTO M 248, Type N; colors complying with FS TT-P-1952.

1. Color: As indicated.
 - a. Yellow - Parking stall striping and number, traffic line and gore lines.
 - b. White – Traffic arrows, "Stop" verbiage and stop stripes.

C. Pavement-Marking Paint: Latex, waterborne emulsion, lead and chromate free, ready mixed, complying with FS TT-P-1952, Type II, with drying time of less than 45 minutes.

PART 3 - EXECUTION

3.1 GENERAL

- A. Install traffic coating per manufacturer's written recommendations.
- B. Apply pavement markings per manufacturer' written recommendations.

3.2 EXAMINATION

- A. Examine substrates, areas, and conditions, with Installer and Manufacturer's representative present, for compliance with requirements for surface smoothness, surface moisture, and other conditions affecting performance of traffic-coating work.
- B. Verify that substrates are visibly clean, dry and free of moisture and contaminants that could affect the traffic coating performance.
- C. Proceed with installation only after substrate construction and penetrating work have been completed and unsatisfactory conditions have been corrected.
 - 1. Begin coating application only after substrates are clean and dry and suitable for the application of the traffic coating as recommended in writing by the traffic coating manufacturer.
 - 2. Application of coating indicates acceptance of surfaces and conditions.

3.3 PREPARATION

- A. General: Before applying traffic coatings, clean and prepare substrates according to ASTM C 1127 and manufacturer's written instructions to produce clean, dust-free, dry substrate for traffic-coating application. Remove projections, fill voids, and seal joints if any, as recommended in writing by traffic-coating manufacturer.
- B. Schedule preparation work so dust and other contaminants from process do not fall on wet, newly coated surfaces.
- C. Mask adjoining surfaces not receiving traffic coatings to prevent overspray, spillage, leaking, and migration of coatings. Prevent traffic-coating materials from entering deck substrate penetrations and clogging weep holes and drains.
- D. Substrates:
 - 1. Remove grease, oil, paints, and other penetrating contaminants from concrete and existing traffic coatings. Refer to SYSTEM 1 and SYSTEM 2.
 - 2. Remove fins, ridges, and other projections.
 - 3. Remove laitance, glaze, efflorescence, curing compounds, concrete hardeners, form-release agents, and other incompatible materials that might affect coating adhesion.
 - 4. Remove remaining loose material to provide a sound surface, and clean surfaces according to ASTM D 4258.

5. SYSTEM 1:
 - a. Remove existing traffic coatings down to bare concrete. Mechanically abrade surface to a uniform profile acceptable to traffic coating manufacturer and according to ASTM D 4259. Remove incompatible materials and loose existing traffic coating that might affect the new traffic coating adhesion and performance. Do not acid etch.
6. SYSTEM 2
 - a. Re-Coating Areas - Remove incompatible materials and loose existing traffic coating that might affect the new traffic coating adhesion and performance.
 - b. Patching Areas: Mechanically abrade surface to a uniform profile acceptable to traffic coating manufacturer and according to ASTM D 4259. Do not acid etch. Remove incompatible materials down to bare concrete that might affect the adhesion and performance of the new traffic coating.

3.4 TERMINATIONS AND PENETRATIONS

- A. Prepare vertical and horizontal surfaces at terminations and penetrations through traffic coatings and at expansion joints, drains, and sleeves according to ASTM C 1127 and manufacturer's written instructions.
- B. Provide sealant cants at penetrations and at reinforced and non-reinforced, deck-to-wall butt joints and deck to curb joints.
- C. Terminate edges of deck-to-deck expansion joints and joints between new and existing coatings with preparatory base-coat strip.
- D. Install sheet flashings at deck-to-wall expansion and dynamic joints, and bond to deck and wall substrates according to manufacturer's written recommendations.

3.5 JOINT AND CRACK TREATMENT

- A. Prepare, treat, rout, and fill joints and cracks in substrates according to ASTM C 1127 and manufacturer's written recommendations. Before coating surfaces, remove dust and dirt from joints and cracks according to ASTM D 4258.
 1. Comply with recommendations in ASTM C 1193 for joint-sealant installation.
- B. Apply reinforcing strip in traffic-coating system where recommended in writing by traffic-coating manufacturer.

3.6 TRAFFIC-COATING APPLICATION

- A. Apply traffic coating according to ASTM C 1127 and manufacturer's written instructions.
- B. Apply number of coats of specified compositions for each type of traffic coating recommendations at locations as indicated:
 1. Traffic Coating SYSTEM 1:
 - a. After substrate preparation, apply Primer to substrate.
 - b. Apply Base Coat at a rate of 64 sq.ft./gal. and a minimum of 25 mil wet film thickness.

- c. Apply Intermediate Coat at a rate of 100 sq.ft./gal. and a minimum of 15 mil thickness. Broadcast aggregate to refusal. Aggregate mix shall be a ratio of (3) parts Aggregate 'A' to (1) part Aggregate 'B'. Backroll to evenly distribute the aggregate.
 - d. Apply Top Coat at a rate of 100 sq.ft./gal. and a minimum of 15 mil thickness. Use a lite dusting of Aggregate 'B' and backroll to evenly distribute the aggregate.
2. Traffic Coating SYSTEM 2:
- a. After substrate preparation, apply primer over existing traffic coating and areas of exposed concrete to be patched.
 - b. Apply base coat within the area to be patched. Level of base coat to be less than the level of the surface of the adjacent existing traffic coating to allow the intermediate coating to be applied to the same level as the adjacent existing traffic coating. Minimum application shall be at a rate of 64 sq.ft./gal. and a minimum of 25 mil wet film thickness.
 - c. Apply intermediate coating to the same level as the adjacent existing traffic coating. Apply intermediate coat at a rate of 125 sq.ft./gal. and a minimum of 12 mil wet film thickness.
 - d. Apply top coat at a rate of 125 sq.ft./gal. and a minimum of 12 mil wet film thickness over the existing traffic coating and the area being patched. Broadcast Aggregate 'A' over the entire area while topcoat is wet and backroll into the coating to provide a continuous encapsulated look with a standard slip resistance.
- C. Start traffic-coating application in presence of manufacturer's technical representative.
 - D. Verify that wet film thickness of each coat complies with requirements every 100 sq. ft. (9 sq. m)
 - E. Uniformly broadcast aggregate on coats specified to receive aggregate. Embed aggregate according to manufacturer's written instructions. After coat dries, remove excess aggregate.
 - F. Apply traffic coatings to prepared wall terminations and vertical surfaces to height of existing wall terminations; omit aggregate on vertical surfaces.
 - G. Cure traffic coatings. Prevent contamination and damage during application and curing stages.

3.7 PAVEMENT MARKINGS

- A. Do not apply pavement-marking paint for striping and other markings until traffic coating has cured.
- B. Sweep and clean surface to eliminate loose material and dust.
- C. Apply pavement-marking paint with mechanical equipment to produce markings of dimensions indicated with uniform straight edges. Apply at manufacturer's recommended rates for a 15-mil- (0.4-mm-) minimum, wet film thickness.
 - 1. Apply graphic symbols and lettering with paint-resistant, die-cut stencils, firmly secured to surface. Mask an extended area beyond edges of each stencil to prevent paint application beyond stencil. Apply paint so that it cannot run beneath stencil.

3.8 FIELD QUALITY CONTROL

- A. Final Traffic-Coating Inspection: Arrange for traffic-coating manufacturer's technical personnel to inspect membrane installation on completion.
 - 1. Notify Architect and Redevelopment Authority Construction Representative 48 hours in advance of date and time of inspection.
- B. Additional testing and inspecting, at Contractor's expense, will be performed to determine compliance of replaced or additional work with specified requirements.
- C. Prepare test and inspection reports.

3.9 PROTECTING AND CLEANING

- A. Until the areas with applied traffic coating and pavement markings are cured or dried and released to the Redevelopment Authority Construction Representative for use, provide:
 - 1. Traffic barricades and protect traffic coatings from damage and wear during remainder of construction and curing period. Inform Redevelopment Authority Construction Representative in writing of when traffic coatings will be available to receive vehicular and pedestrian traffic.
 - 2. Protection from direct and wind driven precipitation and also direct and wind driven debris. Protect traffic coating from liquid runoff within the parking structure.
- B. Clean spillage and soiling from adjacent construction using cleaning agents and procedures recommended by manufacturer of affected construction.

END OF SECTION 07 18 00

GENERAL NOTES TO CONTRACTOR(S):

1. THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
2. ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
3. EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
4. EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
5. EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
6. IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
7. ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
8. EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.


9. REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
10. DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES


NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

1. PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
2. PAINT ELEVATOR DOOR AND FRAME.
3. LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
4. REPLACE ELEVATOR CAB RESILIENT FLOORING.
5. REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
6. PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
7. REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

8. PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
9. PROVIDE TRAFFIC COATING SYSTEM 2.
10. PROVIDE TRAFFIC COATING SYSTEM 2 ON ISLANDS.
11. APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
12. FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
13. SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
14. REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 BASEMENT FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"



ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

BASEMENT FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.00
NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

1. THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
2. ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
3. EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
4. EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
5. EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
6. IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
7. ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
8. EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



9. REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
10. DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

1. PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
2. PAINT ELEVATOR DOOR AND FRAME.
3. LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
4. REPLACE ELEVATOR CAB RESILIENT FLOORING.
5. REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
6. PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
7. REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

8. PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
9. PROVIDE TRAFFIC COATING SYSTEM 2.
10. PROVIDE TRAFFIC COATING SYSTEM 2 ON ISLANDS.
11. APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
12. FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
13. SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
14. REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 BASEMENT FLOOR PLAN - SOUTH
SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

BASEMENT FLOOR PLAN - SOUTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.00
SOUTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

1. THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
2. ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
3. EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
4. EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
5. EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
6. IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
7. ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
8. EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



9. REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
10. DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

1. PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
2. PAINT ELEVATOR DOOR AND FRAME.
3. LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
4. REPLACE ELEVATOR CAB RESILIENT FLOORING.
5. REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
6. PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
7. REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

8. PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
9. PROVIDE TRAFFIC COATING SYSTEM 2.
10. PROVIDE TRAFFIC COATING SYSTEM 2 ON ISLANDS.
11. APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
12. FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
13. SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
14. REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



E. W. E. L. L. S.

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

GROUND FLOOR PLAN - NORTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.01
 NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

1 GROUND FLOOR PLAN - NORTH
 SCALE: 1/8" = 1'-0"

GENERAL NOTES TO CONTRACTOR(S):

1. THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
2. ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
3. EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
4. EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
5. EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
6. IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
7. ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
8. EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



9. REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
10. DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

1. PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
2. PAINT ELEVATOR DOOR AND FRAME.
3. LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
4. REPLACE ELEVATOR CAB RESILIENT FLOORING.
5. REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
6. PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
7. REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

8. PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
9. PROVIDE TRAFFIC COATING SYSTEM 2.
10. PROVIDE TRAFFIC COATING SYSTEM 2 ON ISLANDS.
11. APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
12. FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
13. SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
14. REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 GROUND FLOOR PLAN - SOUTH
SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

GROUND FLOOR PLAN - SOUTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.01
SOUTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.


- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES


NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1"-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
(A) ARROW
(HC) ACCESSIBILITY SYMBOL
(STP) STOP
(STR) STRIPE



1 MEZZANINE FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"



ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

MEZZANINE FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.01A
NORTH

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- PROVIDE TRAFFIC COATING SYSTEM 2 ON ISLANDS.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/2" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT I.E. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
(A) ARROW
(HC) ACCESSIBILITY SYMBOL
(STP) STOP
(STR) STRIPE



1 MEZZANINE FLOOR PLAN - SOUTH
SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

MEZZANINE FLOOR PLAN - SOUTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.01A
SOUTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.


- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES


NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.e. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 (A) ARROW
 (HC) ACCESSIBILITY SYMBOL
 (STP) STOP
 (STR) STRIPE



1 2ND FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"



ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

2ND FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.02
NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
(A) ARROW
(HC) ACCESSIBILITY SYMBOL
(STP) STOP
(STR) STRIPE



1 2ND FLOOR PLAN - SOUTH
SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

2ND FLOOR PLAN - SOUTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.02
SOUTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 3RD FLOOR PLAN - SOUTH
 SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

3RD FLOOR PLAN - SOUTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.03
 SOUTH

©COPYRIGHT 2012
 CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 (A) ARROW
 (HC) ACCESSIBILITY SYMBOL
 (STP) STOP
 (STR) STRIPE



1 4TH FLOOR PLAN - NORTH
 SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS
1		
2		
3		
4		
4.5		
4.75		
5		
5.5		

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

4TH FLOOR PLAN - NORTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.04
 NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 4TH FLOOR PLAN - SOUTH
 SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

4TH FLOOR PLAN - SOUTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.04
 SOUTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

1. THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
2. ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
3. EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
4. EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
5. EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
6. IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
7. ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
8. EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.


9. REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
10. DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES


NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

1. PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
2. PAINT ELEVATOR DOOR AND FRAME.
3. LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
4. REPLACE ELEVATOR CAB RESILIENT FLOORING.
5. REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
6. PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
7. REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

8. PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
9. PROVIDE TRAFFIC COATING SYSTEM 2.
10. PROVIDE TRAFFIC COATING SYSTEM 2 ON ISLANDS.
11. APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
12. FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.e. 1'-4" O.C. INSERT ROPE WEEP.
13. SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
14. REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 (A) ARROW
 (HC) ACCESSIBILITY SYMBOL
 (STP) STOP
 (STR) STRIPE



1 5TH FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"



ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

5TH FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.05
NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 5TH FLOOR PLAN - SOUTH
 SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

5TH FLOOR PLAN - SOUTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.05 SOUTH
 ©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.


- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES


NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.e. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 (A) ARROW
 (HC) ACCESSIBILITY SYMBOL
 (STP) STOP
 (STR) STRIPE



1 6TH FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"



ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

6TH FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.06
NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 6TH FLOOR PLAN - SOUTH
SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

6TH FLOOR PLAN - SOUTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.06
SOUTH

©COPYRIGHT 2012
CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.e. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
(A) ARROW
(HC) ACCESSIBILITY SYMBOL
(STP) STOP
(STR) STRIPE



1 7TH FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

7TH FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 7TH FLOOR PLAN - SOUTH
 SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

7TH FLOOR PLAN - SOUTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.07 SOUTH
 ©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.


- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES


NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
(A) ARROW
(HC) ACCESSIBILITY SYMBOL
(STP) STOP
(STR) STRIPE



1 8TH FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"



ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

8TH FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.08
NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 8TH FLOOR PLAN - SOUTH
 SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

8TH FLOOR PLAN - SOUTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.08
 SOUTH

©COPYRIGHT 2012
 CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.


- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES


NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 3/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 (A) ARROW
 (HC) ACCESSIBILITY SYMBOL
 (STP) STOP
 (STR) STRIPE



1 9TH FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"



CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

9TH FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.09
NORTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

ISSUE	DATE	REMARKS

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 9TH FLOOR PLAN - SOUTH
 SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
 765 NORTH JACKSON STREET
 MILWAUKEE, WI 53202

9TH FLOOR PLAN - SOUTH

PROJECT #: 120701
 DATE: 09/11/2012
 ISSUE: BD

A2.09
 SOUTH

©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS; CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT 1.6. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 (A) ARROW
 (HC) ACCESSIBILITY SYMBOL
 (STP) STOP
 (STR) STRIPE



1 9TH MEZZANINE FLOOR PLAN - NORTH
SCALE: 1/8" = 1'-0"

ISSUE	DATE	REMARKS

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

9TH MEZZANINE FLOOR PLAN - NORTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.09A
NORTH
©COPYRIGHT 2012, CONTINUUM ARCHITECTS + PLANNERS, S.C.

GENERAL NOTES TO CONTRACTOR(S):

- THESE DRAWINGS ARE DIAGRAMMATIC AND SHOW THE INTENT OF THE PROJECT, BUT DO NOT NECESSARILY INDICATE ALL MATERIALS OR METHODS OF CONSTRUCTION. ALL CONTRACTORS ARE RESPONSIBLE TO REVIEW THE DOCUMENTS THOROUGHLY, AND PROVIDE ALL MATERIALS AND MEANS OF CONSTRUCTION NECESSARY FOR THE COMPLETION OF THE WORK IN ACCORDANCE WITH THE INTENT OF THE DRAWINGS.
- ALL WORK, OF ALL TRADES, SHALL BE COMPLETED IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND ORDINANCES.
- EACH CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE OWNER, THE OWNER'S OTHER CONTRACTORS, AND ALL OTHERS AT THE SITE.
- EACH CONTRACTOR IS TO OBTAIN AND PAY FOR PERMITS, LICENSES, FEES, ETC. AS REQUIRED FOR THE COMPLETION OF THEIR PORTION OF WORK.
- EACH CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT THE SITE TO SATISFY THEIR EXECUTION OF THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT. NEITHER THE OWNER NOR THE ARCHITECT ASSUMES RESPONSIBILITY FOR CONDITIONS OR DIMENSIONS SHOWN AS EXISTING.
- IF ANY CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT DOCUMENTS ARE AT VARIANCE WITH APPLICABLE LAWS, STATUTES, BUILDING CODES, OR ORDINANCES, THEY SHALL PROMPTLY NOTIFY THE ARCHITECT.
- ANY HOLES OR PENETRATIONS THROUGH FIRE RATED CONSTRUCTION SHALL BE APPROPRIATELY FIRE STOPPED, DAMPENED, OR SEALED AS REQUIRED BY CODE.
- EACH CONTRACTOR SHALL INCLUDE NECESSARY DEMOLITION AND REMOVAL OF ALL MATERIAL AS REQUIRED TO PERFORM THEIR WORK.



- REMOVAL OF ALL HAZARDOUS CONTAINING MATERIALS IS THE SOLE RESPONSIBILITY OF THE OWNER. SHOULD ANY MATERIALS BE ENCOUNTERED DURING ANY OF THE CONSTRUCTION PHASES CONTAINING, OR SUSPECTED TO BE HAZARDOUS, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND NOTIFY OWNER AND ARCHITECT.
- DO NOT SCALE DRAWINGS.

NEW WORK KEY NOTES

NEW WORK KEY NOTES APPLY TO ALL NEW WORK PLANS AND MAY NOT BE USED ON EVERY SHEET.

- PAINT ALL PREVIOUSLY PAINTED ELEVATOR LOBBY SURFACES INCLUDING WALLS, CEILINGS, AND KNEE WALLS. PREPARE SURFACES PRIOR TO APPLICATION OF PAINT.
- PAINT ELEVATOR DOOR AND FRAME.
- LAMINATE DRYWALL OVER EXISTING DRYWALL SURFACE ON SOUTH WALL BENEATH STAIR LANDING. PROVIDE CASING BEADS ON EDGES OF NEW DRYWALL ADJACENT TO EXISTING SURFACES. REMOVE AND REINSTALL THE EXISTING RESILIENT BASE. FINISH AND PAINT DRYWALL TO MATCH ADJACENT EXISTING DRYWALL SURFACES.
- REPLACE ELEVATOR CAB RESILIENT FLOORING.
- REPAIR THE EXISTING DAMAGED DRYWALL LOCATED ON SOUTH WALL BETWEEN STAIR LANDING AND BEAM. REPAIR TO MATCH ADJACENT EXISTING DRYWALL SURFACES. PAINT DRYWALL SURFACE FROM CORNER-TO-CORNER AND LANDING-TO-BEAM.
- PAINT EXISTING HOLLOW METAL DOOR AND FRAME. ALL DOOR AND FRAME SURFACES, BOTH SIDES.
- REPLACE EXISTING HOLLOW METAL DOOR WITH A NEW HOLLOW METAL DOOR. THE NEW HOLLOW METAL DOOR SHALL BE INSTALLED IN THE EXISTING HOLLOW METAL FRAME. PAINT DOOR AND FRAME. PROVIDE HARDWARE GROUP 1.

- PROVIDE TRAFFIC COATING SYSTEM 1. TRAFFIC COATING SYSTEM 1 TO BE APPLIED TO THE EXTENT OF THE EXISTING HEAVY AGGREGATE TRAFFIC COATING.
- PROVIDE TRAFFIC COATING SYSTEM 2.
- APPLY SEALER TO EXTERIOR CONCRETE AND CONCRETE BLOCK WALL SURFACES FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT.
- FROM TOP OF 9TH FLOOR DECK TO TOP OF STAIR AND DUCT SHAFT DRILL 1/4" DIAMETER WEEP HOLES IN EXTERIOR BED JOINTS OF CONCRETE BLOCK COURSE IMMEDIATELY ABOVE CONCRETE KNEE WALLS OR BEAMS. PROVIDE AT EACH HEAD JOINT I.E. 1'-4" O.C. INSERT ROPE WEEP.
- SCRAPE ALL LOOSE PAINT FROM CONCRETE/CONCRETE BLOCK WALL SURFACES AND PAINT ENTIRE WALL SURFACES FROM THE 9TH FLOOR LEVEL TO THE STAIR SHAFT CEILING.
- REPAINT EXISTING TRAFFIC MARKINGS. CONFIRM EXISTING TRAFFIC MARKING LOCATIONS AND QUANTITY ON SITE.
 - (A) ARROW
 - (HC) ACCESSIBILITY SYMBOL
 - (STP) STOP
 - (STR) STRIPE



1 9TH MEZZANINE FLOOR PLAN - SOUTH
SCALE: 1/8" = 1'-0"

REMARKS	DATE	ISSUE

CATHEDRAL PLACE PARKING GARAGE
765 NORTH JACKSON STREET
MILWAUKEE, WI 53202

9TH MEZZANINE FLOOR PLAN - SOUTH

PROJECT #: 120701
DATE: 09/11/2012
ISSUE: BD

A2.09A
SOUTH
©COPYRIGHT 2012
CONTINUUM ARCHITECTS + PLANNERS, S.C.

BID BOND
REDEVELOPMENT AUTHORITY CITY OF MILWAUKEE, WISCONSIN
LICENSED SURETY CORPORATION BID BOND

KNOW ALL MEN BY THESE PRESENTS, That we,

.....

of
(Street and Number) (City) (State)

as principal and of
(Home Office)

as surety are held and firmly bound unto the Redevelopment Authority of the City of Milwaukee, Wisconsin, hereinafter called Redevelopment Authority in

the penal sum of

..... Dollars,

to be paid to the City: its successors and assigns, for which payment well and truly to be made, we bind ourselves, and our heirs, executors, and, administrators, or successors and assigns, as the case may be, jointly and severally, firmly by these presents.

WHEREAS, the above bounden principal is making a proposal in writing dated

20, to the Executive Director-Secretary of Redevelopment Authority, according to Official Notice No

20, of said Executive Director-Secretary of Redevelopment for furnishing all material, equipment, labor and everything necessary for the completion of the work of...

according to plans, specifications and the other contract documents on file in the office of said Executive Director-Secretary, a copy of which proposal is by reference made a part hereof, and the said proposal is accompanied with this bond.

NOW, THE CONDITION OF THIS OBLIGATION IS SUCH, that if the above bounden principal shall execute the contract in quadruplicate, in accordance with the proposal as accepted, with approved licensed surety corporation bound thereto for the faithful performance and proper fulfillment

of such contract, and return the same to the office of the said Executive Director-Secretary within the time limit specified in said proposal, then the above obligation shall be void, otherwise it shall be and remain in full force and effect.

In witness whereof, the above bounden parties have executed this instrument under their several seals at Milwaukee, Wisconsin, this day of 20, the name and corporate seal of each corporate party being hereto affixed and this instrument signed by its duly authorized representative.

Bidder Witnesses **(Seal)**
(Bidder)

.....
By
.....
(Name and Title)

Surety Witnesses
(Surety)

.....
By
.....
(Attorney-in-Fact or Agent)

(Seal of Surety)

Name of Surety Contact Person _____ and Phone Number _____
(Please Print)

NOTE: The affidavit on the following page must be properly executed before this bond will be approved.

AFFIDAVIT

**STATE OF WISCONSIN }
MILWAUKEE COUNTY }**

SS

.....

being first duly sworn, on oath deposes and says that he is
(Attorney-in-Fact or Agent)

of
(Surety)

surety on the within bid bond executed by

Affiant further deposes and says that no city official or city employee of the City of Milwaukee or the
Redevelopment Authority has any interest, directly or indirectly in, or is receiving any premium,
commission, fee or other thing of value on account of, the sale or furnishing of said bid bond.

.....

Subscribed and sworn to before me this

..... day of 20

.....
Notary Public, Milwaukee County, Wisconsin

My commission expires

PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS: that

(Name of Contractor)

(Address of Contractor)

a _____, hereinafter called Principal,
(Corporation, Partnership, or Individual)

and _____
(Name of Surety)

(Address of Surety)

hereinafter called Surety, are held and firmly bound unto _____

Redevelopment Authority of the City of Milwaukee
(Name of Owner)

809 N. Broadway, Milwaukee, WI
(Address of Owner)

hereinafter called Owner, .in the penal sum of _____

_____ Dollars, \$ (_____)

in lawful money of the United States, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the Principal entered into a certain contract with the Owner, dated the _____ day of _____ 20_____, a copy of which is hereto attached and made a part hereof for the construction of:

NOW, THEREFORE, if the Principal shall well, truly and faithfully perform its duties, all the undertakings, covenants, terms, conditions, and agreements of said contract during the original term thereof, and any extensions thereof which may be granted by the Owner, with or without notice to the Surety, and .if he shall satisfy all claims and demands incurred Under such contract, and shall fully indemnify and save harmless the Owner from all costs and damages which it may suffer by reason of failure to do so, and shall reimburse and repay the Owner all outlay and expense which the Owner may incur in making good any default, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED FURTHER, that the said Surety, for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract or to the work to be performed thereunder or the specifications accompanying the same shall in any wise effect its obligation on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work or to the specifications.

PROVIDED FURTHER, that no final settlement between the Owner and the Contractor shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is executed in four (4) counterparts, each one of which shall be deemed an original, this the _____ day of _____, 20 _____.

Principal (SEAL)

Witnesses

_____ By _____

Title

Address

Surety

Surety Witnesses

Surety - Contract MAILING Address

_____ By _____
Attorney-in-Fact or Agent

(SEAL OF SURETY)

Name of Surety Contact Person _____ and Phone Number _____
(Please Print)

NOTE: The affidavit on the following page must be properly executed before this bond will be approved. Date of Bond must not be prior to date of Contract. If Contractor is Partnership, all partners should execute bond.

IMPORTANT: Surety companies executing bonds must appear on the Treasury Department's most current list and be authorized to transact business in the State where the project is located.

AFFIDAVIT

(With Performance Bond)

STATE OF WISCONSIN)
MILWAUKEE COUNTY)

_____, being first duly sworn,
on oath deposes and says that he/she is _____
(attorney-in-fact

_____ of _____
or agent) (Bonding Company)

and is duly authorized to sign for and on behalf of said company, surety on the attached contract, executed
by _____

(Contractor)

Affiant further deposes and says that no city official, or city employee, of the City of Milwaukee or
the Redevelopment Authority has an, interest, directly or indirectly, or is receiving any premium,
commission, fee, or other thing of value, on account of the sale or furnishing of this bond, undertaking or
contract of indemnity, guaranty, or suretyship, in connection with the above-mentioned contract.

(Signature)

Subscribed and sworn to before me this
_____ day of _____, 20_____.

Notary Public, Milwaukee Co. Wisconsin

My commission expires _____.

PAYMENT BOND

KNOW ALL MEN BY THESE PRESENTS: that

_____ (Name of Contractor)

_____ (Address of Contractor)

a _____, hereinafter called Principal,
(Corporation, Partnership, or Individual)

and _____
(Name of Surety)

_____ (Address of Surety)

hereinafter called Surety, are held and firmly bound unto _____

Redevelopment Authority of the City of Milwaukee
(Name of Owner)

809 N. Broadway, Milwaukee, WI
(Address of Owner)

hereinafter called Owner, .in the penal sum of _____

_____ Dollars, \$ (_____)

in lawful money of the United States, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the Principal entered into a certain contract with the Owner, dated the _____ day of _____ 20_____, a copy of which is hereto attached and made a part hereof for the construction of:

NOW, THEREFORE, if the Principal shall well, truly and faithfully perform its duties, all the undertakings, covenants, terms, conditions, and agreements of said contract during the original term thereof, and any extensions thereof which may be granted by the Owner, with or without notice to the Surety, and .if he shall satisfy all claims and demands incurred Under such contract, and shall fully indemnify and save harmless the Owner from all costs and damages which it may suffer by reason of failure to do so, and shall reimburse and repay the Owner all outlay and expense which the Owner may incur in making good any default, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED FURTHER, that the said Surety, for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract or to the work to be performed thereunder or the specifications accompanying the same shall in any wise effect its obligation on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work or to the specifications.

PROVIDED FURTHER, that no final settlement between the Owner and the Contractor shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is executed in four (4) counterparts, each one of which shall be deemed an original, this the _____ day of _____, 20_____ .

(SEAL)

Principal

Witnesses

_____ By _____

_____ Title

Address

Surety

Surety Witnesses

Surety - Contract MAILING Address

_____ By _____

Attorney-in-Fact or Agent

(SEAL OF SURETY)

Name of Surety Contact Person _____ and Phone Number _____

(Please Print)

NOTE: The affidavit on the following page must be properly executed before this bond will be approved. Date of Bond must not be prior to date of Contract. If Contractor is Partnership, all partners should execute bond.

IMPORTANT: Surety companies executing bonds must appear on the Treasury Department's most current list and be authorized to transact business in the State where the project is located.

AFFIDAVIT

(With Payment Bond)

STATE OF WISCONSIN)
)
MILWAUKEE COUNTY)

_____, being first duly sworn,

on oath deposes and says that he/she is _____
(attorney-in-fact

_____ of _____
or agent) (Bonding Company)

and is duly authorized to sign for and on behalf of said company, surety on the attached contract, executed by ____

(Contractor)

Affiant further deposes and says that no city official, or city employee, of the City of Milwaukee or the Redevelopment Authority has an interest, directly or indirectly, or is receiving any premium, commission, fee, or other thing of value, on account of the sale or furnishing of this bond, undertaking or contract of indemnity, guaranty, or suretyship, in connection with the above-mentioned contract.

(Signature)

Subscribed and sworn to before me this

_____ day of _____, 20_____ .

Notary Public, Milwaukee Co. Wisconsin

My commission expires _____ .