



Department of City Development
Neighborhood Improvement Development Corporation

**ROOF, GUTTERS,
FENCING, FURNACE**

Bid Package Cover Sheet

The following project is open for bidding by contractors possessing a Milwaukee Home Improvement Contractor License.

Please contact the owner for an appointment to inspect the property. Return bids to the owner.

Note that all activities disturbing lead (Pb) based surface coatings require State certified personnel and, as noted, a Milwaukee Health Department Lead Permit.

Project Address	3072-3074 N 29TH ST
Summary Of Work	Roof, gutters, fencing, furnace
Technical Specialist	Aaron Helt Phone: (414) 286-8606

Bid packages are available from the owners:

Owner	Nancy Ward
Home address	3072 N 29TH ST
Phone	(h) (414) 447-1383
Bid due date	4/22/2016
Approximate starting date	
Approximate completion date	



SCOPE OF WORK		Date: March 10, 2016
3072-74 N 29th St		
Rehab Specialist: Aaron Helt @ 286-8606		
First inspection date: 3/8/16	Prior version dates: 1/19/16	STRONG Homes
Both the "Rehabilitation and Technical Specifications and Performance Standard for the City of Milwaukee - February, 2006" and the "NIDC Addendum to Specifications," dated 8/23/07 & 5/13/08, are incorporated into this scope by reference. These items provide an outline of materials requirements & performance expectations. Updated copies can be obtained from NIDC @ 809 N Broadway-3rd Flr.		
Lead Related Work: Any task that disturbs previously painted surface shall be performed by properly certified personnel and follow the State of Wisconsin Department of Health Services Administrative Code Chapter DHS 163 regarding the certification for the identification, removal and reduction of lead-based paint hazards (Pb).		
And, if applicable: <input type="radio"/> YES <input checked="" type="radio"/> NO		
Any task that disturbs a previously painted surface requires Milwaukee Health Department notification (Pb-N). Window replacement shall be performed by properly certified personnel and requires a Milwaukee Health Department Permit (Pb-A).		
Miscellaneous: The contractor is responsible to field verify all measurements, the amount of materials needed, and the number of windows in the building. If any item in this scope calls for a certain manufacturer, model number, or approved equivalent of a particular item, and that item is to be substituted, both NIDC and the owner must approve the substitution in writing as a part of the contract.		
Line #	Scope of Work Item	Code Estimate
1		.
2	EXTERIOR (HOUSE)	.
3	HOUSE	.
4	Tear-off and replace roof. Repair decking as needed. Furnish and install new osb decking over existing, ice and water, 15# felt, all necessary flashings and vents, and dimensional shingles with a minimum 30 year lifetime warranty.	PR
5	Remove and replace gutters and downspouts with new, seamless, aluminum gutters and downspouts. Include front porch. Cap drain tile receivers and divert downspouts into yard.	PR
6	Remove wood fence on outside of lot. Include removing posts and gates. Replace with a new, pressure treated, 6' dog-eared wood fence. Include new posts, hardware and all accessories required to complete new fence.	PR (PERMIT)
7	Replace missing chain link fence on west side of property between corner and bushes. Include posts, footings, and all other accessories required to complete new fence.	PR (PERMIT)
8		
9	INTERIOR	
10	HOUSE	
11	Remove and replace furnace with new, high-efficiency, direct vent furnace. Include new thermostat.	PR (PERMIT)
12		
13		
14	<i>Total Scope Estimate</i>	
15		
16		
17		
18		
19		
20		
21		
22		
23	Prepared by:	Date:
24		
25		
26	Owner Approval:	Date: