



Department of City Development
 City Plan Commission
 Redevelopment Authority of the City of Milwaukee
 Neighborhood Improvement Development Corporation

Rocky Marcoux
 Commissioner
 marco@milwaukee.gov

Martha L. Brown
 Deputy Commissioner
 mbrown@milwaukee.gov



Bid Package Cover Sheet

The following project is open for bidding by contractors possessing a Milwaukee Home Improvement Contractor License.

Please contact the owner for an appointment to inspect the property. Return bids to the owner.

Note that all activities disturbing lead (PB) based surface coatings require State certified personnel and, as noted, a Milwaukee Health Department Lead Permit.

Project Address	3237 N 35TH ST
Summary Of Work	General repairs
Technical Specialist	Aaron Helt Phone: (414) 286-8606

Bid packages are available from the owners:

Owner	Jesse Griffin, Jr.
Home address	3237 N 35TH ST
Phone	(h) (414) 514-6055 (w)
Bid due date	6/19/2015
Approximate starting date	
Approximate completion date	



SCOPE OF WORK		Date: May 18, 2015
3237 N 35th St		
Rehab Specialist: Aaron Helt @ 286-8606		
First inspection date: 5/14/2015	Prior version dates:	STRONG Homes
Both the "Rehabilitation and Technical Specifications and Performance Standard for the City of Milwaukee - February, 2006" and the "NIDC Addendum to Specifications," dated 8/23/07 & 5/13/08, are incorporated into this scope by reference. These items provide an outline of materials requirements & performance expectations. Updated copies can be obtained from NIDC @ 809 N Broadway-3rd Flr.		
Lead Related Work: Any task that disturbs previously painted surface shall be performed by properly certified personnel and follow the State of Wisconsin Department of Health Services Administrative Code Chapter DHS 163 regarding the certification for the identification, removal and reduction of lead-based paint hazards (Pb).		
And, if applicable: <input type="radio"/> YES <input checked="" type="radio"/> NO		
Any task that disturbs a previously painted surface requires Milwaukee Health Department notification (Pb-N). Window replacement shall be performed by properly certified personnel and requires a Milwaukee Health Department Permit (Pb-A).		
Miscellaneous: The contractor is responsible to field verify all measurements, the amount of materials needed, and the number of windows in the building. If any item in this scope calls for a certain manufacturer, model number, or approved equivalent of a particular item, and that item is to be substituted, both NIDC and the owner must approve the substitution in writing as a part of the contract.		
Line #	Scope of Work Item	Code Estimate
1		
2	EXTERIOR (HOUSE)	
3	HOUSE	
4	Tear-off and replace roof. Repair decking as needed. Furnish and install new osb decking, ice and water, 15# felt, all necessary flashings and vents, and dimensional shingles with a minimum 30 year lifetime warranty. Include front porch roof.	PR
5	Demo and remove gutters and downspouts. Repair and replace fascia behind gutters as necessary. Replace gutters and downspouts with new, seamless, aluminum gutters and downspouts. Include capping drain tile receivers and diverting downspouts 6-8' away from foundation.	PR
6	Tuck point and repair chimney. Include furnish and install new flue liner with rain cap.	PR
7	Demo and remove front porch including columns below grade. Replace front porch footings, columns, framing, skirting, railings, stairs and deck. All wood to be pressure treated .	PR/Pb (PERMIT)
8	Tuck point foundation at all problem areas.	PR
9		
10		
11		<i>Total Scope Estimate</i>
12		
13		
14		
15		
16		
17		
18		
19		
20	Prepared by:	Date:
21		
22		
23	Owner Approval:	Date: