



REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

|                                 |   |                            |                            |                                 |                            |             |                                      |                           |
|---------------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---------------------------|
| F<br>r<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Sorted by: Area/Matl/Zone |
|                                 |   |                            |                            |                                 |                            |             |                                      | Disposition All Selected: |

| Area ID         | Zone      | Matl Code   | Material Description (notes if applicable)  | S. Link     | Disposition |          |           |          |          |          |                 |  |                | Response     | Quantity |
|-----------------|-----------|-------------|---|-------------|-------------|----------|-----------|----------|----------|----------|-----------------|--|----------------|--------------|----------|
|                 | <b>Z3</b> | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>   |  | <b>O&amp;M</b> | <b>25 lf</b> |          |
| <b>002 PASS</b> | Z3        | C           | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | CPMPF       | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2         | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | P           | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | PBDW        | PLASTER BACKING, Dryw all Lath  | DWPL        | Non-ACM     |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | <b>Z3</b> | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b><br>NOTE: Above ceiling. Unw rapped fittings & exposed mud. Cracked canvas jacket @ fitting.  | <b>PIAC</b> | <b>ACM</b>  | <b>Y</b> | <b>D</b>  | <b>N</b> | <b>N</b> | <b>N</b> | <b>7 LPD 4</b>  |  | <b>Repair</b>  | <b>10 lf</b> |          |
|                 | <b>Z3</b> | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: Above ceiling. Unw rapped fittings & exposed mud. Cracked canvas jacket @ fitting.  | <b>PIM</b>  | <b>ACM</b>  | <b>Y</b> | <b>D</b>  | <b>N</b> | <b>N</b> | <b>N</b> | <b>7 LPD 4</b>  |  | <b>Repair</b>  | <b>5 lf</b>  |          |
|                 | <b>Z3</b> | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: Above ceiling. Unw rapped fittings & exposed mud. Cracked canvas jacket @ fitting.  | <b>PIW</b>  | <b>ACM</b>  | <b>Y</b> | <b>D</b>  | <b>N</b> | <b>N</b> | <b>N</b> | <b>7 LPD 4</b>  |  | <b>Repair</b>  | <b>15 lf</b> |          |
|                 | Z3        | PR          | PLASTER, Rough Finish   | P2          | Non-ACM     |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | WPMN        | WALL PANELS, Masonite   | MSNT1       | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
| <b>002A</b>     | Z3        | CPMPF       | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2         | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | ZR        | FTR         | FLOOR TILE, Replacement 12"x12" & Associated Mastic   | FTR         | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | ZR        | FTRSR       | FLOOR TILE REDUCING STRIPS, Replacement Vinyl   | FTRRS       | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | P           | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | <b>Z3</b> | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b><br>NOTE: 34 lf above ceiling.  | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>   |  | <b>O&amp;M</b> | <b>36 lf</b> |          |
|                 | <b>Z3</b> | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 10 lf above ceiling. 6-8 lf inside w all. 16 lf covered w / a metal jacket. Unw rapped fittings & exposed mud above ceiling. Torn canvas jacket near floor. | <b>PIM</b>  | <b>ACM</b>  | <b>Y</b> | <b>D</b>  | <b>Y</b> | <b>N</b> | <b>N</b> | <b>6 SPD 2</b>  |  | <b>Repair</b>  | <b>32 lf</b> |          |
|                 | <b>Z3</b> | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: 10-16 lf inside w all the rest is above ceiling. Unw rapped fittings & exposed mud above ceiling.   | <b>PIW</b>  | <b>ACM</b>  | <b>Y</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>7 LPD 11</b> |  | <b>O&amp;M</b> | <b>30 lf</b> |          |
|                 | Z3        | PR          | PLASTER, Rough Finish<br>NOTE: Above ceiling.   | P2          | Non-ACM     |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | WPMN        | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT1       | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
| <b>002B</b>     | Z3        | MFT         | MOSAIC FLOOR TILE & MORTAR  | MT          | Exempt      |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | P           | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | WPMN        | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT1       | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
| <b>002C</b>     | Z3        | MFT         | MOSAIC FLOOR TILE & MORTAR  | MT          | Exempt      |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | P           | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | ZR        | WBR6        | WALL BASE, 6" Replacement Vinyl & Associated Mastic<br>NOTE: Black.   | WBR6        | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |
|                 | Z3        | WPMN        | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT1       | Non-Suspect |          |           |          |          |          |                 |  |                | 0 sf         |          |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: |
|-----------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---|
|-----------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---|

| Area ID | Zone | Matl Code  | Material Description (notes if applicable)  | S. Link     | Disposition |          |           |          |          |          | Response       | Quantity       |              |
|---------|------|--|---|-------------|-------------|----------|-----------|----------|----------|----------|----------------|----------------|--------------|
| 003     | Z3   | BM   | BRICK & MORTAR  | B           | Exempt      |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | CPMPF  | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2         | Non-Suspect |          |           |          |          |          |                | 0 sf           |              |
|         | ZR   | FTR  | FLOOR TILE, Replacement 12"x12" & Associated Mastic   | FTR         | Non-Suspect |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | P  | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | PFIF   | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines  | PFIF        | Non-ACM     |          |           |          |          |          |                | 0 ea           |              |
|         | Z3   | PIF  | PIPE INSULATION, Fiberglass   | PIF         | Non-Suspect |          |           |          |          |          |                | 0 lf           |              |
|         | ZR   | PIFZ   | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ        | Non-Suspect |          |           |          |          |          |                | 0 lf           |              |
|         | Z3   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 1 lf above ceiling (w / exposed end). | <b>PIM</b>  | <b>ACM</b>  | <b>Y</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>6 SPD 9</b> | <b>O&amp;M</b> | <b>7 lf</b>  |
| 003A    | Z3   | BM   | BRICK & MORTAR  | B           | Exempt      |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | C  | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | P  | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                | 0 sf           |              |
| 003B    | Z3   | BM   | BRICK & MORTAR  | B           | Exempt      |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | C  | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |          |           |          |          |          |                | 0 sf           |              |
|         | ZR   | FSPR   | FIRE STOP PACKING, Resinous   | FSPR        | Non-Suspect |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | P  | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>  | <b>O&amp;M</b> | <b>8 lf</b>  |
|         | ZR   | PIFZ   | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ        | Non-Suspect |          |           |          |          |          |                | 0 lf           |              |
|         | Z3   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>  | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>Y</b> | <b>SPD 12</b>  | <b>O&amp;M</b> | <b>11 lf</b> |
|         | Z3   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b>  | <b>O&amp;M</b> | <b>10 lf</b> |
| ZR      | WBDW | WALLBOARD, Dryw all Sheeting<br>NOTE: Ceiling patch. | DW  | Non-Suspect |             |          |           |          |          |          |                | 0 sf           |              |
| Z3      | WPMN | WALL PANELS, Masonite                                | MSNT2   | Non-Suspect |             |          |           |          |          |          |                | 0 sf           |              |
| 003C    | Z3   | BM   | BRICK & MORTAR  | B           | Exempt      |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | CPMPF  | CEILING PANELS, Metal Pan w / Fiberglass Backing<br>NOTE: Above new ceiling system.                       | CT2         | Non-Suspect |          |           |          |          |          |                | 0 sf           |              |
|         | ZR   | CTR  | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' mineral board panels.                                     | CTR         | Non-Suspect |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | P  | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |                | 0 sf           |              |
|         | Z3   | PR   | PLASTER, Rough Finish<br>NOTE: Above ceiling.   | P2          | Non-ACM     |          |           |          |          |          |                | 0 sf           |              |
| 004     | Z2   | BM   | BRICK & MORTAR  | B1          | Exempt      |          |           |          |          |          |                | 0 sf           |              |
|         | Z2   | CT11M*   | CEILING TILE, 12"x12" Mineral Board Panels *  | CT1         | Non-ACM     |          |           |          |          |          |                | 0 sf           |              |
|         | Z2   | CTM  | CEILING TILE MASTIC   | CT1M        | Non-ACM     |          |           |          |          |          |                | 880 sf         |              |
|         | Z2   | P  | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM     |          |           |          |          |          |                | 0 sf           |              |
|         | Z2   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>  | <b>O&amp;M</b> | <b>6 lf</b>  |
|         | Z2   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>  | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>  | <b>O&amp;M</b> | <b>25 lf</b> |
|         | Z2   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>  | <b>O&amp;M</b> | <b>72 lf</b> |
| Z2      | ST   | CUT/POLISHED STONE                                   | STN   | Exempt      |             |          |           |          |          |          |                | 0 sf           |              |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | Co  | Ac  | De  | Ai | AH | PF | Pr | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: |          |
|----|-----|-----|-----|----|----|----|----|---|----------|
| ia | nd  | ces | ber | ir | ER | D  | io | Response  | Quantity |
| bl | iti | s   | ris | fl | A  |    | ri |   |          |
| e  | on  |     |     | w  | #  |    | ty |   |          |

| Area ID     | Zone      | Matl Code   | Material Description (notes if applicable)                        | S. Link     | Disposition | Fr       | Co        | Ac       | De       | Ai       | AH       | PF            | Pr | Response       | Quantity     |
|-------------|-----------|-------------|---|-------------|-------------|----------|-----------|----------|----------|----------|----------|---------------|----|----------------|--------------|
|             |           |             |   |             |             | ia       | nd        | ces      | ber      | ir       | ER       | D             | io |                |              |
|             |           |             |   |             |             | bl       | iti       | s        | ris      | fl       | A        |               | ri |                |              |
|             |           |             |   |             |             | e        | on        |          |          | w        | #        |               | ty |                |              |
|             | ZR        | WMIR        | WATER METER INSULATION, Replacement                               | WMIR        | Non-Suspect |          |           |          |          |          |          |               |    |                | 0 lf         |
| <b>004A</b> | Z2        | BM          | BRICK & MORTAR  | B1          | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | C           | CONCRETE, Floors/Walls/Ceilings                                   | C           | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | ZR        | DWJC        | WALLBOARD, Dryw all/Joint Compound System                         | DWJC        | Non-Suspect |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | P           | PLASTER, Smooth/Sandfloat Finish                                  | P           | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | <b>Z2</b> | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>        | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> |    | <b>O&amp;M</b> | <b>7 lf</b>  |
|             | ZR        | WBR4        | WALL BASE, 4" Replacement Vinyl & Associated Mastic               | WBR4        | Non-Suspect |          |           |          |          |          |          |               |    |                | 0 sf         |
| <b>004B</b> | Z2        | BM          | BRICK & MORTAR  | B1          | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | C           | CONCRETE, Floors/Walls/Ceilings                                   | C           | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | ZR        | DWJC        | WALLBOARD, Dryw all/Joint Compound System                         | DWJC        | Non-Suspect |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | P           | PLASTER, Smooth/Sandfloat Finish                                  | P           | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | ZR        | WBR4        | WALL BASE, 4" Replacement Vinyl & Associated Mastic               | WBR4        | Non-Suspect |          |           |          |          |          |          |               |    |                | 0 sf         |
| <b>004C</b> | Z2        | C           | CONCRETE, Floors/Walls/Ceilings                                   | C           | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | P           | PLASTER, Smooth/Sandfloat Finish                                  | P           | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z3        | P           | PLASTER, Smooth/Sandfloat Finish                                  | P1          | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | <b>Z2</b> | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>        | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> |    | <b>O&amp;M</b> | <b>10 lf</b> |
|             | <b>Z2</b> | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>        | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> |    | <b>O&amp;M</b> | <b>4 lf</b>  |
|             | <b>Z2</b> | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>        | <b>PIW</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> |    | <b>O&amp;M</b> | <b>16 lf</b> |
|             | Z2        | ST          | CUT/POLISHED STONE  | STN         | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
| <b>004D</b> | Z2        | C           | CONCRETE, Floors/Walls/Ceilings                                   | C           | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | P           | PLASTER, Smooth/Sandfloat Finish                                  | P           | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z3        | PBDW        | PLASTER BACKING, Dryw all Lath                                    | DWPL        | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | <b>Z2</b> | <b>PFIF</b> | <b>PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines</b> | <b>PFIF</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> |    | <b>O&amp;M</b> | <b>3ea</b>   |
|             | <b>Z2</b> | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>        | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> |    | <b>O&amp;M</b> | <b>8 lf</b>  |
|             | Z2        | PIF         | PIPE INSULATION, Fiberglass                                       | PIF         | Non-Suspect |          |           |          |          |          |          |               |    |                | 0 lf         |
|             | <b>Z2</b> | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>        | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> |    | <b>O&amp;M</b> | <b>5 lf</b>  |
|             | <b>Z2</b> | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>        | <b>PIW</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> |    | <b>O&amp;M</b> | <b>5 lf</b>  |
|             | Z2        | ST          | CUT/POLISHED STONE  | STN         | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
| <b>004E</b> | Z2        | BM          | BRICK & MORTAR  | B1          | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | C           | CONCRETE, Floors/Walls/Ceilings                                   | C           | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z2        | P           | PLASTER, Smooth/Sandfloat Finish                                  | P           | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
| <b>004F</b> | Z2        | BM          | BRICK & MORTAR  | B1          | Exempt      |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z3        | P           | PLASTER, Smooth/Sandfloat Finish<br>NOTE: Over gypsum lath.       | P1          | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | Z3        | PBDW        | PLASTER BACKING, Dryw all Lath                                    | DWPL        | Non-ACM     |          |           |          |          |          |          |               |    |                | 0 sf         |
|             | <b>Z2</b> | <b>PFIF</b> | <b>PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines</b> | <b>PFIF</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> |    | <b>O&amp;M</b> | <b>8ea</b>   |
|             | <b>Z2</b> | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>        | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> |    | <b>O&amp;M</b> | <b>17 lf</b> |
|             | Z2        | PIF         | PIPE INSULATION, Fiberglass                                       | PIF         | Non-Suspect |          |           |          |          |          |          |               |    |                | 0 lf         |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)





REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr  | Co  | Ac | De  | Ai   | AH | PF | Pr | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: |          |
|-----|-----|----|-----|------|----|----|----|---|----------|
| ia  | nd  | ce | br  | rf   | ER | D  | io | Response  | Quantity |
| ble | iti | ss | ris | flow | A  | F  | ri |   |          |
| e   | on  |    | s   | #    | R  | D  | ty |   |          |

| Area ID | Zone | Matl Code        | Material Description (notes if applicable)  | S. Link     | Disposition    | Fr | Co | Ac | De | Ai | AH | PF     | Pr | Response       | Quantity      |
|---------|------|------------------|---|-------------|----------------|----|----|----|----|----|----|--------|----|----------------|---------------|
| 006B    | Z1   | BM               | BRICK & MORTAR  | B1          | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z2   | CT11M*           | CEILING TILE, 12"x12" Mineral Board Panels *  | CT1         | Non-ACM        |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z2   | CTM              | CEILING TILE MASTIC   | CT1M        | Non-ACM        |    |    |    |    |    |    |        |    |                | 120 sf        |
|         | Z1   | FSM              | SHEET FLOORING MASTIC   | FSM         | Non-ACM        |    |    |    |    |    |    |        |    |                | 120 sf        |
|         | Z1   | <b>FSVCM</b>     | <b>SHEET FLOORING, Cream Vinyl *</b>  | <b>FS</b>   | <b>ACM</b>     | N  | ND | Y  | N  | N  |    | SPD 12 |    | <b>O&amp;M</b> | <b>120 sf</b> |
|         | Z1   | FTRSBK           | FLOOR TILE REDUCING STRIPS, Black Vinyl *   | FTRSK       | Non-ACM        |    |    |    |    |    |    |        |    |                | 1 sf          |
|         | Z1   | P                | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM**      |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | <b>PIAC</b>      | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>     | N  | ND | N  | N  | N  |    | LPD 14 |    | <b>O&amp;M</b> | <b>15 lf</b>  |
|         | Z1   | <b>PIM</b>       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 10 lf covered by a fiberglass jacket & 45 lf covered w/ a metal jacket. | <b>PIM</b>  | <b>ACM</b>     | N  | ND | Y  | N  | N  |    | SPD 12 |    | <b>O&amp;M</b> | <b>85 lf</b>  |
|         | Z1   | <b>PIWF</b>      | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>  | <b>ACM</b>     | N  | ND | N  | N  | N  |    | LPD 14 |    | <b>O&amp;M</b> | <b>34 lf</b>  |
|         | Z1   | WB4B             | WALL BASE, 4" Brown Vinyl *   | WB          | Non-ACM        |    |    |    |    |    |    |        |    |                | 0 sf          |
| Z1      | WBM  | WALL BASE MASTIC | WBM   | Non-ACM     |                |    |    |    |    |    |    |        |    | 0 sf           |               |
| 006C    | Z1   | BM               | BRICK & MORTAR  | B1          | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | C                | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z3   | <b>FDMPW</b>     | <b>FIRE DOORS, Soldered Metal Panels w/ Solid Wood Core</b>   | <b>FD</b>   | <b>Assumed</b> | N  | ND | Y  | N  | N  |    | SPD 12 |    | <b>O&amp;M</b> | <b>1ea</b>    |
|         | Z1   | P                | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM**      |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | <b>PIWF</b>      | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>  | <b>ACM</b>     | N  | ND | Y  | N  | N  | 1  | SPD 12 |    | <b>O&amp;M</b> | <b>5 lf</b>   |
| 006D    | Z1   | BM               | BRICK & MORTAR  | B1          | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | C                | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | P                | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM**      |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z3   | PBDW             | PLASTER BACKING, Dryw all Lath  | DWPL        | Non-ACM        |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | <b>PIAC</b>      | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>     | N  | ND | N  | N  | N  |    | LPD 14 |    | <b>O&amp;M</b> | <b>40 lf</b>  |
|         | Z1   | <b>PIM</b>       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: Covered w/ a metal jacket.  | <b>PIM</b>  | <b>ACM</b>     | N  | ND | Y  | N  | N  |    | SPD 12 |    | <b>O&amp;M</b> | <b>10 lf</b>  |
|         | Z1   | ST               | CUT/POLISHED STONE  | STN         | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
| 006E    | Z1   | BM               | BRICK & MORTAR  | B1          | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | C                | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | P                | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM**      |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z3   | PBDW             | PLASTER BACKING, Dryw all Lath  | DWPL        | Non-ACM        |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z1   | <b>PIAC</b>      | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>     | N  | ND | Y  | N  | N  |    | SPD 12 |    | <b>O&amp;M</b> | <b>18 lf</b>  |
|         | Z1   | <b>PIM</b>       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>  | <b>PIM</b>  | <b>ACM</b>     | N  | ND | N  | N  | N  |    | LPD 14 |    | <b>O&amp;M</b> | <b>7 lf</b>   |
|         | Z1   | <b>PIWF</b>      | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>  | <b>ACM</b>     | N  | ND | Y  | N  | N  |    | SPD 12 |    | <b>O&amp;M</b> | <b>17 lf</b>  |
| 006F    | Z1   | BM               | BRICK & MORTAR  | B1          | Exempt         |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z2   | CT11M*           | CEILING TILE, 12"x12" Mineral Board Panels *  | CT1         | Non-ACM        |    |    |    |    |    |    |        |    |                | 0 sf          |
|         | Z2   | CTM              | CEILING TILE MASTIC   | CT1M        | Non-ACM        |    |    |    |    |    |    |        |    |                | 255 sf        |
|         | Z1   | <b>FT12OWT</b>   | <b>FLOOR TILE, 12"x12" Off-White Vinyl *</b>  | <b>FT2</b>  | <b>ACM</b>     | N  | ND | Y  | N  | N  |    | SPD 12 |    | <b>O&amp;M</b> | <b>255 sf</b> |
|         | Z1   | <b>FTM</b>       | <b>FLOOR TILE MASTIC</b>  | <b>FTM</b>  | <b>ACM</b>     | N  | ND | N  | N  | N  |    | LPD 14 |    | <b>O&amp;M</b> | <b>255 sf</b> |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | Co | Ac | De | Ai | AH | PF | Pr | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: |          |
|----|----|----|----|----|----|----|----|---|----------|
| ia | nd | ce | br | rf | ER | D  | io | Response  | Quantity |
| bl | it | ss | is | fl | A  |    | ri |   |          |
| e  | io |    |    | w  | #  |    | ty |   |          |

| Area ID     | Zone | Matl Code    | Material Description (notes if applicable)  | S. Link     | Disposition | Fr | Co | Ac | De | Ai | AH | PF | Pr     | Response | Quantity |
|-------------|------|--------------|---|-------------|-------------|----|----|----|----|----|----|----|--------|----------|----------|
|             | Z1   | FTRSBN       | FLOOR TILE REDUCING STRIPS, Brown Vinyl *   | FTRSBN      | Non-ACM     |    |    |    |    |    |    |    |        |          | 1 sf     |
|             | Z1   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b><br>NOTE: Covered w / a fiberglass jacket.                | <b>PIAC</b> | <b>ACM</b>  | N  | ND | N  | N  | N  |    |    | LPD 14 | O&M      | 17 lf    |
|             | Z1   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>  | <b>ACM</b>  | N  | ND | N  | N  | N  |    |    | LPD 14 | O&M      | 17 lf    |
|             | Z1   | WB4B         | WALL BASE, 4" Brown Vinyl *   | WB          | Non-ACM     |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z1   | WBM          | WALL BASE MASTIC  | WBM         | Non-ACM     |    |    |    |    |    |    |    |        |          | 0 sf     |
| <b>006G</b> | Z1   | BM           | BRICK & MORTAR  | B1          | Exempt      |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | ZR   | FSPC         | FIRE STOP PACKING, Cementitious   | FSPC        | Non-Suspect |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | ZR   | FSPR         | FIRE STOP PACKING, Resinous   | FSPR        | Non-Suspect |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z1   | NSFS         | NON-SKID FLOOR STRIPS   | NS          | Non-Suspect |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM**   |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z3   | PBDW         | PLASTER BACKING, Dryw all Lath  | DWPL        | Non-ACM     |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z1   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>  | N  | ND | N  | N  | N  |    |    | LPD 14 | O&M      | 50 lf    |
|             | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 3 lf covered w / a metal jacket.                | <b>PIM</b>  | <b>ACM</b>  | N  | ND | N  | N  | N  |    |    | LPD 14 | O&M      | 30 lf    |
|             | Z1   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: 6 lf covered w / a metal jacket.                | <b>PIW</b>  | <b>ACM</b>  | N  | ND | Y  | N  | N  |    |    | SPD 12 | O&M      | 38 lf    |
| <b>007</b>  | Z1   | BMGL         | GLAZED BRICK & MORTAR   | B2          | Exempt      |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z1   | C            | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z3   | CKG          | CAULKING/SEALANT<br>NOTE: White caulking applied around urinals.  | CLKW        | Non-ACM     |    |    |    |    |    |    |    |        |          | 3 sf     |
|             | Z2   | CRTM         | CERAMIC WALL TILE MASTIC  | CRTM        | Non-ACM     |    |    |    |    |    |    |    |        |          | 80 sf    |
|             | Z2   | CTG          | CERAMIC WALL TILE GROUT   | CR          | Non-ACM     |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z1   | MFT          | MOSAIC FLOOR TILE & MORTAR<br>NOTE: Patch material.   | MT          | Exempt      |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z2   | MFT          | MOSAIC FLOOR TILE & MORTAR  | MT          | Exempt      |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM**   |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z3   | PFIF         | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines  | PFIF        | Non-ACM     |    |    |    |    |    |    |    |        |          | 20 ea    |
|             | Z1   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>  | N  | ND | N  | N  | N  |    |    | LPD 14 | O&M      | 14 lf    |
|             | Z3   | PIF          | PIPE INSULATION, Fiberglass   | PIF         | Non-Suspect |    |    |    |    |    |    |    |        |          | 0 lf     |
|             | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: Exposed ends.                                   | <b>PIM</b>  | <b>ACM</b>  | N  | ND | N  | N  | N  |    |    | LPD 14 | O&M      | 7 lf     |
|             | Z1   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: 6 lf covered w / a metal jacket. Exposed ends.  | <b>PIW</b>  | <b>ACM</b>  | N  | ND | Y  | N  | N  |    |    | SPD 12 | O&M      | 68 lf    |
|             | Z3   | <b>RHSIT</b> | <b>RADIATOR HEAT SHIELD, Cementitious [Transite] Sheeting</b><br>NOTE: On ceiling as heat shield for heating array. | <b>TRNS</b> | <b>ACM</b>  | N  | ND | Y  | N  | N  |    |    | SPD 12 | O&M      | 40 sf    |
|             | Z2   | ST           | CUT/POLISHED STONE  | MBL         | Exempt      |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z2   | STPM         | STONE PANELING MASTIC   | MBLA        | Non-ACM     |    |    |    |    |    |    |    |        |          | 0 sf     |
| <b>007A</b> | Z3   | C            | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |    |    |    |    |    |    |    |        |          | 0 sf     |
|             | Z3   | PFIF         | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines  | PFIF        | Non-ACM     |    |    |    |    |    |    |    |        |          | 0 ea     |
|             | Z3   | PIF          | PIPE INSULATION, Fiberglass   | PIF         | Non-Suspect |    |    |    |    |    |    |    |        |          | 0 lf     |
|             | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>  | <b>PIM</b>  | <b>ACM</b>  | N  | ND | Y  | N  | N  |    |    | SPD 12 | O&M      | 25 lf    |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | C  | A  | D   | A  | A | P | P | Sorted by: Area/Matl/Zone |  |
|----|----|----|-----|----|---|---|---|---------------------------|--|
| ia | o  | cc | eb  | ir | H | F | r | Disposition All           |  |
| bl | nd | es | ris | r  | E | D | o | Selected:                 |  |
| e  | it | s  | s   | f  | R |   | r |                           |  |
|    | i  |    |     | l  | A |   | i |                           |  |
|    | o  |    |     | w  | # |   | p |                           |  |
|    | n  |    |     |    |   |   | r |                           |  |
|    |    |    |     |    |   |   | i |                           |  |
|    |    |    |     |    |   |   | t |                           |  |
|    |    |    |     |    |   |   | y |                           |  |

| Area ID | Zone | Matl Code   | Material Description (notes if applicable)   | S. Link     | Disposition | Fr | C  | A | D | A | A | P      | P | Response | Quantity |
|---------|------|-------------|--|-------------|-------------|----|----|---|---|---|---|--------|---|----------|----------|
|         | Z3   | PIWF        | PIPE INSULATION, Woolfelt & Associated Fittings  | PIW         | ACM         | N  | ND | Y | N | N |   | SPD 12 |   | O&M      | 31 lf    |
| 007PC1  | Z1   | BM          | BRICK & MORTAR   | B1          | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z1   | BMGL        | GLAZED BRICK & MORTAR  | B2          | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z3   | PFIF        | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines   | PFIF        | Non-ACM     |    |    |   |   |   |   |        |   |          | 0 ea     |
|         | Z3   | PIF         | PIPE INSULATION, Fiberglass  | PIF         | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 lf     |
|         | Z1   | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>   | <b>PIM</b>  | <b>ACM</b>  | N  | ND | Y | N | N |   | SPD 12 |   | O&M      | 25 lf    |
|         | Z1   | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>   | <b>PIW</b>  | <b>ACM</b>  | N  | ND | Y | N | N |   | SPD 12 |   | O&M      | 31 lf    |
|         | Z2   | STPM        | STONE PANELING MASTIC  | MBLA        | Non-ACM     |    |    |   |   |   |   |        |   |          | 0 sf     |
| 007PC2  | Z1   | BM          | BRICK & MORTAR   | B1          | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z1   | BMGL        | GLAZED BRICK & MORTAR  | B2          | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z1   | P           | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM**   |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z1   | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>   | <b>PIAC</b> | <b>ACM</b>  | N  | ND | Y | N | N |   | SPD 12 |   | O&M      | 2 lf     |
|         | Z1   | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>   | <b>PIW</b>  | <b>ACM</b>  | N  | ND | Y | N | N |   | SPD 12 |   | O&M      | 34 lf    |
|         | Z2   | STPM        | STONE PANELING MASTIC  | MBLA        | Non-ACM     |    |    |   |   |   |   |        |   |          | 0 sf     |
| 007PC3  | Z3   | PFIF        | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines   | PFIF        | Non-ACM     |    |    |   |   |   |   |        |   |          | 0 ea     |
|         | Z3   | PIF         | PIPE INSULATION, Fiberglass  | PIF         | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 lf     |
|         | Z2   | ST          | CUT/POLISHED STONE   | MBL         | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z2   | STPM        | STONE PANELING MASTIC  | MBLA        | Non-ACM     |    |    |   |   |   |   |        |   |          | 0 sf     |
| 008     | Z2   | BM          | BRICK & MORTAR   | B1          | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z3   | BM          | BRICK & MORTAR   | B           | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z2   | C           | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | ZR   | FSPR        | FIRE STOP PACKING, Resinous  | FSPR        | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z2   | P           | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM     |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z2   | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b><br>NOTE: Covered w/ a fiberglass jacket.        | <b>PIAC</b> | <b>ACM</b>  | N  | ND | N | N | N |   | LPD 14 |   | O&M      | 6 lf     |
|         | ZR   | PIFZ        | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ        | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 lf     |
|         | Z2   | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 22 lf covered w / a fiberglass jacket. | <b>PIM</b>  | <b>ACM</b>  | N  | ND | Y | N | N |   | SPD 12 |   | O&M      | 64 lf    |
|         | Z2   | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: 33 lf covered w / a PVC jacket.        | <b>PIW</b>  | <b>ACM</b>  | N  | ND | Y | N | N |   | SPD 12 |   | O&M      | 46 lf    |
| 008C    | ZR   | BBIR        | BOILER STACK/BREECHING INSULATION, Replacement   | BBIR        | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z2   | BM          | BRICK & MORTAR   | B1          | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z3   | BM          | BRICK & MORTAR   | B           | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | ZR   | BUR         | BOILER UNIT, Replacement   | BUR         | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z3   | C           | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt      |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | ZR   | FSPR        | FIRE STOP PACKING, Resinous  | FSPR        | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | ZR   | HWTIR       | HOT WATER TANK INSULATION, Replacement   | HWTIR       | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 sf     |
|         | Z3   | PFIF        | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines   | PFIF        | Non-ACM     |    |    |   |   |   |   |        |   |          | 5 ea     |
|         | Z3   | PIF         | PIPE INSULATION, Fiberglass  | PIF         | Non-Suspect |    |    |   |   |   |   |        |   |          | 0 lf     |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | C   | A  | D   | A  | A  | P  | P   | Sorted by: Area/Matl/Zone |  |
|----|-----|----|-----|----|----|----|-----|---------------------------|--|
| ia | o   | cc | eb  | ir | HE | FD | ri  | Disposition All           |  |
| bl | nd  | es | ris | r  | RA |    | or  | Selected:                 |  |
| e  | it  |    |     | fl | #  |    | ity |                           |  |
|    | ion |    |     | w  |    |    |     |                           |  |

| Area ID     | Zone | Matl Code    | Material Description (notes if applicable)   | S. Link     | Disposition    |          |           |          |          |          | Response      | Quantity       |              |
|-------------|------|--------------|--|-------------|----------------|----------|-----------|----------|----------|----------|---------------|----------------|--------------|
|             | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ        | Non-Suspect    |          |           |          |          |          |               | 0 lf           |              |
|             | Z3   | ST           | CUT/POLISHED STONE   | STN         | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | ZR   | WTIR         | WATER TANK INSULATION, Replacement   | WTIR        | Non-Suspect    |          |           |          |          |          |               | 0 sf           |              |
| <b>008D</b> | Z3   | BM           | BRICK & MORTAR   | B           | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z3   | C            | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z3   | <b>FDMPW</b> | <b>FIRE DOORS, Soldered Metal Panels w/ Solid Wood Core</b>  | <b>FD</b>   | <b>Assumed</b> | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>1ea</b>   |
|             | Z3   | PFIF         | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines   | PFIF        | Non-ACM        |          |           |          |          |          |               | 0ea            |              |
|             | Z3   | PIF          | PIPE INSULATION, Fiberglass  | PIF         | Non-Suspect    |          |           |          |          |          |               | 0 lf           |              |
|             | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ        | Non-Suspect    |          |           |          |          |          |               | 0 lf           |              |
|             | Z3   | ST           | CUT/POLISHED STONE   | STN         | Exempt         |          |           |          |          |          |               | 0 sf           |              |
| <b>008F</b> | Z3   | C            | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z1   | NSM          | NO SUSPECT MATERIALS   | NSM         | Non-Suspect    |          |           |          |          |          |               | 0 sf           |              |
| <b>008G</b> | Z2   | BM           | BRICK & MORTAR   | B1          | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z2   | C            | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | ZR   | FSPR         | FIRE STOP PACKING, Resinous  | FSPR        | Non-Suspect    |          |           |          |          |          |               | 0 sf           |              |
|             | Z2   | P            | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM        |          |           |          |          |          |               | 0 sf           |              |
|             | Z2   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b><br>NOTE: 15 lf covered w / PVC jacket.    | <b>PIAC</b> | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>27 lf</b> |
|             | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ        | Non-Suspect    |          |           |          |          |          |               | 0 lf           |              |
|             | Z2   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: Covered w / a PVC jacket.        | <b>PIM</b>  | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>15 lf</b> |
|             | Z2   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: 8 lf covered w / a metal jacket. | <b>PIW</b>  | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>27 lf</b> |
|             | Z2   | ST           | CUT/POLISHED STONE   | STN         | Exempt         |          |           |          |          |          |               | 0 sf           |              |
| <b>008J</b> | Z2   | BM           | BRICK & MORTAR   | B1          | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z2   | C            | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z3   | CBM          | CONCRETE BLOCK & MORTAR  | CB          | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | ZR   | FSPR         | FIRE STOP PACKING, Resinous  | FSPR        | Non-Suspect    |          |           |          |          |          |               | 0 sf           |              |
|             | Z2   | P            | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM        |          |           |          |          |          |               | 0 sf           |              |
|             | Z2   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>   | <b>PIAC</b> | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>3 lf</b>  |
|             | Z2   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>   | <b>PIW</b>  | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>17 lf</b> |
| <b>008K</b> | Z1   | BM           | BRICK & MORTAR   | B1          | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z1   | C            | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt         |          |           |          |          |          |               | 0 sf           |              |
|             | Z1   | P            | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM**      |          |           |          |          |          |               | 0 sf           |              |
|             | Z3   | PBDW         | PLASTER BACKING, Dryw all Lath   | DWPL        | Non-ACM        |          |           |          |          |          |               | 0 sf           |              |
|             | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: Covered w / a metal jacket.      | <b>PIM</b>  | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>8 lf</b>  |
|             | Z1   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>   | <b>PIW</b>  | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>10 lf</b> |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)



REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | C  | A  | D   | A  | A | P | P | Sorted by: Area/Matl/Zone |     |
|----|----|----|-----|----|---|---|---|---------------------------|-----|
| ia | o  | cc | eb  | ir | H | F | r | Disposition               | All |
| bl | nd | es | ris | fl | E | D | o | Selected:                 |     |
| e  | it | s  | s   | w  | R |   | r |                           |     |
|    | i  |    |     |    | A |   | i |                           |     |
|    | o  |    |     |    | # |   | p |                           |     |
|    | n  |    |     |    |   |   | r |                           |     |
|    |    |    |     |    |   |   | i |                           |     |
|    |    |    |     |    |   |   | t |                           |     |
|    |    |    |     |    |   |   | y |                           |     |

| Area ID  | Zone | Matl Code    | Material Description (notes if applicable)  | S. Link      | Disposition    | Fr | C  | A  | D   | A  | A | P   | P  | Response | Quantity |
|----------|------|--------------|---|--------------|----------------|----|----|----|-----|----|---|-----|----|----------|----------|
|          |      |              |   |              |                | ia | o  | es | ris | fl | H | F   | r  |          |          |
|          |      |              |   |              |                | bl | nd | s  | s   | w  | E | D   | o  |          |          |
|          |      |              |   |              |                | e  | it |    |     |    | # |     | i  |          |          |
|          |      |              |   |              |                |    | o  |    |     |    |   |     | r  |          |          |
|          |      |              |   |              |                |    | n  |    |     |    |   |     | y  |          |          |
|          | Z2   | PIWF         | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: Area contiguous with air intake system.   | PIW          | ACM            | N  | ND | Y  | N   | Y  | 6 | SPD | 12 | O&M      | 76 lf    |
|          | Z2   | STPM         | STONE PANELING MASTIC   | MBLA         | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
| 009PC2   | Z2   | BM           | BRICK & MORTAR  | B1           | Exempt         |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z2   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>   | <b>ACM</b>     | N  | ND | Y  | N   | N  |   | SPD | 12 | O&M      | 85 lf    |
|          | Z2   | STPM         | STONE PANELING MASTIC   | MBLA         | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
| 009PC3   | Z2   | BM           | BRICK & MORTAR  | B1           | Exempt         |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z2   | BMGL         | GLAZED BRICK & MORTAR   | B2           | Exempt         |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z2   | <b>PIAC</b>  | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b>  | <b>ACM</b>     | N  | ND | Y  | N   | N  |   | SPD | 12 | O&M      | 20 lf    |
|          | Z2   | <b>PIWF</b>  | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | <b>PIW</b>   | <b>ACM</b>     | N  | ND | Y  | N   | N  |   | SPD | 12 | O&M      | 79 lf    |
|          | Z2   | STPM         | STONE PANELING MASTIC   | MBLA         | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
| 010      | Z3   | <b>CKBDM</b> | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | N  | ND | N  | N   | N  |   | LPD | 14 | O&M      | 185 sf   |
|          | Z3   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | P            | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 4 lf above ceiling & 24 lf covered w / a metal jacket. Exposed ends near ceiling. | <b>PIM</b>   | <b>ACM</b>     | Y  | ND | Y  | N   | N  | 6 | SPD | 9  | O&M      | 40 lf    |
|          | Z3   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT1        | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
| 010 PASS | Z3   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | P            | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | WPMN         | WALL PANELS, Masonite   | MSNT1        | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
| 010A     | Z3   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | P            | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 15 lf covered w / a metal jacket.   | <b>PIM</b>   | <b>ACM</b>     | N  | ND | Y  | N   | N  |   | SPD | 12 | O&M      | 22 lf    |
|          | Z3   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT1        | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
| 011      | Z3   | <b>CKBDM</b> | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | N  | ND | N  | N   | N  |   | LPD | 14 | O&M      | 185 sf   |
|          | Z3   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | P            | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 24 lf covered w / a metal jacket.   | <b>PIM</b>   | <b>ACM</b>     | N  | ND | Y  | N   | N  |   | SPD | 12 | O&M      | 35 lf    |
|          | Z3   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT1        | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
| 011A     | Z3   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |    |    |    |     |    |   |     |    |          | 0 sf     |
|          | Z3   | P            | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |    |    |    |     |    |   |     |    |          | 0 sf     |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)



REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID | Zone | Matl Code | Material Description (notes if applicable) | S. Link | Disposition | F | C | A | D | A | A | P | P | Sorted by: Area/Matl/Zone |
|---------|------|-----------|--|---------|-------------|---|---|---|---|---|---|---|---|---------------------------|
|         |      |           |  |         |             | r | o | c | e | i | H | F | r | Disposition All           |
|         |      |           |  |         |             | i | n | c | b | r | E | D | i | Selected:                 |
|         |      |           |  |         |             | a | d | e | r | r | R | P | p |                           |
|         |      |           |  |         |             | b | i | s | s | l | A | D | r |                           |
|         |      |           |  |         |             | l | t |   |   | o | # | P | i |                           |
|         |      |           |  |         |             | e | i |   |   | w |   | D | o |                           |
|         |      |           |  |         |             |   | o |   |   |   |   |   | r |                           |
|         |      |           |  |         |             |   | n |   |   |   |   |   | i |                           |
|         |      |           |  |         |             |   |   |   |   |   |   |   | t |                           |
|         |      |           |  |         |             |   |   |   |   |   |   |   | y |                           |
|         |      |           |  |         |             |   |   |   |   |   |   |   |   | Response                  |
|         |      |           |  |         |             |   |   |   |   |   |   |   |   | Quantity                  |

| Area ID | Zone | Matl Code | Material Description (notes if applicable)   | S. Link | Disposition | F | C  | A | D | A | A | P | P      | Response | Quantity |
|---------|------|-----------|--|---------|-------------|---|----|---|---|---|---|---|--------|----------|----------|
|         | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 4 lf above ceiling & 37 lf covered w / a metal jacket.                             | PIM     | ACM         | N | ND | Y | N | N |   |   | SPD 12 | O&M      | 59 lf    |
|         | Z2   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT    | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
| 014A    | Z2   | P         | PLASTER, Smooth/Sandfloat Finish   | P       | Non-ACM     |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>   | PIM     | ACM         | N | ND | Y | N | N |   |   | SPD 12 | O&M      | 18 lf    |
| 014B    | Z2   | C         | CONCRETE, Floors/Walls/Ceilings  | C       | Exempt      |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | P         | PLASTER, Smooth/Sandfloat Finish   | P       | Non-ACM     |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 5 lf covered w / a metal jacket.   | PIM     | ACM         | N | ND | Y | N | N |   |   | SPD 12 | O&M      | 13 lf    |
|         | Z2   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT    | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
| 014C    | Z2   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3     | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | P         | PLASTER, Smooth/Sandfloat Finish   | P       | Non-ACM     |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z3   | PBDW      | PLASTER BACKING, Dryw all Lath   | DWPL    | Non-ACM     |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 12 lf covered w / a metal jacket.  | PIM     | ACM         | N | ND | Y | N | N |   |   | SPD 12 | O&M      | 18 lf    |
|         | Z2   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT    | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
| 015     | Z3   | CKBDM     | <b>CHALKBOARD/TACKBOARD MASTIC</b>   | CKBDM   | Assumed     | N | ND | N | N | N |   |   | LPD 14 | O&M      | 185 sf   |
|         | Z2   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3     | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z3   | DJP       | <b>DUCT JOINT PACKING, Cementitious</b>  | DP      | ACM         | Y | ND | N | N | Y | 5 |   | PD 10  | O&M      | 5 sf     |
|         | Z2   | P         | PLASTER, Smooth/Sandfloat Finish   | P       | Non-ACM     |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | ZR   | PIFZ      | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ    | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 lf     |
|         | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 6 lf covered w / a metal jacket.   | PIM     | ACM         | N | ND | Y | N | N |   |   | SPD 12 | O&M      | 6 lf     |
|         | Z2   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT    | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
| 015A    | Z2   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3     | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | P         | PLASTER, Smooth/Sandfloat Finish   | P       | Non-ACM     |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT    | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
| 015B    | Z2   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3     | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | P         | PLASTER, Smooth/Sandfloat Finish   | P       | Non-ACM     |   |    |   |   |   |   |   |        |          | 0 sf     |
|         | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 4 lf covered w / a metal jacket. Loose on pipe & exposed ends @ southw est corner. | PIM     | ACM         | Y | ND | Y | N | N | 6 |   | SPD 9  | O&M      | 15 lf    |
|         | Z2   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT    | Non-Suspect |   |    |   |   |   |   |   |        |          | 0 sf     |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | Co  | A   | D   | A   | A  | P  | P  | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: |          |
|----|-----|-----|-----|-----|----|----|----|---|----------|
| ia | nd  | Acc | Der | Air | A  | FD | ri | Response  | Quantity |
| bl | iti | es  | ris | fl  | ER |    | or |   |          |
| e  | on  | s   | s   | w   | A  |    | it |   |          |
|    |     |     |     | #   | #  |    | y  |   |          |

| Area ID | Zone      | Matl Code             | Material Description (notes if applicable)                            | S. Link     | Disposition | Fr       | Co        | A        | D        | A        | A        | P          | P         | Response       | Quantity     |
|---------|-----------|-----------------------|---|-------------|-------------|----------|-----------|----------|----------|----------|----------|------------|-----------|----------------|--------------|
|         |           |                       |   |             |             | ia       | nd        | Acc      | Der      | Air      | A        | FD         | ri        |                |              |
|         |           |                       |   |             |             | bl       | iti       | es       | ris      | fl       | ER       |            | or        |                |              |
|         |           |                       |   |             |             | e        |           |          |          | #        | #        |            | y         |                |              |
| 015C    | Z2        | P                     | PLASTER, Smooth/Sandfloat Finish                                      | P           | Non-ACM     |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | Z2        | WPMN                  | WALL PANELS, Masonite   | MSNT        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
| 016     | ZR        | CPTMR                 | CARPETING, Replacement & Associated Mastic                            | CPTMR       | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | CTR                   | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' mineral board panels. | CTR         | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | <b>Z3</b> | <b>DJP</b>            | <b>DUCT JOINT PACKING, Cementitious</b>                               | <b>DP</b>   | <b>ACM</b>  | <b>Y</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>Y</b> | <b>5</b> | <b>PD</b>  | <b>10</b> | <b>O&amp;M</b> | <b>5 sf</b>  |
|         | ZR        | DWJC                  | WALLBOARD, Dryw all/Joint Compound System                             | DWJC        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | Z1        | P                     | PLASTER, Smooth/Sandfloat Finish                                      | P           | Non-ACM**   |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | WBR4                  | WALL BASE, 4" Replacement Vinyl & Associated Mastic                   | WBR4        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | Z1        | WPMN                  | WALL PANELS, Masonite<br>NOTE: Wainscoting.                           | MSNT        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
| 016A    | Z1        | CPMPF                 | CEILING PANELS, Metal Pan w / Fiberglass Backing                      | CT3         | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | CPTMR                 | CARPETING, Replacement & Associated Mastic                            | CPTMR       | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | DWJC                  | WALLBOARD, Dryw all/Joint Compound System                             | DWJC        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | Z1        | P                     | PLASTER, Smooth/Sandfloat Finish                                      | P           | Non-ACM**   |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | <b>Z1</b> | <b>PIWF</b>           | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>            | <b>PIW</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> |          | <b>LPD</b> | <b>14</b> | <b>O&amp;M</b> | <b>12 lf</b> |
|         | ZR        | WBR4                  | WALL BASE, 4" Replacement Vinyl & Associated Mastic                   | WBR4        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
| Z1      | WPMN      | WALL PANELS, Masonite | MSNT  | Non-Suspect |             |          |           |          |          |          |          |            |           | 0 sf           |              |
| 016B    | ZR        | CPTMR                 | CARPETING, Replacement & Associated Mastic                            | CPTMR       | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | CTR                   | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' mineral board panels. | CTR         | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | DWJC                  | WALLBOARD, Dryw all/Joint Compound System                             | DWJC        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | Z1        | P                     | PLASTER, Smooth/Sandfloat Finish                                      | P           | Non-ACM**   |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | WBR4                  | WALL BASE, 4" Replacement Vinyl & Associated Mastic                   | WBR4        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
| 016C    | ZR        | CPTMR                 | CARPETING, Replacement & Associated Mastic                            | CPTMR       | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | CTR                   | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' mineral board panels. | CTR         | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | <b>Z3</b> | <b>DJP</b>            | <b>DUCT JOINT PACKING, Cementitious</b>                               | <b>DP</b>   | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>Y</b> |          | <b>PD</b>  | <b>13</b> | <b>O&amp;M</b> | <b>4 sf</b>  |
|         | ZR        | DWJC                  | WALLBOARD, Dryw all/Joint Compound System                             | DWJC        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | Z1        | P                     | PLASTER, Smooth/Sandfloat Finish                                      | P           | Non-ACM**   |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | PIFZ                  | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings                 | PIFZ        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 lf         |
|         | ZR        | WBR4                  | WALL BASE, 4" Replacement Vinyl & Associated Mastic                   | WBR4        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
| 016D    | ZR        | CTGR                  | CERAMIC WALL TILE, Replacement Tile, Grout & Associated Mastic        | CTGR        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | CTR                   | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' mineral board panels. | CTR         | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | DWJC                  | WALLBOARD, Dryw all/Joint Compound System                             | DWJC        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | Z1        | P                     | PLASTER, Smooth/Sandfloat Finish                                      | P           | Non-ACM**   |          |           |          |          |          |          |            |           |                | 0 sf         |
|         | ZR        | PIFZ                  | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings                 | PIFZ        | Non-Suspect |          |           |          |          |          |          |            |           |                | 0 lf         |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID | Zone | Matl Code    | Material Description (notes if applicable)  | S. Link      | Disposition    | F        | C         | A        | D        | A        | A          | P          | P              | Sorted by: Area/Matl/Zone | Disposition All | Selected:   |
|---------|------|--------------|---|--------------|----------------|----------|-----------|----------|----------|----------|------------|------------|----------------|---------------------------|-----------------|-------------|
|         |      |              |   |              |                | r        | o         | c        | e        | i        | H          | F          | P              |                           |                 |             |
|         |      |              |   |              |                | i        | n         | c        | d        | r        | E          | D          | r              |                           |                 |             |
|         |      |              |   |              |                | a        | d         | e        | e        | a        | R          | P          | P              |                           |                 |             |
|         |      |              |   |              |                | b        | i         | a        | r        | i        | A          | D          | r              |                           |                 |             |
|         |      |              |   |              |                | l        | t         | c        | r        | f        | #          | P          | P              |                           |                 |             |
|         |      |              |   |              |                | e        | i         | e        | s        | l        |            | D          | r              |                           |                 |             |
|         |      |              |   |              |                |          | o         | s        |          | o        |            |            | r              |                           |                 |             |
|         |      |              |   |              |                |          | n         |          |          |          |            |            | i              |                           |                 |             |
|         |      |              |   |              |                |          |           |          |          |          |            |            | t              |                           |                 |             |
|         |      |              |   |              |                |          |           |          |          |          |            |            | y              |                           |                 |             |
|         |      |              |   |              |                |          |           |          |          |          |            |            |                | Response                  | Quantity        |             |
| 016E    | ZR   | CPTMR        | CARPETING, Replacement & Associated Mastic  | CPTMR        | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | CTR          | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' mineral board panels.   | CTR          | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | DWJC         | WALLBOARD, Dryw all/Joint Compound System   | DWJC         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 lf        |
|         | ZR   | WBR4         | WALL BASE, 4" Replacement Vinyl & Associated Mastic   | WBR4         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting. Behind dryw all.  | MSNT         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
| 016F    | ZR   | CPTMR        | CARPETING, Replacement & Associated Mastic  | CPTMR        | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | CTR          | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' replacement panels  | CTR          | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | DWJC         | WALLBOARD, Dryw all/Joint Compound System   | DWJC         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | WBR4         | WALL BASE, 4" Replacement Vinyl & Associated Mastic   | WBR4         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
| 016G    | ZR   | CPTMR        | CARPETING, Replacement & Associated Mastic  | CPTMR        | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | CTR          | CEILING TILE, Replacement Panels<br>NOTE: 2'x4' replacement panels  | CTR          | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | DWJC         | WALLBOARD, Dryw all/Joint Compound System   | DWJC         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 lf        |
|         | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 2 lf above ceiling & 5 lf covered w / a metal jacket. Exposed ends @ ceiling near northeast corner. | <b>PIM</b>   | <b>ACM</b>     | <b>Y</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>6</b>   | <b>SPD</b> | <b>9</b>       | <b>O&amp;M</b>            |                 | <b>7 lf</b> |
|         | ZR   | WBR4         | WALL BASE, 4" Replacement Vinyl & Associated Mastic   | WBR4         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
| 017     | Z3   | <b>CKBDM</b> | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD</b> | <b>14</b>  | <b>O&amp;M</b> |                           | <b>265 sf</b>   |             |
|         | Z1   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3          | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z3   | <b>DJP</b>   | <b>DUCT JOINT PACKING, Cementitious</b>   | <b>DP</b>    | <b>ACM</b>     | <b>Y</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>Y</b> | <b>5</b>   | <b>PD</b>  | <b>10</b>      | <b>O&amp;M</b>            |                 | <b>5 sf</b> |
|         | ZR   | FSPR         | FIRE STOP PACKING, Resinous   | FSPR         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 21 lf covered w / a metal jacket.   | <b>PIM</b>   | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD</b> | <b>12</b>  | <b>O&amp;M</b> |                           | <b>40 lf</b>    |             |
|         | Z1   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
| 017A    | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |            |            |                |                           | 0 sf            |             |
| 017B    | Z1   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3          | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |
|         | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 5 lf covered w / a metal jacket.  | <b>PIM</b>   | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>SPD</b> | <b>12</b>  | <b>O&amp;M</b> |                           | <b>12 lf</b>    |             |
|         | Z1   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT         | Non-Suspect    |          |           |          |          |          |            |            |                |                           |                 | 0 sf        |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

|                                 |   |                            |                            |                                 |                            |             |                                      |                           |
|---------------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---------------------------|
| F<br>r<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Sorted by: Area/Matl/Zone |
|                                 |   |                            |                            |                                 |                            |             |                                      | Disposition All Selected: |

| Area ID | Zone | Matl Code                                     | Material Description (notes if applicable)  | S. Link      | Disposition    | F<br>r<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Response | Quantity |
|---------|------|---|---|--------------|----------------|---------------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|----------|----------|
| 018     | Z3   | <b>CKBDM</b>                                  | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | N                               | ND  | N                          | N                          | N                               |                            | LPD 14      |                                      | O&M      | 275 sf   |
|         | Z2   | CT12F   | CEILING TILE, 12"x24" Fiberglass Panels   | CT6          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | ZR   | CTR   | CEILING TILE, Replacement Panels<br>↳ NOTE: 2'x4' mineral board panels.   | CTR          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z2   | P   | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | ZR   | PIFZ  | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 lf     |
|         | Z2   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>↳ NOTE: Above ceiling @ southeast corner.                                   | <b>PIM</b>   | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      | O&M      | 1 lf     |
| Z2      | WPMN | WALL PANELS, Masonite<br>↳ NOTE: Wainscoting. | MSNT  | Non-Suspect  |                |                                 |   |                            |                            |                                 |                            |             |                                      | 0 sf     |          |
| 018A    | ZR   | CTR   | CEILING TILE, Replacement Panels<br>↳ NOTE: 2'x4' mineral board panels.   | CTR          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z2   | P   | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z2   | WPMN  | WALL PANELS, Masonite<br>↳ NOTE: Wainscoting.   | MSNT         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
| 018C    | Z2   | P   | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z2   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>↳ NOTE: 6 lf covered w / a metal jacket.                                    | <b>PIM</b>   | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      | O&M      | 23 lf    |
| 020     | Z3   | <b>CKBDM</b>                                  | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | N                               | ND  | N                          | N                          | N                               |                            | LPD 14      |                                      | O&M      | 185 sf   |
|         | Z3   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | P   | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>↳ NOTE: Covered w / a metal jacket. 1 lf loose on pipe.                     | <b>PIM</b>   | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      | O&M      | 9 lf     |
|         | Z3   | PR  | PLASTER, Rough Finish   | P2           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | WPMN  | WALL PANELS, Masonite<br>↳ NOTE: Wainscoting.   | MSNT1        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
| 020A    | Z3   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | P   | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>↳ NOTE: 3 lf covered w / a metal jacket.                                    | <b>PIM</b>   | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      | O&M      | 5 lf     |
|         | Z3   | PR  | PLASTER, Rough Finish   | P2           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | WPMN  | WALL PANELS, Masonite<br>↳ NOTE: Wainscoting.   | MSNT1        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
| 021     | Z3   | <b>CKBDM</b>                                  | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | N                               | ND  | N                          | N                          | N                               |                            | LPD 14      |                                      | O&M      | 185 sf   |
|         | Z3   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | P   | PLASTER, Smooth/Sandfloat Finish  | P1           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |
|         | Z3   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>↳ NOTE: Covered w / a metal jacket. 1 lf loose on pipe @ southw est corner. | <b>PIM</b>   | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      | O&M      | 14 lf    |
|         | Z3   | PR  | PLASTER, Rough Finish   | P2           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |          | 0 sf     |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID | Zone | Matl Code                                     | Material Description (notes if applicable)   | S. Link      | Disposition    | F<br>r<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: | Response      | Quantity |
|---------|------|---|--|--------------|----------------|---------------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---|---------------|----------|
|         | Z3   | WPMN  | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.  | MSNT1        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
| 021A    | Z3   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT2          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | P   | PLASTER, Smooth/Sandfloat Finish   | P1           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: Covered w / a metal jacket.  | <b>PIM</b>   | <b>ACM</b>     | <b>N</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>SPD 12</b>                        | <b>O&amp;M</b>  | <b>10 lf</b>  |          |
|         | Z3   | PR  | PLASTER, Rough Finish  | P2           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | WPMN  | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.  | MSNT1        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
| 022     | Z3   | <b>CKBDM</b>                                  | <b>CHALKBOARD/TACKBOARD MASTIC</b>   | <b>CKBDM</b> | <b>Assumed</b> | <b>N</b>                        | <b>ND</b>                                 | <b>N</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>LPD 14</b>                        | <b>O&amp;M</b>  | <b>185 sf</b> |          |
|         | Z3   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT2          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | P   | PLASTER, Smooth/Sandfloat Finish   | P1           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 2 lf covered w / a metal jacket. Loose on pipe.                                      | <b>PIM</b>   | <b>ACM</b>     | <b>N</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>SPD 12</b>                        | <b>O&amp;M</b>  | <b>6 lf</b>   |          |
|         | Z3   | PR  | PLASTER, Rough Finish  | P2           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
| Z3      | WPMN | WALL PANELS, Masonite<br>└ NOTE: Wainscoting. | MSNT1  | Non-Suspect  |                |                                 |   |                            |                            |                                 |                            |             |                                      |   | 0 sf          |          |
| 022A    | Z3   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT2          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | P   | PLASTER, Smooth/Sandfloat Finish   | P1           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | PR  | PLASTER, Rough Finish  | P2           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | WPMN  | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.  | MSNT1        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
| 023     | Z3   | <b>CKBDM</b>                                  | <b>CHALKBOARD/TACKBOARD MASTIC</b>   | <b>CKBDM</b> | <b>Assumed</b> | <b>N</b>                        | <b>ND</b>                                 | <b>N</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>LPD 14</b>                        | <b>O&amp;M</b>  | <b>280 sf</b> |          |
|         | Z2   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z3   | <b>DJP</b>                                    | <b>DUCT JOINT PACKING, Cementitious</b>  | <b>DP</b>    | <b>ACM</b>     | <b>Y</b>                        | <b>ND</b>                                 | <b>N</b>                   | <b>N</b>                   | <b>Y</b>                        | <b>5</b>                   | <b>PD</b>   | <b>10</b>                            | <b>O&amp;M</b>  | <b>5 sf</b>   |          |
|         | ZR   | PIFZ  | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 lf     |
|         | Z2   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 19 lf covered w / a metal jacket. 2 lf above ceiling. Exposed end above ceiling.     | <b>PIM</b>   | <b>ACM</b>     | <b>Y</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        | <b>6</b>                   | <b>SPD</b>  | <b>9</b>                             | <b>O&amp;M</b>  | <b>27 lf</b>  |          |
|         | Z3   | PR  | PLASTER, Rough Finish  | P2           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
| Z2      | WPMN | WALL PANELS, Masonite<br>└ NOTE: Wainscoting. | MSNT   | Non-Suspect  |                |                                 |   |                            |                            |                                 |                            |             |                                      |   | 0 sf          |          |
| 023A    | Z2   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | ZR   | FSPR  | FIRE STOP PACKING, Resinous  | FSPR         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | Z2   | P   | PLASTER, Smooth/Sandfloat Finish   | P            | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 sf     |
|         | ZR   | PIFZ  | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |               | 0 lf     |
|         | Z2   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 19 lf covered w / a metal jacket & 2 lf above ceiling. Loose on pipe @ heating unit. | <b>PIM</b>   | <b>ACM</b>     | <b>N</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        | <b>1</b>                   | <b>SPD</b>  | <b>12</b>                            | <b>O&amp;M</b>  | <b>28 lf</b>  |          |
| Z2      | WPMN | WALL PANELS, Masonite<br>└ NOTE: Wainscoting. | MSNT   | Non-Suspect  |                |                                 |   |                            |                            |                                 |                            |             |                                      |   | 0 sf          |          |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)



REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | C   | A  | D   | A  | A  | P  | P   | Sorted by: Area/Matl/Zone |  |
|----|-----|----|-----|----|----|----|-----|---------------------------|--|
| ia | o   | cc | eb  | ir | HE | FD | ri  | Disposition All           |  |
| bl | nd  | es | ris | rf | RA |    | or  | Selected:                 |  |
| e  | it  | s  | s   | l  | #  |    | ity |                           |  |
|    | ion |    |     | ow |    |    |     |                           |  |

| Area ID | Zone | Matl Code    | Material Description (notes if applicable)  | S. Link      | Disposition    | Fr       | C         | A        | D        | A        | A        | P             | P              | Response      | Quantity |
|---------|------|--------------|---|--------------|----------------|----------|-----------|----------|----------|----------|----------|---------------|----------------|---------------|----------|
|         |      |              |   |              |                | ia       | o         | cc       | eb       | ir       | HE       | FD            | ri             |               |          |
|         |      |              |   |              |                | bl       | nd        | es       | ris      | l        | RA       |               | or             |               |          |
|         |      |              |   |              |                | e        | it        | s        | s        | ow       | #        |               | ity            |               |          |
| 025B    | Z2   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3          | Non-Suspect    |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |          |           |          |          |          |          |               |                |               | 0 sf     |
| 025C    | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z2   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>  | <b>PIM</b>   | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>6 lf</b>   |          |
|         | Z2   | WPMN         | WALL PANELS, Masonite   | MSNT         | Non-Suspect    |          |           |          |          |          |          |               |                |               | 0 sf     |
| 026     | Z3   | <b>CKBDM</b> | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>185 sf</b> |          |
|         | Z1   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3          | Non-Suspect    |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z3   | <b>DJP</b>   | <b>DUCT JOINT PACKING, Cementitious</b>   | <b>DP</b>    | <b>ACM</b>     | <b>Y</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>Y</b> | <b>5</b> | <b>PD 10</b>  | <b>O&amp;M</b> | <b>5 sf</b>   |          |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ         | Non-Suspect    |          |           |          |          |          |          |               |                |               | 0 lf     |
|         | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 4 lf covered w / a metal jacket.  | <b>PIM</b>   | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>6 lf</b>   |          |
|         | Z1   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT         | Non-Suspect    |          |           |          |          |          |          |               |                |               | 0 sf     |
| 026A    | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |          |               |                | 0 sf          |          |
| 026B    | Z1   | CPMPF        | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3          | Non-Suspect    |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 25 lf covered w / a metal jacket & 35 lf above ceiling. Unw rapped fitting & cracked canvas jacket. | <b>PIM</b>   | <b>ACM</b>     | <b>Y</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>6</b> | <b>SPD 9</b>  | <b>O&amp;M</b> | <b>71 lf</b>  |          |
|         | Z1   | WPMN         | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT         | Non-Suspect    |          |           |          |          |          |          |               |                | 0 sf          |          |
| 026C    | Z2   | CRTM         | CERAMIC WALL TILE MASTIC  | CRTM         | Non-ACM        |          |           |          |          |          |          |               |                |               | 5 sf     |
|         | Z2   | CTG          | CERAMIC WALL TILE GROUT   | CR           | Non-ACM        |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z1   | MFT          | MOSAIC FLOOR TILE & MORTAR  | MT           | Exempt         |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z3   | <b>PFIAX</b> | <b>PIPE FITTING INSULATION, Mudded Joints on Armaflex Lines</b>   | <b>PFIAX</b> | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>1ea</b>    |          |
|         | Z3   | PIAX         | PIPE INSULATION, Armaflex   | PIAX         | Non-Suspect    |          |           |          |          |          |          |               |                |               | 0 lf     |
| 026D    | Z1   | <b>FT9TN</b> | <b>FLOOR TILE, 9"x9" Tan Vinyl *</b>  | <b>FT1</b>   | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>160 sf</b> |          |
|         | Z1   | <b>FTM</b>   | <b>FLOOR TILE MASTIC</b>  | <b>FTM</b>   | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>160 sf</b> |          |
|         | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |          |           |          |          |          |          |               |                |               | 0 sf     |
|         | Z1   | <b>PIM</b>   | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 2 lf covered w / a metal jacket.  | <b>PIM</b>   | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>4 lf</b>   |          |
|         | Z3   | <b>SHSIP</b> | <b>STOVE HEAT SHIELD, Metal Sheeting w / Paper Backing</b><br>NOTE: Applied to w.all.   | <b>HS</b>    | <b>ACM</b>     | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>10 sf</b>  |          |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID | Zone | Matl Code | Material Description (notes if applicable)  | S. Link | Disposition    | F | C  | A | D | A | A | P   | P  | Sorted by: Area/Matl/Zone | Disposition All | Selected: |
|---------|------|-----------|---|---------|----------------|---|----|---|---|---|---|-----|----|---------------------------|-----------------|-----------|
|         |      |           |   |         |                | r | o  | c | e | a | H | F   | P  |                           |                 |           |
|         |      |           |   |         |                | i | n  | c | b | A | E | D   | r  |                           |                 |           |
|         |      |           |   |         |                | a | d  | e | r | R | R | P   | i  |                           |                 |           |
|         |      |           |   |         |                | b | i  | s | r | A | A | D   | o  |                           |                 |           |
|         |      |           |   |         |                | l | t  |   | i | # |   |     | r  |                           |                 |           |
|         |      |           |   |         |                | e | i  |   | o |   |   |     | i  |                           |                 |           |
|         |      |           |   |         |                |   | n  |   |   |   |   |     | t  |                           |                 |           |
|         |      |           |   |         |                |   |    |   |   |   |   |     | y  |                           |                 |           |
|         |      |           |   |         |                |   |    |   |   |   |   |     |    | Response                  | Quantity        |           |
| 026E    | Z1   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3     | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | Z3   | DJP       | <b>DUCT JOINT PACKING, Cementitious</b>   | DP      | <b>ACM</b>     | Y | ND | N | N | Y | 5 | PD  | 10 | O&M                       | 5 sf            |           |
|         | Z1   | FT12OWT   | <b>FLOOR TILE, 12"x12" Off-White Vinyl *</b>  | FT2     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 220 sf          |           |
|         | Z1   | FT9TN     | <b>FLOOR TILE, 9"x9" Tan Vinyl *</b>  | FT1     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 200 sf          |           |
|         | Z1   | FTM       | <b>FLOOR TILE MASTIC</b>  | FTM     | <b>ACM</b>     | N | ND | N | N | N |   | LPD | 14 | O&M                       | 420 sf          |           |
|         | Z1   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM**      |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | Z1   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: Covered w / a metal jacket.                             | PIM     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 10 lf           |           |
|         | Z1   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT    | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
| 026F    | Z1   | FT9TN     | <b>FLOOR TILE, 9"x9" Tan Vinyl *</b>  | FT1     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 12 sf           |           |
|         | Z1   | FTM       | <b>FLOOR TILE MASTIC</b>  | FTM     | <b>ACM</b>     | N | ND | N | N | N |   | LPD | 14 | O&M                       | 12 sf           |           |
|         | Z1   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM**      |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
| 026H    | Z1   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3     | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | Z1   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM**      |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | ZR   | PIFZ      | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ    | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 lf      |
|         | Z1   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 10 lf covered w / a metal jacket & 22 lf above ceiling. | PIM     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 38 lf           |           |
|         | Z1   | PIWF      | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>NOTE: 5 lf covered w / a PVC jacket & 2 lf above ceiling.     | PIW     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 7 lf            |           |
|         | Z1   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT    | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
| 027     | Z3   | CKBDM     | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | CKBDM   | <b>Assumed</b> | N | ND | N | N | N |   | LPD | 14 | O&M                       | 195 sf          |           |
|         | Z1   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3     | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | Z3   | DJP       | <b>DUCT JOINT PACKING, Cementitious</b>   | DP      | <b>ACM</b>     | Y | ND | N | N | Y | 5 | PD  | 10 | O&M                       | 5 sf            |           |
|         | Z1   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM**      |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | ZR   | PIFZ      | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ    | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 lf      |
|         | Z1   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 36 lf covered w / a metal jacket & 4 lf above ceiling.  | PIM     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 50 lf           |           |
|         | Z1   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT    | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
| 027A    | Z1   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM**      |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | Z1   | WPMN      | WALL PANELS, Masonite   | MSNT    | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
| 027B    | Z1   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3     | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | Z1   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM**      |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |
|         | Z1   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 5 lf covered w / a metal jacket.                        | PIM     | <b>ACM</b>     | N | ND | Y | N | N |   | SPD | 12 | O&M                       | 12 lf           |           |
|         | Z1   | WPMN      | WALL PANELS, Masonite<br>NOTE: Wainscoting.   | MSNT    | Non-Suspect    |   |    |   |   |   |   |     |    |                           |                 | 0 sf      |

\* Must check the Disposition of the mastic associated w ith this material  
\*\* This material contains trace amounts of asbestos (<=1%)



REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: |
|-----------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---|
|-----------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---|

| Area ID  | Zone | Matl Code    | Material Description (notes if applicable)                                    | S. Link      | Disposition    | Fr<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Response       | Quantity      |
|----------|------|--------------|---|--------------|----------------|-----------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|----------------|---------------|
| 033A     | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
| 033B     | Z2   | CT24M        | CEILING TILE, 2'x4' Mineral Board Panels                                      | CT2          | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | ZR   | DCV          | DUCT CONNECTORS, Vinyl Vibration Isolators                                    | DCV          | Non-Suspect    |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 ea          |
|          | ZR   | FSPR         | FIRE STOP PACKING, Resinous   | FSPR         | Non-Suspect    |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings                         | PIFZ         | Non-Suspect    |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 lf          |
| 034      | Z3   | <b>CKBDM</b> | <b>CHALKBOARD/TACKBOARD MASTIC</b>  | <b>CKBDM</b> | <b>Assumed</b> | <b>N</b>                    | <b>ND</b>                                 | <b>N</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>LPD 14</b>                        | <b>O&amp;M</b> | <b>230 sf</b> |
|          | Z2   | CT24M        | CEILING TILE, 2'x4' Mineral Board Panels                                      | CT2          | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | ZR   | PIFZ         | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings                         | PIFZ         | Non-Suspect    |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 lf          |
| 034A     | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      | 0 sf           |               |
| 034B     | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      | 0 sf           |               |
| 034C     | Z2   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z2   | WPMN         | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.                                 | MSNT         | Non-Suspect    |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
| 036      | Z1   | CT24M        | CEILING TILE, 2'x4' Mineral Board Panels                                      | CT2          | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | ZR   | CTRP         | CEILING TILE PATCH, Replacement Panels<br>└ NOTE: 2'x4' mineral board panels. | CTR          | Non-Suspect    |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
| 037      | Z3   | <b>CKBDM</b> | <b>CHALKBOARD/TACKBOARD MASTIC</b><br>└ NOTE: Tackboards only in this area.   | <b>CKBDM</b> | <b>Assumed</b> | <b>N</b>                    | <b>ND</b>                                 | <b>N</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>LPD 14</b>                        | <b>O&amp;M</b> | <b>85 sf</b>  |
|          | Z2   | CT24M        | CEILING TILE, 2'x4' Mineral Board Panels                                      | CT2          | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
| 037A     | Z1   | P            | PLASTER, Smooth/Sandfloat Finish  | P            | Non-ACM**      |                             |   |                            |                            |                                 |                            |             |                                      | 0 sf           |               |
| ATTIC 1  | Z2   | BM           | BRICK & MORTAR  | B1           | Exempt         |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z2   | FUTP         | FLOORING UNDERLAYMENT, Tar Paper<br>└ NOTE: Beneath wood floor.               | TP           | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z2   | INSFB        | INSULATION, Fiberboard Sheeting<br>└ NOTE: Walls of ATTIC 1A.                 | INS          | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
| ATTIC 1A | Z2   | BM           | BRICK & MORTAR  | B1           | Exempt         |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z3   | DC           | DUCT CONNECTORS, Canvas Vibration Isolators                                   | DC           | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 ea          |
|          | Z2   | FUTP         | FLOORING UNDERLAYMENT, Tar Paper<br>└ NOTE: Beneath wood floor.               | TP           | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |
|          | Z2   | INSFB        | INSULATION, Fiberboard Sheeting   | INS          | Non-ACM        |                             |   |                            |                            |                                 |                            |             |                                      |                | 0 sf          |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID  | Zone | Matl Code                                     | Material Description (notes if applicable)   | S. Link     | Disposition | F<br>r<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: | Response       | Quantity      |
|----------|------|---|--|-------------|-------------|---------------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---|----------------|---------------|
| ATTIC 2  | Z2   | BM  | BRICK & MORTAR   | B1          | Exempt      |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z3   | BM  | BRICK & MORTAR   | B           | Exempt      |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | FUTP  | FLOORING UNDERLAYMENT, Tar Paper<br>└ NOTE: Beneath wood floor.  | TP          | Non-ACM     |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | INSFG   | INSULATION, Fiberglass Batting<br>└ NOTE: On skylights.  | SO          | Non-ACM     |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | <b>INSPL</b>                                  | <b>INSULATION, Paper Lining</b><br>└ NOTE: Remnant material below floor on cylindrical vent/duct along center section of south wall. | <b>AP</b>   | <b>ACM</b>  | <b>Y</b>                        | <b>ND</b>                                 | <b>N</b>                   | <b>N</b>                   | <b>N</b>                        | <b>7</b>                   | <b>LPD</b>  | <b>11</b>                            |   | <b>O&amp;M</b> | <b>1 sf</b>   |
| CORR 1-1 | Z1   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z1   | P   | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM**   |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | P   | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM     |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 16 lf covered w / a metal jacket & 33 lf above ceiling.        | <b>PIM</b>  | <b>ACM</b>  | <b>N</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>SPD</b>                           | <b>12</b>   | <b>O&amp;M</b> | <b>62 lf</b>  |
|          | Z1   | WPMN  | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.  | MSNT        | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
| Z2       | WPMN | WALL PANELS, Masonite<br>└ NOTE: Wainscoting. | MSNT   | Non-Suspect |             |                                 |   |                            |                            |                                 |                            |             |                                      |   | 0 sf           |               |
| CORR 1-2 | Z2   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z3   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT2         | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | P   | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM     |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z3   | P   | PLASTER, Smooth/Sandfloat Finish   | P1          | Non-ACM     |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z3   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 16 lf covered w / a metal jacket & 85 lf above ceiling.        | <b>PIM</b>  | <b>ACM</b>  | <b>N</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>SPD</b>                           | <b>12</b>   | <b>O&amp;M</b> | <b>115 lf</b> |
|          | Z3   | PR  | PLASTER, Rough Finish<br>└ NOTE: Above ceiling.  | P2          | Non-ACM     |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
| CORR 1-3 | Z1   | BM  | BRICK & MORTAR   | B1          | Exempt      |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z1   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z1   | NSFS  | NON-SKID FLOOR STRIPS  | NS          | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z1   | P   | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM**   |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | ZR   | PIFZ  | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ        | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 lf          |
|          | Z1   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 13 lf covered w / a metal jacket & 66 lf above ceiling.        | <b>PIM</b>  | <b>ACM</b>  | <b>N</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>SPD</b>                           | <b>12</b>   | <b>O&amp;M</b> | <b>81 lf</b>  |
| Z1       | WPMN | WALL PANELS, Masonite                         | MSNT   | Non-Suspect |             |                                 |   |                            |                            |                                 |                            |             |                                      |   | 0 sf           |               |
| CORR 2-1 | Z1   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z1   | P   | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM**   |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z2   | P   | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM     |                                 |   |                            |                            |                                 |                            |             |                                      |   |                | 0 sf          |
|          | Z1   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 16 lf covered w / a metal jacket & 20 lf above ceiling.        | <b>PIM</b>  | <b>ACM</b>  | <b>N</b>                        | <b>ND</b>                                 | <b>Y</b>                   | <b>N</b>                   | <b>N</b>                        |                            |             | <b>SPD</b>                           | <b>12</b>   | <b>O&amp;M</b> | <b>39 lf</b>  |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID         | Zone | Matl Code      | Material Description (notes if applicable)   | S. Link     | Disposition | F        | C         | A        | D        | A        | A        | P             | P              | Sorted by: Area/Matl/Zone | Disposition All | Selected: |
|-----------------|------|----------------|--|-------------|-------------|----------|-----------|----------|----------|----------|----------|---------------|----------------|---------------------------|-----------------|-----------|
|                 |      |                |  |             |             | r        | o         | c        | e        | i        | H        | F             | r              |                           |                 |           |
|                 |      |                |  |             |             | i        | n         | c        | b        | A        | E        | D             | i              |                           |                 |           |
|                 |      |                |  |             |             | a        | d         | e        | r        | R        | R        | P             | p              |                           |                 |           |
|                 |      |                |  |             |             | b        | i         | s        | r        | A        | A        | D             | r              |                           |                 |           |
|                 |      |                |  |             |             | l        | t         |          | i        | #        |          | o             | i              |                           |                 |           |
|                 |      |                |  |             |             | e        | i         |          | o        |          |          | r             | r              |                           |                 |           |
|                 |      |                |  |             |             |          | o         |          |          |          |          | i             | i              |                           |                 |           |
|                 |      |                |  |             |             |          | n         |          |          |          |          | t             | t              |                           |                 |           |
|                 |      |                |  |             |             |          |           |          |          |          |          | y             | y              |                           |                 |           |
|                 |      |                |  |             |             |          |           |          |          |          |          |               |                | Response                  | Quantity        |           |
|                 | Z1   | WPMN           | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | WPMN           | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
| <b>CORR 2-2</b> | Z2   | CPMPF          | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z3   | CPMPF          | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT2         | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | ZR   | DWJC           | WALLBOARD, Dryw all/Joint Compound System  | DWJC        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | P              | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM     |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z3   | P              | PLASTER, Smooth/Sandfloat Finish   | P1          | Non-ACM     |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | WPMN           | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z3   | WPMN           | WALL PANELS, Masonite<br>NOTE: Wainscoting.  | MSNT1       | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
| <b>CORR 2-3</b> | Z1   | CPMPF          | CEILING PANELS, Metal Pan w / Fiberglass Backing   | CT3         | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z1   | P              | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM**   |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z1   | <b>PIM</b>     | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: Above ceiling.                   | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>O&amp;M</b>            | <b>31 lf</b>    |           |
|                 | Z1   | WPMN           | WALL PANELS, Masonite  | MSNT        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
| <b>CORR 3-1</b> | Z2   | CT24M          | CEILING TILE, 2'x4' Mineral Board Panels   | CT2         | Non-ACM     |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | P              | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM     |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | ZR   | PIFZ           | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 lf      |
| <b>CORR G-1</b> | Z1   | BM             | BRICK & MORTAR   | B1          | Exempt      |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | BM             | BRICK & MORTAR   | B1          | Exempt      |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z1   | C              | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt      |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | C              | CONCRETE, Floors/Walls/Ceilings  | C           | Exempt      |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | ZR   | FSPR           | FIRE STOP PACKING, Resinous  | FSPR        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | <b>FT12LTN</b> | <b>FLOOR TILE, 12"x12" Light Tan Vinyl *</b>   | <b>FT</b>   | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>O&amp;M</b>            | <b>51 sf</b>    |           |
|                 | Z2   | <b>FTM</b>     | <b>FLOOR TILE MASTIC</b>   | <b>FTM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>O&amp;M</b>            | <b>51 sf</b>    |           |
|                 | Z2   | FTRSBN         | FLOOR TILE REDUCING STRIPS, Brown Vinyl *  | FTRSB       | Non-ACM     |          |           |          |          |          |          |               |                |                           |                 | 2 sf      |
|                 | Z2   | NSFS           | NON-SKID FLOOR STRIPS  | NS          | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z1   | P              | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM**   |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | P              | PLASTER, Smooth/Sandfloat Finish   | P           | Non-ACM     |          |           |          |          |          |          |               |                |                           |                 | 0 sf      |
|                 | Z2   | <b>PFIF</b>    | <b>PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines</b>                                    | <b>PFIF</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>O&amp;M</b>            | <b>5ea</b>      |           |
|                 | Z3   | PFIF           | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines   | PFIF        | Non-ACM     |          |           |          |          |          |          |               |                |                           |                 | 0ea       |
|                 | Z1   | <b>PIAC</b>    | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>   | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>O&amp;M</b>            | <b>6 lf</b>     |           |
|                 | Z2   | <b>PIAC</b>    | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>   | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b> | <b>O&amp;M</b> | <b>O&amp;M</b>            | <b>65 lf</b>    |           |
|                 | Z2   | PIF            | PIPE INSULATION, Fiberglass  | PIF         | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 lf      |
|                 | Z3   | PIF            | PIPE INSULATION, Fiberglass  | PIF         | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 lf      |
|                 | ZR   | PIFZ           | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings  | PIFZ        | Non-Suspect |          |           |          |          |          |          |               |                |                           |                 | 0 lf      |
|                 | Z1   | <b>PIM</b>     | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>NOTE: 3 lf covered w / a metal jacket. | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b> | <b>O&amp;M</b> | <b>O&amp;M</b>            | <b>81 lf</b>    |           |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Fr | Co | A  | D  | A  | A  | P  | P  | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: |  |
|----|----|----|----|----|----|----|----|---|--|
| ia | nd | cc | eb | ir | HE | FD | ri |   |  |
| bl | it | es | er | r  | R  |    | or |   |  |
| e  | io | s  | is | fl | A  |    | it |   |  |
|    | n  |    | w  | o  | #  |    | y  |   |  |

| Area ID         | Zone | Matl Code | Material Description (notes if applicable)  | S. Link | Disposition | Fr | Co | A  | D  | A  | A  | P   | P  | Response | Quantity |
|-----------------|------|-----------|---|---------|-------------|----|----|----|----|----|----|-----|----|----------|----------|
|                 |      |           |   |         |             | ia | nd | cc | eb | ir | HE | FD  | ri |          |          |
|                 |      |           |   |         |             | bl | it | es | er | r  | R  |     | or |          |          |
|                 |      |           |   |         |             | e  | n  |    | is | fl | A  |     | y  |          |          |
|                 |      |           |   |         |             |    |    |    | w  | o  | #  |     |    |          |          |
|                 | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 40 lf covered w/ a PVC jacket.  | PIM     | ACM         | N  | ND | N  | N  | N  |    | LPD | 14 | O&M      | 112 lf   |
|                 | Z1   | PIWF      | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b>  | PIW     | ACM         | N  | ND | Y  | N  | N  |    | SPD | 12 | O&M      | 35 lf    |
|                 | Z2   | PIWF      | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>└ NOTE: 45 lf covered w/ a PVC jacket.  | PIW     | ACM         | N  | ND | Y  | N  | N  |    | SPD | 12 | O&M      | 145 lf   |
| <b>CORR G-2</b> | Z2   | BM        | BRICK & MORTAR  | B1      | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | BM        | BRICK & MORTAR  | B       | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z2   | C         | CONCRETE, Floors/Walls/Ceilings   | C       | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | C         | CONCRETE, Floors/Walls/Ceilings   | C       | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | CBM       | CONCRETE BLOCK & MORTAR   | CB      | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | CPMPF     | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT2     | Non-Suspect |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | ZR   | DWJC      | WALLBOARD, Dryw all/Joint Compound System<br>└ NOTE: Hollow metal.  | DWJC    | Non-Suspect |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | ZR   | FSPR      | FIRE STOP PACKING, Resinous   | FSPR    | Non-Suspect |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z2   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM     |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | P         | PLASTER, Smooth/Sandfloat Finish  | P1      | Non-ACM     |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | PBDW      | PLASTER BACKING, Dryw all Lath  | DWPL    | Non-ACM     |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | PIAC      | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b><br>└ NOTE: Partially covered w/ a fiberglass jacket.                               | PIAC    | ACM         | N  | ND | Y  | N  | N  | 1  | SPD | 12 | O&M      | 55 lf    |
|                 | Z2   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b>  | PIM     | ACM         | N  | ND | N  | N  | N  |    | LPD | 14 | O&M      | 20 lf    |
|                 | Z3   | PIM       | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: Loose on pipe.  | PIM     | ACM         | Y  | ND | N  | N  | N  | 7  | LPD | 11 | O&M      | 9 lf     |
|                 | Z3   | PIWF      | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>└ NOTE: 15 lf covered w/ a metal jacket & 41 lf covered w/ a fiberglass jacket. | PIW     | ACM         | N  | ND | Y  | N  | N  |    | SPD | 12 | O&M      | 75 lf    |
|                 | Z2   | ST        | CUT/POLISHED STONE  | STN     | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | WPMN      | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.   | MSNT1   | Non-Suspect |    |    |    |    |    |    |     |    |          | 0 sf     |
| <b>EXIT 1</b>   | Z1   | BM        | BRICK & MORTAR  | B1      | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | C         | CONCRETE, Floors/Walls/Ceilings   | C       | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | P         | PLASTER, Smooth/Sandfloat Finish  | P       | Non-ACM**   |    |    |    |    |    |    |     |    |          | 0 sf     |
| <b>EXIT 2A</b>  | Z1   | BM        | BRICK & MORTAR  | B1      | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | C         | CONCRETE, Floors/Walls/Ceilings   | C       | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | NSM       | NO SUSPECT MATERIALS  | NSM     | Non-Suspect |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | ST        | CUT/POLISHED STONE  | STN     | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
| <b>EXIT 2B</b>  | Z1   | BM        | BRICK & MORTAR  | B1      | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | C         | CONCRETE, Floors/Walls/Ceilings   | C       | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | NSM       | NO SUSPECT MATERIALS  | NSM     | Non-Suspect |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z1   | ST        | CUT/POLISHED STONE  | STN     | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
| <b>EXIT 3</b>   | Z3   | C         | CONCRETE, Floors/Walls/Ceilings   | C       | Exempt      |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | NSFS      | NON-SKID FLOOR STRIPS   | NS      | Non-Suspect |    |    |    |    |    |    |     |    |          | 0 sf     |
|                 | Z3   | P         | PLASTER, Smooth/Sandfloat Finish  | P1      | Non-ACM     |    |    |    |    |    |    |     |    |          | 0 sf     |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID         | Zone | Matl Code   | Material Description (notes if applicable)  | S. Link     | Disposition | F        | C         | A        | D        | A        | A        | P        | P        | Sorted by: Area/Matl/Zone | Disposition All | Selected:    |
|-----------------|------|-------------|---|-------------|-------------|----------|-----------|----------|----------|----------|----------|----------|----------|---------------------------|-----------------|--------------|
|                 |      |             |   |             |             | r        | o         | c        | e        | a        | H        | F        | r        |                           |                 |              |
|                 |      |             |   |             |             | i        | n         | c        | b        | i        | E        | D        | i        |                           |                 |              |
|                 |      |             |   |             |             | a        | d         | e        | r        | r        | R        | P        | p        |                           |                 |              |
|                 |      |             |   |             |             | b        | e         | s        | s        | f        | A        | D        | r        |                           |                 |              |
|                 |      |             |   |             |             | l        | e         |          |          | l        | #        |          | i        |                           |                 |              |
|                 |      |             |   |             |             | e        |           |          |          |          |          |          | t        |                           |                 |              |
|                 |      |             |   |             |             |          |           |          |          |          |          |          | y        |                           |                 |              |
|                 |      |             |   |             |             |          |           |          |          |          |          |          |          | Response                  | Quantity        |              |
|                 | Z3   | WPMN        | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.   | MSNT1       | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
| <b>EXIT 4A</b>  | Z2   | BM          | BRICK & MORTAR  | B1          | Exempt      |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z2   | C           | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z1   | NSM         | NO SUSPECT MATERIALS  | NSM         | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z2   | ST          | CUT/POLISHED STONE  | STN         | Exempt      |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
| <b>EXIT 4B</b>  | Z2   | BM          | BRICK & MORTAR  | B1          | Exempt      |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z2   | C           | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z2   | ST          | CUT/POLISHED STONE  | STN         | Exempt      |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z3   | WPMN        | WALL PANELS, Masonite   | MSNT1       | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
| <b>EXIT 5</b>   | Z3   | P           | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM     |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z3   | <b>PIAC</b> | <b>PIPE INSULATION, Air Cell &amp; Associated Fittings</b>  | <b>PIAC</b> | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>LPD 14</b>             | <b>O&amp;M</b>  | <b>6 lf</b>  |
|                 | Z3   | <b>PIWF</b> | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>└ NOTE: 5 lf covered w / a metal jacket.  | <b>PIW</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>             | <b>O&amp;M</b>  | <b>8 lf</b>  |
| <b>EXTERIOR</b> | Z3   | ECTC        | ELECTRICAL CONDUIT, Tar Composite<br>└ NOTE: Conduit exposed @ bases of lightposts.   | XEC         | Non-ACM     |          |           |          |          |          |          |          |          |                           |                 | 10 lf        |
|                 | Z1   | <b>WDC</b>  | <b>WINDOW/DOOR CAULKING</b><br>└ NOTE: Only the small attic window units contain the original caulking material (window & door systems have been replaced).                 | <b>WDC</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>             | <b>O&amp;M</b>  | <b>2 sf</b>  |
|                 | ZR   | WDCR        | WINDOW/DOOR CAULKING, Replacement<br>└ NOTE: Residual ACM caulking may remain beneath new window & door frames.   | WDCR        | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | ZR   | WGCR        | WINDOW GLAZING COMPOUND, Replacement  | WGCR        | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
| <b>STAIR 2</b>  | Z1   | C           | CONCRETE, Floors/Walls/Ceilings   | C           | Exempt      |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z1   | CPMPF       | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3         | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z2   | CT11B*      | CEILING TILE, 12"x12" Fiberboard Panels *   | CT4         | Non-ACM     |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z2   | CT24M       | CEILING TILE, 2'x4' Mineral Board Panels  | CT2         | Non-ACM     |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z2   | CTM         | CEILING TILE MASTIC   | CT4M        | Non-ACM     |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z3   | CTP11M      | CEILING TILE PATCH, 12"x12" Mineral Board Panels  | CT3         | Non-ACM     |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z1   | NSFS        | NON-SKID FLOOR STRIPS   | NS          | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z1   | P           | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM**   |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z3   | PFIF        | PIPE FITTING INSULATION, Mudded Joints on Fiberglass Lines<br>└ NOTE: @ 2nd floor landing.  | PFIF        | Non-ACM     |          |           |          |          |          |          |          |          |                           |                 | 2 ea         |
|                 | Z3   | PIF         | PIPE INSULATION, Fiberglass   | PIF         | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 lf         |
|                 | ZR   | PIFZ        | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ        | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 lf         |
|                 | Z1   | <b>PIM</b>  | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>└ NOTE: 12 lf covered w / a metal jacket. Quantity includes an estimated 6 lf above the inaccessible ceiling. | <b>PIM</b>  | <b>ACM</b>  | <b>N</b> | <b>ND</b> | <b>Y</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>N</b> | <b>SPD 12</b>             | <b>O&amp;M</b>  | <b>22 lf</b> |
|                 | ZR   | STRV        | STAIR TREADS, Replacement Vinyl & Associated Mastic   | STRV        | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | ZR   | WBR4        | WALL BASE, 4" Replacement Vinyl & Associated Mastic   | WBR4        | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |
|                 | Z1   | WPMN        | WALL PANELS, Masonite<br>└ NOTE: Wainscoting.   | MSNT        | Non-Suspect |          |           |          |          |          |          |          |          |                           |                 | 0 sf         |

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)

REPORT OF BUILDING MATERIALS for  
**DOVER STREET SCHOOL**

**\*\*Materials printed in BOLD must be treated as Asbestos Containing Materials\*\***

| Area ID | Zone | Matl Code                                     | Material Description (notes if applicable)  | S. Link     | Disposition    | F<br>r<br>i<br>a<br>b<br>l<br>e | C<br>o<br>n<br>d<br>i<br>t<br>i<br>o<br>n | A<br>c<br>c<br>e<br>s<br>s | D<br>e<br>b<br>r<br>i<br>s | A<br>i<br>r<br>f<br>l<br>o<br>w | A<br>H<br>E<br>R<br>A<br># | P<br>F<br>D | P<br>r<br>i<br>o<br>r<br>i<br>t<br>y | Sorted by: Area/Matl/Zone<br>Disposition All<br>Selected: | Response | Quantity |
|---------|------|---|---|-------------|----------------|---------------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------|--------------------------------------|---|----------|----------|
| STAIR 3 | Z3   | CT11B*  | CEILING TILE, 12"x12" Fiberboard Panels *   | CT1         | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z3   | <b>CTM</b>                                    | <b>CEILING TILE MASTIC</b>  | <b>CT1M</b> | <b>Assumed</b> | N                               | ND  | N                          | N                          | N                               |                            | LPD 14      |                                      |   | O&M      | 660 sf   |
|         | ZR   | CTRP  | CEILING TILE PATCH, Replacement Panels  | CTR         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z3   | NSFS  | NON-SKID FLOOR STRIPS   | NS          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z3   | P   | PLASTER, Smooth/Sandfloat Finish  | P1          | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z3   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>↳ NOTE: 13 lf covered w/ a metal jacket.  | <b>PIM</b>  | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      |   | O&M      | 20 lf    |
|         | Z3   | <b>PIWF</b>                                   | <b>PIPE INSULATION, Woolfelt &amp; Associated Fittings</b><br>↳ NOTE: Above ceiling on ground floor.  | <b>PIW</b>  | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      |   | O&M      | 20 lf    |
|         | ZR   | STRV  | STAIR TREADS, Replacement Vinyl & Associated Mastic   | STRV        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
| Z3      | WPMN | WALL PANELS, Masonite                         | MSNT1   | Non-Suspect |                |                                 |   |                            |                            |                                 |                            |             |                                      |   | 0 sf     |          |
| STAIR 4 | Z2   | CPMPF   | CEILING PANELS, Metal Pan w / Fiberglass Backing  | CT3         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z2   | CT11B*  | CEILING TILE, 12"x12" Fiberboard Panels *   | CT4         | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z2   | CT24M   | CEILING TILE, 2'x4' Mineral Board Panels  | CT2         | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z2   | CTM   | CEILING TILE MASTIC   | CT4M        | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | ZR   | CTRP  | CEILING TILE PATCH, Replacement Panels<br>↳ NOTE: 2'x4' mineral board panels.   | CTR         | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z2   | NSFS  | NON-SKID FLOOR STRIPS   | NS          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | Z2   | P   | PLASTER, Smooth/Sandfloat Finish  | P           | Non-ACM        |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | ZR   | PIFZ  | PIPE INSULATION, Fiberglass w / Zeston [PVC] Fittings   | PIFZ        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 lf     |
|         | Z2   | <b>PIM</b>                                    | <b>PIPE INSULATION, Magnesia &amp; Associated Fittings</b><br>↳ NOTE: 20 lf covered w/ a metal jacket. Quantity includes an estimated 10 lf above inaccessible ceiling. | <b>PIM</b>  | <b>ACM</b>     | N                               | ND  | Y                          | N                          | N                               |                            | SPD 12      |                                      |   | O&M      | 43 lf    |
|         | ZR   | PP  | PLASTER PATCH, Smooth/Sandfloat Finish  | PP          | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | ZR   | STRV  | STAIR TREADS, Replacement Vinyl & Associated Mastic   | STRV        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
|         | ZR   | WBR4  | WALL BASE, 4" Replacement Vinyl & Associated Mastic   | WBR4        | Non-Suspect    |                                 |   |                            |                            |                                 |                            |             |                                      |   |          | 0 sf     |
| Z2      | WPMN | WALL PANELS, Masonite<br>↳ NOTE: Wainscoting. | MSNT  | Non-Suspect |                |                                 |   |                            |                            |                                 |                            |             |                                      |   | 0 sf     |          |

**Total Record Count: 882      Total Area Count: 150**

Matl Types Selected: ALL  
Areas Selected: ALL

\* Must check the Disposition of the mastic associated with this material  
\*\* This material contains trace amounts of asbestos (<=1%)