

# Milwaukee Respiratory Virus Surveillance Update

## MMWR Week 37, Ending September 14, 2024

### Contents

|   |    |
|---|----|
| Overview . . . . .  | 2  |
| Statewide and Regional Influenza Activity . . . . .                                     | 3  |
| Respiratory Virus Laboratory Surveillance . . . . .                                     | 3  |
| Milwaukee County Influenza Activity . . . . .   | 4  |
| Influenza Testing Data . . . . .  | 5  |
| National Influenza Activity . . . . .   | 5  |
| Global Influenza Activity . . . . .   | 6  |
| Influenza Vaccination Uptake by City of Milwaukee Residents, 2023-2024 Season . . . . . | 7  |
| Respiratory Illness Emergency Department Visits in Milwaukee County . . . . .           | 8  |
| COVID-19 Activity . . . . .   | 9  |
| SARS-CoV-2 Wastewater Surveillance . . . . .  | 10 |

## Overview

### County

- There were 0 influenza-associated hospitalizations reported in Milwaukee County during the week ending on September 14, 2024. From October 1, 2023 through September 14, 2024, there have been 696 reported influenza-associated hospitalizations in Milwaukee County (532 City of Milwaukee residents).

### State

- Emergency department (ED), laboratory testing, hospitalization, and wastewater data all show that COVID-19 activity is elevated.
- ED visit data show that COVID-19 activity is highest among children under 5 years and people 65 years and older.
- Influenza and RSV continued to circulate at low levels in Wisconsin.

### National

- Seasonal influenza activity remains low nationally.
- 0 influenza-associated pediatric deaths occurred during this week.
- Influenza A (H1N1)pdm09 and A(H3N2) were co-circulating this week.

**Influenza Vaccine Composition 2022-2023 Influenza Season** All standard-dose flu shots will be quadrivalent (no trivalent standard-dose flu shots will be available this season). The quadrivalent vaccines for use in the 2023-2024 influenza season contain the following:


- an A/Victoria/4897/2022 (H1N1)pdm09-like virus;
- an A/Darwin/9/2021 (H3N2)-like virus;
- a B/Austria/1359417/2021 (B/Victoria lineage)-like virus; and
- a B/Phuket/3073/2013 (B/Yamagata lineage)-like virus

### CDC Pediatric Data (Since Week 40)

| 2023-24<br>To Date:<br>Total<br>Deaths | 2022-23<br>To Date:<br>Total<br>Deaths | Pediatric<br>Deaths This<br>Week | Notes on Deaths   |
|--|--|----------------------------------|---|
| 199                                    | 187                                    | 0                                | No influenza-associated pediatric deaths were reported to CDC during Week 37. |

## Statewide and Regional Influenza Activity

Influenza-like illness levels were below baseline statewide and below baseline in the southeastern region of the state.




Wisconsin Department of Health Services Respiratory Virus Surveillance Report, September 14, 2024

## Respiratory Virus Laboratory Surveillance

### Wisconsin Laboratory Surveillance for Respiratory Viruses

Percent positivity of respiratory viruses tested by PCR, NREVSS




Wisconsin Department of Health Services Respiratory Virus Surveillance Report, September 14, 2024

## Milwaukee County Influenza Activity


From October 1, 2023 through September 14, 2024 there have been 696 reported influenza-associated hospitalizations in Milwaukee County.

### Milwaukee County Influenza-Associated Hospitalizations



\*Flu activity was unusually low in the 2020-2021 flu season, despite high levels of testing. COVID-19 mitigation measures such as wearing face masks, social distancing, staying home, and school closures, in addition to flu vaccination, likely contributed to the low flu activity during this season.

### Milwaukee County Influenza-Associated Hospitalizations by Age Group MMWR Week 40, 2023 through Week 37, 2023



## Influenza Testing Data


### Public Health Laboratory Influenza Testing Data To-Date (Since Week 40)

| Lab  | Number Tested to date | Number Positive to date | Most Recent Week Percent Positive | Predominant A Subtype and Strain | Predominant B Strain | Predominant Type (A or B) |
|------|-----------------------|-------------------------|-----------------------------------|----------------------------------|----------------------|---------------------------|
| CDC  | 4,043,470             | 352,287                 | 245/47,214 (0.5%)                 | (H1N1)pdm09                      | Victoria             | A                         |
| WSLH | -                     | -                       | 15/6,495 (0.2%)                   | Unknown                          | Unknown              | A                         |
| MHDL | 8                     | 1                       | 1/8 (12.5%)                       | Unknown                          | Unknown              | Unknown                   |

### National Influenza Testing Data, CDC FluView




Influenza Positive Tests Reported to CDC by Public Health Laboratories, National Summary, 2023-24 Season, week ending Sep 14, 2024  
 Reported by: U.S. WHO/NREVSS Collaborating Laboratories and ILINet





## National Influenza Activity

### Outpatient Respiratory Illness Activity Map, CDC FluView



## Global Influenza Activity




- In the Northern hemisphere, influenza activity in temperate countries remained at interepidemic levels. Activity was elevated in Western Africa (due to A(H3N2) and B viruses), Middle Africa (due to A(H3N2) viruses), Southern Asia (due to A(H1N1)pdm09 viruses) and South East Asia (due to A(H1N1)pdm09 viruses) and was also elevated in a few countries in Western Asia (due to A(H1N1)pdm09 and B viruses) and Central America and the Caribbean (due to A(H3N2) viruses). Activity continued to increase in a few countries in Middle Africa
- SARS-CoV-2 activity remained elevated in many countries in Europe and a few countries in Western Asia, Eastern Asia, and Tropical South America. Increased activity was seen in a few reporting countries in Eastern Europe and Western Asia, but was similar or declined compared with the prior report in all other reporting countries.

# Influenza Vaccination Uptake by City of Milwaukee Residents, 2023-2024 Season


## Overview

- City of Milwaukee residents who have received at least one dose of flu vaccinations as of September 20, 2024:




## Influenza Vaccination Coverage for 2023-2024 Season by Demographics


### Influenza Vaccinations by Ethnicity




### Influenza Vaccinations by Race



## Vaccination Uptake Timelines



## Respiratory Illness Emergency Department Visits in Milwaukee County






## COVID-19 Activity


### COVID-19 Hospital Admission Metrics, Updated

#### Hospitalized Patients that are COVID-19 Positive Timeline, Milwaukee County



Data Source: HERC Region 7  
Last Update: 2024-08-29

## SARS-CoV-2 Wastewater Surveillance



**Category:** Compared to the last 6 months of data, the average of the last three most recent SARS-CoV-2 measurements are in the 84.31 percentile for Jones Island Sewershed and are in the 84.31 percentile for South Shore Sewershed. These measurements are *high* for Jones Island and *high* for South Shore.

**Trajectory:** Wastewater concentrations of SARS-CoV-2 *significantly increased* in the Jones Island or South Shore sewersheds.